

Coat colours in some goat breeds of the world

| Breed | Country | Colours | Reference |
|-----------------|-------------------|---|--------------------------|
| Alpines | France | White, shades of fawn, gray, brown, black, red, bluff, piebald, or various shadings or combinations of these colors | Briggs and Briggs (1980) |
| Altai Mountain | Russia | Black, dark grey | Mason (1988) |
| Anatolian Black | Turkey | Black, brown, gray or pied | Mason (1996) |
| Anglo-Nubians | UK | Solid or parti-colored, black, red or tan or combination with white. | Briggs and Briggs (1980) |
| Angora | Turkey | Brown, grey or black | Morrical (1993) |
| Arapawa | England | Brown and black patchwork | Mason (1996) |
| Barbari | Pakistan | White creamy to golden, spotted | Khan et al. (2005) |
| Barbari | India | Wide variation in coat colour, but white with small light brown patches was the most typical | FAO (1982) |
| Beetal | India | Predominantly black or brown with white spots of differing sizes. 92.6% animals were black and 7.4% brown | FAO (1982) |
| Belgian Fawn | Belgium | Chamois coloured | Mason (1996) |
| Benadir | Somalia | Red or black spotted | Mason (1996) |
| Bengal | India | Predominant coat colour was black; brown, grey and white were also found. Black and brown with black markings along the back and on the belly and extremities | FAO (1982) |
| Bhuj | Brazil | Black with white or spotted | Mason (1996) |
| Bionda | Italy | Light brown, very fair | Brambilla (2002) |
| Black Bengal | Bangladesh | Black, brown, white or gray | Mason (1996) |
| Boer | USA | White | Mason (1988) |
| Booted Goat | Switzerland | Bright gray-brown to dark red-brown color with black or brown markings | Anonymous (1995) |
| British Alpine | England | Black with white markings | Anonymous (1989) |
| Brown Shorthair | Czech R. | Light-brown to white | Matlova (1998) |
| Canary Island | Spain | Any colour | Mason (1996) |
| Caninde | Brazil | Black with pale face-stripes and belly | Mason (1996) |
| Carpathian | Poland | White | Mason (1996) |
| Chamois Colored | Switzerland | Brown in color with black face-stripes, back stripe, belly and legs | Mason (1996) |
| Changthangi | India | Half of the animals were white, the remainder black, grey or brown | FAO (1982) |
| Chappar | Pakistan | Black | Khan et al. (2005) |
| Charnequeira | Portugal | Red and pied | Mason (1996) |
| Chengdu Brown | China | Brown with a dark face and back stripes | Mason (1996) |
| Chgnu | India | White | Mason (1996) |
| Chigu | India | Usually white, mixed with greyish red | FAO (1982) |
| Corsican | Corsica | All colours | Mason (1996) |
| Damani | Pakistan | Black hair coat with tan head and legs | Khan et al. (2005) |
| Damascus | Syria, Lebanon | Red or brown, pied or grey | Mason (1996) |
| Danish Landrace | Denmark | Bezoar, Black bezoar, harz colour, black, blue, pied (black and white or brown and | Mason (1996) |

| Breed | Country | Colours | Reference |
|------------------|----------------|--|---------------------------|
| Don | Russia | white), white Black, sometimes white | Dmitriez and Ernst (1989) |
| Duan | China | White, black or pied | Mason (1996) |
| Dutch Landrace | Netherlands | All colors are allowed | de Poel (1999) |
| Erzgebirg | German | Red-brown with a black dorsal stripe, belly, legs and face mask | Mason (1996) |
| Finnish Landrace | Finland | White, gray or pied | Mason (1996) |
| Gaddi | India | Mostly white, but black and brown and combinations | FAO (1982) |
| Ganjam | India | Black, white, brown or spotted, but black predominated | FAO (1982) |
| Girgentana | Sicily | Creamy white with brown spots around the eyes | Milerski (2002) |
| Gohilwadi | India | Black | FAO (1982) |
| Golden Guernsey | C. Island | Cream to brown | Mason (1996) |
| H. Improved | Hungary | Black, white, red or cream | Mason (1996) |
| Hailun | China | White but also seen as black, pied, grey brown or yellow | Mason (1996) |
| Haimen | China | White | Mason (1996) |
| Hasi | Albania | Reddish | Mason (1996) |
| Hejazi | KSA | Black | Mason (1996) |
| Hexi Cashmere | China | White but black, brown or pied | Mason (1996) |
| Hongtong | China | White | Mason (1996) |
| Huaipi | China | White | Mason (1996) |
| Irish goat | Ireland | White, black and gray | Mason (1996) |
| Jamnapari | India | Wide variation in colour. Typical is white with small tan patches on head and neck | FAO (1982) |
| Jhakrana | India | Predominantly black with white spots on ears and muzzle | FAO (1982) |
| Jining Grey | China | Black, white or black and white | Cheng (1986) |
| Kaghani | Pakistan | White, gray, brown or black | Khan et al. (2005) |
| Kamori | Pakistan | Reddish brown or white and black spotted | Khan et al. (2005) |
| Kannaiadu | India | Predominantly black or black with white spots | FAO (1982) |
| Kilis | Turkey | Black | FAO (1986) |
| Kutchi | India | Predominantly black, but a few white, brown and spotted | FAO (1982) |
| LaMancha | USA | Any color or combination of colors | Briggs and Briggs (1980) |
| Malabari | India | White to completely black | FAO (1982) |
| Marwari | India | Predominantly black with long shaggy hair coat. 5% of individuals had white or brown patches | FAO (1982) |
| Mehsana | India | The coat was black, with white spots at the base of the ear | FAO (1982) |
| Moxoto | Brazil | White or cream with black face-stripes, back-stripe and belly | Mason (1996) |
| Murcia-Granada | Spain | Black to brown color | Espejo (1996) |
| Myotonic | USA | Black and white, multi colors | Anonymous (1989) |

| Breed | Country | Colours | Reference |
|------------------|----------------|---|---------------------------|
| Nigerian Dwarf | Nigeria | Any colour but silver agouti (roan) | |
| Norwegian | Norway | Gray, blue, white or pied coloration | Mason (1996) |
| Oberhasli | USA | Chamois(light to a deep red bay), black | Anonymous |
| Osmanabadi | India | 73% were black and the rest were white, brown or spotted | FAO (1982) |
| Philippine | Philippine | Cream, tan or light brown | Mason (1996) |
| Poitou | France | Black-brown with a pale underbelly and legs | Mason (1996) |
| Pygmy Goat | Cameroon | Grizzled (agouti) pattern produced by the intermingling of light and dark hairs, of any color | Anonymous (1932) |
| Pyrenean | France, Spain | Dark brown or black with a paler belly and feet | Mason (1996) |
| Qinshan | China | Black | Mason (1996) |
| Repartida | Brazil | Black forequarters and brown or pale hindquarters | Mason (1996) |
| Russian White | Russia | White | Dmitriez and Ernst (1989) |
| Saanen | USA | White or light cream in color | Anonymous (1989) |
| Sahelian | Mali | Pure white, cream, to red, black or gray sprinkled or pied, gray, brown or black | Mason (1996) |
| San Clemente | USA | Mostly red or tan with black markings | Anonymous (1989) |
| Sangamneri | India | White, black or brown, with spots of the other colours | FAO (1982) |
| Sirohi | India | Predominantly brown, with light or dark brown patches; a very few individuals were completely white | FAO (1982) |
| Somali | Somalia, Kenya | White but colored spots or patches also found | Mason (1996) |
| Surti | India | White | FAO (1982) |
| Swedish Landrace | Sweden | Black, brown or white | Mason (1996) |
| Thuringian | German | Chocolate-brown in colour with white markings on head and legs, a light face mask and white flash on the rump | Mason (1996) |
| Toggenburg | Switzerland | Solid varying from light fawn to dark chocolate with no preference for any shade | Anonymous (1989) |
| Uzbek black | Uzbekistan | Black | Dmitriez and Ernst (1989) |
| V. Blackneck | Switzerland | Black forequarters and white hindquarters | Mason (1996) |
| Verata | Spain | Chestnut, black or grey | Mason (1996) |
| W. Shorthaired | C. Republic | Light-brown to white | Matlova (1998) |
| Xinjiang | China | White, black or brown | Mason(1996) |
| Yemen Mountain | Yemen | Black | Mason (1996) |
| Zalawadi | India | Black | FAO (1982) |
| Zhiwulin Black | China | Black | Mason (1996) |
| Zhongwei | China | White | Cheng (1984) |