

CLASSIFICATION

A genus-level phylogenetic linear sequence of monocots

Anna Trias-Blasi, William J. Baker, Anna L. Haigh, David A. Simpson, Odile Weber & Paul Wilkin

Herbarium, Library, Art and Archives, Royal Botanic Gardens, Kew, Richmond, Surrey, TW9 3AB, U.K.

Author for correspondence: *Anna Trias-Blasi, a.triasblasi@kew.org*

ORCID: AT-B, <http://orcid.org/0000-0001-9745-3222>; WJB, <http://orcid.org/0000-0001-6727-1831>

DOI <http://dx.doi.org/10.12705/643.9>

Abstract This paper provides an up-to-date linear sequence of monocot families and genera (excluding Orchidaceae and Poaceae) based on current phylogenetic evidence. The sequence is provided in a numbered list of each of the 1225 genera in 75 monocot families, together with a complementary alphabetical list. The sequence represents a standardized tool for the organisation of monocot herbarium collections.

Keywords Floras; generic arrangement; herbarium curation; linear sequence; monocot classification; monocotyledons

■ INTRODUCTION

Numerous flowering plant classification systems have provided linear taxonomic sequences based on phylogenetic data and the APG system (APG, 1998; APG II, 2003; APG III, 2009), as summarised in several recent publications (Haston & al., 2007, 2009; Christenhusz & al., 2011; Lewis & al., 2013; Wearn & al., 2013). Adopting a phylogeny-driven linear sequence in herbaria and books has been reported to be more advantageous than an alphabetical arrangement (Funk, 2003). However, the fitting of complex taxonomic relationships into a linear system, particularly those derived from phylogenetic trees, is challenging and inevitably involves a loss of information (Haston & al., 2007, 2009; Lewis & al., 2013; Wearn & al., 2013). The resulting linear sequence is dependent on the methodology used and needs to be understood in the context of a phylogenetic tree (Haston & al., 2009). In some cases, the choice of methodology has proved controversial. For example, the linear sequence proposed in Haston & al. (2007) was questioned by Hawthorne & Hughes (2008). Their main criticism was that Haston & al.'s (2007) sequence was “incompletely optimized for incompletely specified criteria”. Hawthorne & Hughes's (2008) suggestion – if a standard sequence is to be adopted – was to conserve desirable existing morphology-based sequences without contradicting phylogenetic tree topology. But ultimately their optimal solution would involve the development of tree projection software to produce optimum projections. Unfortunately, Hawthorne & Hughes (2008) do not suggest a clear standardised methodology to generate a linear sequence and thus we have adopted a methodology similar to that of Haston & al. (2007).

Monocots (or monocotyledons) currently comprise 77 families, which together contain ca. 74,500 species in 2705 genera (Pridgeon & al., 1999, 2001, 2003, 2005, 2009, 2014; Clayton & al., 2006–; eMonocot, 2014). They represent 20% of flowering plants (eMonocot, 2014) and have great economic

importance, accounting for 84% of the 10 major plant foods in global human consumption (FAO, 2010). Monocot phylogenetic relationships have been the focus of significant research in the last couple of decades, encouraged by six international conferences since 1993. The need for a new linear sequence for monocots arose in the context of the re-organisation of the Herbarium at the Royal Botanic Gardens, Kew. This offered the opportunity to update the physical arrangement of the monocot collection from a mix of classification systems based mainly on morphological evidence (i.e., Bentham & Hooker, 1862–1883; Moore, 1973; Dahlgren & al., 1985; Uhl & Dransfield, 1987) to a system that more accurately represents the phylogenetic relationships within and between the monocot families. This paper presents a phylogeny-driven linear generic structure for the monocots (excluding Orchidaceae and Poaceae) comprising all genera accepted up to August 2013. It is hoped that this list will be a useful tool for herbarium curators to re-arrange their monocot genera.

All accepted generic names and species numbers were taken from the “World checklist of selected plant families” (WCSP, 2014) and eMonocot (2014). The methodology used to obtain the linear sequence is similar to the one used in Haston & al. (2007) and Lewis & al. (2013). We used the most up-to-date phylogenies published at the time for each of the families (Table 1). Within each family, nodes were rotated such that clades with fewer genera were placed before clades with a greater number of genera. For sister clades that have an equal number of genera, the clade with fewer species was placed first. In many cases, intergeneric relationships of particular clades were unclear due to polytomies, paraphyly and polyphyly; genera in such clades were arranged by increasing number of species (except in the case of the palms (Arecaceae) where they were ordered alphabetically to be consistent with the widely used phylogenetic classification of Dransfield & al., 2008). At terminal nodes, genera with fewer species were placed before

genera with a greater number of species. Sister genera with the same number of species were arranged alphabetically. As indicated in Haston & al. (2007), the placement of smaller clades/genera first prevents smaller genera in a clade being widely separated and minimises the number of nodes separating genera adjacent in the sequence. The position of unsampled genera was determined using relevant literature (Table 1) on the basis of morphological characters. These genera were placed either before their reported closest relative if they had fewer species, or after it if they had more.

We present here the linear sequence for 75 monocot families containing 1225 genera (Table 2). Orchidaceae and Poaceae are not included because linear sequences for these families are in preparation elsewhere. Table 3 is an alphabetical list of the monocot genera presented in Table 2. Note there is no family 41 in the sequence (Tables 2 and 3) – this is due to the sinking of previously recognised Ruppiaceae into Cymodoceaceae according to the latest Alismatid phylogeny (Les & Tippery, 2013). For practical reasons we recommend the use of both the familial and subfamilial classification on the cabinet labels for families that have been extensively re-circumscribed such

as Xanthorrhoeaceae, Amaryllidaceae and Asparagaceae. Together with a cross-referenced index this will allow a speedier location of the desired taxon. Table 4 provides the subfamilies and the corresponding generic numbers allocated in the new monocot linear sequence. We have attempted to account for all validly published generic names, but acknowledge that some may have been overlooked. We welcome feedback regarding errors or omissions in order that the linear sequence can be improved in the future.

There are still areas of considerable uncertainty across the monocots due to both lack of resolution in some phylogenies and the large number of genera still remaining unsampled; thus we expect changes in the linear sequence will be needed as more phylogenetic data become available. Areas of controversy in most need of attention are: the interfamilial relationships of Dioscoreales; the intergeneric relationships of Amaryllidaceae, Asparagaceae, Bromeliaceae, Commelinaceae, Cyclanthaceae, Cyperaceae, Eriocaulaceae, Pontederiaceae, Potamogetonaceae, Iridaceae, Juncaceae, Zingiberaceae; the position of Corsiaceae and Dasypogonaceae; and the position and status of the genus *Maundia* F.Muell.

Table 1. List of publications used to obtain the linear sequence arranged by family.

Order	Family	Family seq. no.	Literature consulted
Acorales	Acoraceae	29	Chase & al., 2000b, 2006; Jansen & Bremer, 2004
Alismatales	Araceae	30	Mansion & al., 2008; Cusimano & al., 2010, 2011; Linz & al., 2010; Boyce & Croat, 2012; Gonçalves, 2012; Nauheimer & al., 2012; Nauheimer & Boyce, 2013; Yeng & al., 2013; Low & al., 2014
	Tofieldiaceae	31	Azuma & Tobe, 2011; Remizowa & al., 2011; Sokoloff & al., 2011
	Alismataceae	32	Les & al., 1997; Lehtonen & Myllys, 2008; Chen & al., 2012; Les & Tippery, 2013
	Butomaceae	33	Les & Tippery, 2013
	Hydrocharitaceae	34	Les & al., 1997, 2006; Les & Tippery, 2013
	Scheuchzeriaceae	35	Les & Tippery, 2013
	Aponogetonaceae	36	Les & Tippery, 2013
	Juncaginaceae	37	Iles & al., 2009; Mering & Kadereit, 2010; Les & Tippery, 2013
	Zosteraceae	38	Les & Tippery, 2013
	Potamogetonaceae	39	Tomlinson & Posluszny, 1976; Les & al., 1997; Lindqvist & al., 2006; Les & Tippery, 2013
	Posidoniaceae	40	Les & Tippery, 2013
Cymodoceaceae	42	Les & Tippery, 2013	
Petrosaviales	Petrosaviaceae	43	Chase & al., 2000b, 2006; Cameron & al., 2003; Jansen & Bremer, 2004
Dioscoreales	Nartheciaceae	44	Merckx & al., 2008b; Fuse & al., 2012
	Burmanniaceae	45	Merckx & al., 2006, 2008a, 2009; Yokoyama & al., 2008; Merckx, 2013
	Dioscoreaceae	46	Caddick & al., 2002a, b; Merckx & al., 2009; Merckx, 2013
Pandanales	Triuridaceae	47	Rudall & Bateman, 2006; Mennes & al., 2013; Merckx, 2013
	Velloziaceae	48	Mello-Silva, 2005; Mello-Silva & al., 2011
	Stemonaceae	49	Rudall & al., 2005; Mennes & al., 2013
	Cyclanthaceae	50	Hammel & Wilder, 1989; Eriksson, 1994; Mennes & al., 2013
	Pandanaceae	51	Callmander & al., 2003, 2012a, b; Buerki & al., 2012a
Liliales	Campynemataceae	52	Kim & al., 2013; Petersen & al., 2013
	Melanthiaceae	53	APG, 1998; Zomlefer & al., 2001, 2003, 2006; APG II, 2003; Farmer, 2006; APG III, 2009; Kim & al., 2013; Petersen & al., 2013; eMonocot, 2014
	Petermanniaceae	54	Kim & al., 2013; Petersen & al., 2013

Table 1. Continued.

Order	Family	Family seq. no.	Literature consulted
Liliales (continued)	Alstroemeriaceae	55	Sanso, 1996; Sanso & Xifreda, 1999, 2001; Aagesen & Sanso, 2003; Kim & al., 2013; Petersen & al., 2013
	Colchicaceae	56	Persson & al., 2011; Kim & al., 2013; Nguyen & al., 2013
	Philesiaceae	57	Kim & al., 2013
	Ripogonaceae	58	Kim & al., 2013; Petersen & al., 2013; Seberg & al., 2013
	Smilacaceae	59	Cameron & Fu, 2006; Li & al., 2011; Qi & al., 2012; Kim & al., 2013; Petersen & al., 2013
	Corsiaceae	60	Neyland & Hennigan, 2003; Davis & al., 2004; Chase & al., 2006; Fay & al., 2006a; Kim & al., 2013; Merckx, 2013
	Liliaceae	61	Clennet & al., 2012; Christenhusz & al., 2013; Kim & al., 2013; Petersen & al., 2013; Türktas & al., 2013
Asparagales	Boryaceae	63	Seberg & al., 2012
	Blandfordiaceae	64	Seberg & al., 2012; Chen & al., 2013
	Asteliaceae	65	Birch & al., 2012
	Lanariaceae	66	Seberg & al., 2012; Chen & al., 2013
	Hypoxidaceae	67	Kocyan & al., 2011; Liu & al., 2012
	Tecophilaeaceae	68	Buerki & al., 2013
	Doryanthaceae	69	Seberg & al., 2012; Chen & al., 2013
	Ixioliriaceae	70	Seberg & al., 2012; Chen & al., 2013
	Iridaceae	71	Goldblatt & Henrich, 1991; Goldblatt & al., 1998, 2008; Gil & al., 2008; Chauveau & al., 2012; Lovo & al., 2012; Forest & al., 2014;
	Xeronomataceae	72	Seberg & al., 2012; Chen & al., 2013
	Xanthorrhoeaceae	73	Chase & al., 2000a, 2009; Devey & al., 2006; Wurdack & Dorr, 2009; Boatwright & Manning, 2010; Klopper & al., 2010, 2013; Daru & al., 2013; Grace & al., 2013; Manning & al., 2014
	Amaryllidaceae	74	Meerow, 1987, 2010; Fay & Chase, 1996; Meerow & Snijman, 1998, 2001, 2006; Meerow & al., 1999, 2000a, b, 2006; Ravenna, 2000; Lledo & al., 2004; Meerow & Clayton, 2004; Fay & al., 2006b; Vosa, 2007; Bay-Smidt & al., 2010; Larsen & al., 2010; Li & al., 2010; Garcia & al., 2014; Jara-Arancio & al., 2014
	Asparagaceae	75	Cruden, 1987; Cruden & al., 1991; Chase & al., 1996, 2009; Tamura & al., 1997; Conran, 1998; Pfosser & Speta, 1999; Pires & al., 2001; Pires & Sytsma, 2002; Lopes & Andreatta, 2003, 2006; Manning & al., 2004, 2009; Bogler & al., 2006; Smith & al., 2008; Fishbein & al., 2010; Kim & al., 2010; Martínez-Azorín & al., 2011, 2013; Buerki & al., 2012b; Chen & al., 2013; Lopes & al., 2013
Arecales	Arecaceae/Palmae	76	Dransfield & al., 2005, 2008; Baker & al., 2009; Bacon & Baker, 2011; Henderson & Bacon, 2011; Galeano & Bernal, 2013; Heatubun & al., 2014; Zona & Baker, 2014; Baker, 2015
Commelinales	Hanguanaceae	77	Saarela & al., 2008
	Commelinaceae	78	Conran, 1994; Faden, 1998; Evans & al., 2000, 2003; Hardy & Faden, 2004; Burns & al., 2011
	Philydraceae	79	Saarela & al., 2008
	Pontederiaceae	80	Graham & al., 1998; Ness & al., 2011
	Haemodoraceae	81	Hopper & al., 2009
Zingiberales	Strelitziaceae	82	Kress & Specht, 2006
	Lowiaceae	83	Kress & Specht, 2006
	Heliconiaceae	84	Kress & Specht, 2006; Barrett & al., 2014
	Musaceae	85	Kress & Specht, 2006
	Cannaceae	86	Kress & Specht, 2006; Barrett & al., 2014
	Marantaceae	87	Andersson, 1998; Prince & Kress, 2006; Suksathan & al., 2009; Borchsenius & al., 2012; Vieira & al., 2012; Saka & Lombardi, 2014
	Costaceae	88	Specht & Stevenson, 2006
	Zingiberaceae	89	Newman, 1995; Larsen & al., 1998; Larsen & Jenjittikul, 2001; Kress & al., 2002, 2005; Williams & al., 2003; Ngamriabsakul & al., 2004; Pedersen, 2004; Harris & al., 2006; Takano & Nagamasu, 2007; Leong-Škorničková & al., 2011; Sakai & al., 2013
unplaced	Dasyopogonaceae	90	Rudall, 1994; Rudall & Chase, 1996; Chase & al., 2000b, 2006; Jansen & Bremer, 2004; Rudall & Conran, 2012

Table 1. Continued.

Order	Family	Family seq. no.	Literature consulted
Poales	Typhaceae	91	Givnish & al., 2010
	Bromeliaceae	92	Smith & Till, 1998; Givnish & al., 2006, 2011; Horres & al., 2007; Schulte & al., 2009; Louzada & Versieux, 2010; Sass & Specht, 2010
	Rapateaceae	93	Givnish & al., 2004
	Xyridaceae	94	Kral, 1998; Campbell, 2012
	Eriocaulaceae	95	Gomes de Andrade & al., 2010, 2011; Echternacht & al., 2014
	Mayacaceae	96	Givnish & al., 2010
	Thurniaceae	97	Givnish & al., 2010
	Juncaceae	98	Záveská Drábková, 2010; Záveská Drábková & Kirschner, 2013
	Cyperaceae	99	Thomas & Davidse, 1989; Goetghebeur, 1998; Strong, 2003; Starr & al., 2004; Lee & Oh, 2007; Muasya & al., 2009; Muasya & De Lange, 2010; Yano & al., 2012; Gilmour & al., 2013; Bauters & al., 2014; Larridon & al., 2014; Shiels & al., 2014
	Anarthriaceae	100	Briggs & al., 2000, 2010, 2014
	Centrolepidaceae	101	Briggs & al., 2000, 2010, 2014
	Restionaceae	102	Linder & al., 1998; Briggs & al., 2000, 2010, 2014; Briggs & Linder, 2009; Linder, 2011; Briggs, 2014a, b
	Flagellariaceae	103	Givnish & al., 2010
	Joinvilleaceae	104	Givnish & al., 2010
	Ecdeiocoleaceae	105	Givnish & al., 2010

Table 2. Numbered linear sequence of monocot genera (excluding Orchidaceae and Poaceae) arranged by family. Family sequence number from Haston & al. (2009) and Wearn & al. (2013).

Acorales, 1 family	<i>Anadendrum</i> Schott	20	<i>Philodendron</i> Schott	44	
29. Acoraceae, 1 genus	<i>Rhaphidophora</i> Hassk.	21	<i>Furtadoa</i> M.Hotta	45	
<i>Acorus</i> L.	1	<i>Scindapsus</i> Schott	22	<i>Homalomena</i> Schott	46
Alismatales, 12 families	<i>Monstera</i> Adans.	23	<i>Aglaodorum</i> Schott	47	
30. Araceae, 123 genera	<i>Amydrium</i> Schott	24	<i>Aglaonema</i> Schott	48	
<i>Gymnostachys</i> R.Br.	1	<i>Epipremnum</i> Schott	25	<i>Nepthytis</i> Schott	49
<i>Orontium</i> L.	2	<i>Urospatha</i> Schott	26	<i>Pseudohydrosme</i> Engl.	50
<i>Lysichiton</i> Schott	3	<i>Dracontium</i> L.	27	<i>Anchomanes</i> Schott	51
<i>Symplocarpus</i> Salisb. ex W.P.C.Barton	4	<i>Dracontioides</i> Engl.	28	<i>Zantedeschia</i> Spreng.	52
<i>Spirodela</i> Schleid.	5	<i>Anaphyllopsis</i> A.Hay	29	<i>Lorenzia</i> E.G.Gonç.	53
<i>Lemna</i> L.	6	<i>Podolasia</i> N.E.Br.	30	<i>Bognera</i> Mayo & Nicolson	54
<i>Landoltia</i> Les & D.J.Crawford	7	<i>Lasia</i> Lour.	31	<i>Gearum</i> N.E.Br.	55
<i>Wolffiella</i> Hegelm.	8	<i>Cyrtosperma</i> Griff.	32	<i>Synandropadix</i> Engl.	56
<i>Wolffia</i> Horkel ex Schleid	9	<i>Pycnospatha</i> Thorel ex Gagnep.	33	<i>Croatiella</i> E.G.Gonç.	57
<i>Anthurium</i> Schott	10	<i>Lasimorpha</i> Schott	34	<i>Spathicarpa</i> Hook.	58
<i>Pothos</i> L.	11	<i>Anaphyllum</i> Schott	35	<i>Taccarum</i> Brongn. ex Schott	59
<i>Pedicellarum</i> M.Hotta	12	<i>Stylochaeton</i> Lepr.	36	<i>Asterostigma</i> Fisch. & C.A.Mey.	60
<i>Pothodium</i> Schott	13	<i>Zamioculcas</i> Schott	37	<i>Dieffenbachia</i> Schott	61
<i>Stenospermation</i> Schott	14	<i>Gonatopus</i> Engl.	38	<i>Mangonia</i> Schott	62
<i>Heteropsis</i> Kunth	15	<i>Calloopsis</i> Engl.	39	<i>Incarum</i> E.G.Gonç.	63
<i>Alloschemone</i> Schott	16	<i>Anubias</i> Schott	40	<i>Spathantheum</i> Schott	64
<i>Rhodospatha</i> Poepp.	17	<i>Cercestis</i> Schott	41	<i>Gorgonidium</i> Schott	65
<i>Holochlamys</i> Engl.	18	<i>Culcasia</i> P.Beauv.	42	<i>Montrichardia</i> Crueg.	66
<i>Spathiphyllum</i> Schott	19	<i>Adelonema</i> Schott	43	<i>Philonotion</i> Schott	67

Table 2. Continued.

<i>Lagenandra</i> Dalzell	68	<i>Lazarum</i> A.Hay	115	<i>Nechamandra</i> Planch.	12
<i>Cryptocoryne</i> Fisch. ex Wydler	69	<i>Typhonium</i> Schott	116	<i>Vallisneria</i> P.Micheli ex L.	13
<i>Apoballis</i> Schott	70	<i>Sauromatum</i> Schott	117	<i>Najas</i> L.	14
<i>Pichinia</i> S.Y.Wong & P.C.Boyce	71	<i>Eminium</i> Schott	118	<i>Halophila</i> Thouars	15
<i>Piptospatha</i> N.E.Br.	72	<i>Helicodiceros</i> Schott	119	<i>Enhalus</i> Rich.	16
<i>Schottariella</i> P.C.Boyce & S.Y.Wong	73	<i>Biarum</i> Schott	120	<i>Thalassia</i> Banks & Sol. ex K.D. Koenig	17
<i>Phymatarum</i> M.Hotta	74	<i>Dracunculus</i> Mill.	121		
<i>Schottarum</i> P.C.Boyce & S.Y.Wong	75	<i>Gymnomesium</i> Schott	122	35. Scheuchzeriaceae, 1 genus	
<i>Schismatoglottis</i> Zoll. & Moritzi	76	<i>Arum</i> L.	123	<i>Scheuchzeria</i> L.	1
<i>Ooia</i> S.Y.Wong & P.C.Boyce	77	31. Tofieldiaceae, 4 genera		36. Aponogetonaceae, 1 genus	
<i>Hottarum</i> Bogner & Nicolson	78	<i>Pleea</i> Michx.	1	<i>Aponogeton</i> L.f.	1
<i>Aridarum</i> Ridl.	79	<i>Isidrogalvia</i> Ruiz & Pav.	2	37. Juncaginaceae, 4 genera	
<i>Bakoa</i> P.C.Boyce & S.Y.Wong	80	<i>Triantha</i> (Nutt.) Baker	3	<i>Tetroncium</i> Willd.	1
<i>Hestia</i> S.Y.Wong & P.C.Boyce	81	<i>Tofieldia</i> Huds.	4	<i>Cycnogeton</i> Endl.	2
<i>Bucephalandra</i> Schott	82	32. Alismataceae, 17 genera		<i>Triglochin</i> Riv. ex L.	3
<i>Calla</i> L.	83	<i>Luronium</i> Raf.	1	<i>Maundia</i> F.Muell.	4
<i>Amorphophallus</i> Blume ex Decne.	84	<i>Damasonium</i> Mill.	2	38. Zosteraceae, 2 genera	
<i>Jasarum</i> G.S.Bunting	85	<i>Baldellia</i> Parl.	3	<i>Phyllospadix</i> Hook.	1
<i>Hapaline</i> Schott	86	<i>Alisma</i> L.	4	<i>Zostera</i> L.	2
<i>Caladium</i> Vent.	87	<i>Burnatia</i> Micheli	5	39. Potamogetonaceae, 7 genera	
<i>Syngonium</i> Schott	88	<i>Limnocharis</i> Humb. & Bonpl.	6	<i>Althenia</i> F.Petit	1
<i>Filarum</i> Nicolson	89	<i>Butomopsis</i> Kunth	7	<i>Lepilanea</i> J.Drumm. ex Harv.	2
<i>Ulearum</i> Engl.	90	<i>Hydrocleys</i> Rich.	8	<i>Pseudoalthenia</i>	3
<i>Chlorospatha</i> Engl.	91	<i>Ranalisma</i> Stapf	9	<i>Zannichellia</i> P.Micheli ex L.	4
<i>Xanthosoma</i> Schott	92	<i>Caldesia</i> Parl.	10	<i>Groenlandia</i> J.Gay	5
<i>Scaphispatha</i> Brongn. ex Schott	93	<i>Helanthium</i> (Benth. & Hook.f.) Engelm. ex J.G.Sm.	11	<i>Stuckenia</i> Börner	6
<i>Zomicarpella</i> N.E.Br.	94			<i>Potamogeton</i> L.	7
<i>Zomicarpa</i> Schott	95	<i>Albidella</i> Pichon	12	40. Posidoniaceae, 1 genus	
<i>Ambrosina</i> Bassi	96	<i>Echinodorus</i> Rich.	13	<i>Posidonia</i> K.D.Koenig	1
<i>Arisarum</i> Mart.	97	<i>Sagittaria</i> Rupp. ex L.	14	42. Cymodoceaceae, 6 genera	
<i>Typhonodorum</i> Schott	98	<i>Astonia</i> S.W.L.Jacobs	15	<i>Ruppia</i> L.	1
<i>Peltandra</i> Raf.	99	<i>Limnophyton</i> Miq.	16	<i>Halodule</i> Endl.	2
<i>Arophyton</i> Jum.	100	<i>Wiesneria</i> Micheli	17	<i>Thalassodendron</i> Hartog	3
<i>Colletogyne</i> Buchet	101	33. Butomaceae, 1 genus		<i>Cymodocea</i> K.D.Koenig	4
<i>Carlephyton</i> Jum.	102	<i>Butomus</i> L.	1	<i>Amphibolis</i> C.Agardh	5
<i>Protarum</i> Engl.	103	34. Hydrocharitaceae, 17 genera		<i>Syringodium</i> Kütz.	6
<i>Pistia</i> L.	104	<i>Limnobium</i> Rich.	1	Petrosaviales, 1 family	
<i>Englerarum</i> Nauheimer & P.C.Boyce	105	<i>Hydrocharis</i> L.	2	43. Petrosaviaceae, 2 genera	
<i>Ariopsis</i> Nimmo	106	<i>Appertiella</i> C.D.K.Cook & L.Triest	3	<i>Japonolirion</i> Nakai	1
<i>Colocasia</i> Schott	107	<i>Lagarosiphon</i> Harv.	4	<i>Petrosavia</i> Becc.	2
<i>Remusatia</i> Schott	108	<i>Blyxa</i> Noronha ex Thouars	5	Dioscoreales, 3 families	
<i>Stuednera</i> K.Koch	109	<i>Ottelia</i> Pers.	6	44. Nartheciaceae, 5 genera	
<i>Leucocasia</i> Schott	110	<i>Apalanthe</i> Planch.	7	<i>Metanarthecium</i> Maxim.	1
<i>Alocasia</i> (Schott) G.Don	111	<i>Egeria</i> Planch.	8	<i>Aletris</i> L.	2
<i>Pinellia</i> Ten.	112	<i>Elodea</i> Michx.	9	<i>Lophiola</i> Ker Gawl.	3
<i>Arisaema</i> Mart.	113	<i>Stratiotes</i> L.	10	<i>Nietneria</i> Klotzsch ex Benth.	4
<i>Theriophonum</i> Blume	114	<i>Hydrilla</i> Rich.	11	<i>Narthecium</i> Huds.	5

Table 2. Continued.

45. Burmanniaceae, 13 genera		<i>Stelestylis</i> Drude	6	<i>Tripladenia</i> D.Don	5
<i>Marthella</i> Urb.	1	<i>Chorigyne</i> R.Erikss.	7	<i>Schelhammera</i> R.Br.	6
<i>Miersiella</i> Urb.	2	<i>Thoracocarpus</i> Harling	8	<i>Camptorrhiza</i> Hutch.	7
<i>Campylosiphon</i> Benth.	3	<i>Asplundia</i> Harling	9	<i>Iphigenia</i> Kunth	8
<i>Dictyostega</i> Miers	4	<i>Carludovica</i> Ruiz & Pav.	10	<i>Baeometra</i> Salisb. ex Endl.	9
<i>Hexapterella</i> Urb.	5	<i>Dianthoveus</i> Hammel & G.J.Wilder	11	<i>Wurmbea</i> Thunb.	10
<i>Gymnosiphon</i> Blume	6	<i>Evodianthus</i> Oerst.	12	<i>Gloriosa</i> L.	11
<i>Apteria</i> Nutt.	7	51. Pandanaceae, 5 genera		<i>Sandersonia</i> Hook.	12
<i>Burmannia</i> L.	8	<i>Sararanga</i> Hemsl.	1	<i>Ornithoglossum</i> Salisb.	13
<i>Oxygyne</i> Schltr.	9	<i>Freycinetia</i> Gaudich.	2	<i>Hexacyrtis</i> Dinter	14
<i>Afrothismia</i> Schltr.	10	<i>Martellidendron</i> (Pic.Serm.) Callm. & Chassot	3	<i>Androcymbium</i> Willd.	15
<i>Thismia</i> Griff.	11			<i>Colchicum</i> L.	16
<i>Haplothismia</i> Airy Shaw	12	<i>Benstonea</i> Callm. & Buerki	4	57. Philesiaceae, 2 genera	
<i>Tiputinia</i> P.E.Berry & C.L.Woodw.	13	<i>Pandanus</i> Parkinson	5	<i>Lapageria</i> Ruiz & Pav.	1
46. Dioscoreaceae, 4 genera		Liliales, 10 families		<i>Philesia</i> Comm. ex Juss.	2
<i>Stenomeres</i> Planch.	1	52. Campynemataceae, 2 genera		58. Rhipogonaceae, 1 genus	
<i>Tacca</i> J.R.Forst. & G.Forst.	2	<i>Campynema</i> Labill.	1	<i>Ripogonum</i> J.R.Forst. & G.Forst.	1
<i>Trichopus</i> Gaertn.	3	<i>Campynemanthe</i> Baill.	2	59. Smilacaceae, 2 genera	
<i>Dioscorea</i> Plum. ex L.	4	53. Melanthiaceae, 16 genera		<i>Heterosmilax</i> Kunth	1
Pandanales, 5 families		<i>Zigadenus</i> Michx.	1	<i>Smilax</i> L.	2
47. Triuridaceae, 9 genera		<i>Schoenocaulon</i> A.Gray	2	60. Corsiaceae, 3 genera	
<i>Kihansia</i> Cheek	1	<i>Amianthium</i> A.Gray	3	<i>Arachnitis</i> Phil.	1
<i>Kupea</i> Cheek & S.A.Williams	2	<i>Veratrum</i> L.	4	<i>Corsia</i> Becc.	2
<i>Peltophyllum</i> Gardner	3	<i>Toxicoscordion</i> Rydb.	5	<i>Corsiopsis</i> D.X.Zhang, R.M.K.Saunders & C.M.Hu	3
<i>Triuridopsis</i> H.Maas & Maas	4	<i>Stenanthium</i> (A.Gray) Kunth	6	61. Liliaceae, 16 genera	
<i>Lacandonia</i> E.Martínez & Ramos	5	<i>Anticlea</i> Kunth	7	<i>Tricyrtis</i> Wall.	1
<i>Triuris</i> Miers	6	<i>Chamaelirium</i> Willd.	8	<i>Streptopus</i> Michx.	2
<i>Soridium</i> Miers	7	<i>Helonias</i> L.	9	<i>Scoliopus</i> Torr.	3
<i>Seychellaria</i> Hemsl.	8	<i>Ypsilandra</i> Franch.	10	<i>Prosartes</i> D.Don	4
<i>Sciaphila</i> Blume	9	<i>Chionographis</i> Maxim.	11	<i>Calochortus</i> Pursh	5
48. Velloziaceae, 5 genera		<i>Heloniopsis</i> A.Gray	12	<i>Medeola</i> Gronov. ex L.	6
<i>Acanthochlamys</i> P.C.Kao	1	<i>Xerophyllum</i> Michx.	13	<i>Clintonia</i> Raf.	7
<i>Xerophyta</i> Juss.	2	<i>Pseudotrillium</i> S.B.Farmer	14	<i>Gagea</i> Salisb.	8
<i>Barbacenia</i> Vand.	3	<i>Paris</i> L.	15	<i>Tulipa</i> L.	9
<i>Barbaceniopsis</i> L.B.Sm.	4	<i>Trillium</i> L.	16	<i>Amana</i> Honda	10
<i>Vellozia</i> Vand.	5	54. Petermanniaceae, 1 genus		<i>Erythronium</i> L.	11
49. Stemonaceae, 4 genera		<i>Petermannia</i> F.Muell.	1	<i>Notholirion</i> Wall. ex Boiss.	12
<i>Pentastemona</i> Steenis	1	55. Alstroemeriaceae, 4 genera		<i>Cardiocrinum</i> (Endl.) Lindl.	13
<i>Stemona</i> Lour.	2	<i>Drymophila</i> R.Br.	1	<i>Fritillaria</i> Tourn. ex L.	14
<i>Stichoneuron</i> Hook.f.	3	<i>Luzuriaga</i> Ruiz & Pav.	2	<i>Nomocharis</i> Franch.	15
<i>Croomia</i> Torr.	4	<i>Bomarea</i> Mirb.	3	<i>Lilium</i> Tourn. ex L.	16
50. Cyclanthaceae, 12 genera		<i>Alstroemeria</i> L.	4	Asparagales, 14 families	
<i>Cyclanthus</i> Poit. ex A.Rich.	1	56. Colchicaceae, 16 genera		62. Orchidaceae, not included	
<i>Schultesiophytum</i> Harling	2	<i>Uvularia</i> L.	1	63. Boryaceae, 2 genera	
<i>Dicranopygium</i> Harling	3	<i>Disporum</i> Salisb. ex G.Don	2	<i>Alania</i> Endl.	1
<i>Ludovia</i> Brongn.	4	<i>Burchardia</i> R.Br.	3	<i>Borya</i> Labill.	2
<i>Sphaeradenia</i> Harling	5	<i>Kuntheria</i> Conran & Clifford	4		

Table 2. Continued.

64. Blandfordiaceae, 1 genus		<i>Thereianthus</i> G.J.Lewis	12	<i>Calydorea</i> Herb.	58
<i>Blandfordia</i> Sm.	1	<i>Pillansia</i> L.Bolus	13	<i>Cypella</i> Herb.	59
65. Asteliaceae, 4 genera		<i>Watsonia</i> Mill.	14	<i>Alophia</i> Herb.	60
<i>Neoastelia</i> J.B.Williams	1	<i>Lapeirousia</i> Pourr.	15	<i>Phalocallis</i> Herb.	61
<i>Milligania</i> Hook.f.	2	<i>Cyanixia</i> Goldblatt & J.C.Manning	16	<i>Eleutherine</i> Herb.	62
<i>Collospermum</i> Skottsbo.	3	<i>Savannosiphon</i> Goldblatt & Marais	17	<i>Hesperoxiphion</i> Baker	63
<i>Astelia</i> Banks & Sol. ex R.Br.	4	<i>Zygotritonia</i> Mildbr.	18	<i>Gelasine</i> Herb.	64
66. Lanariaceae, 1 genus		<i>Xenoscapa</i> (Goldblatt) Goldblatt & J.C.Manning	19	<i>Mastigostyla</i> I.M.Johnst.	65
<i>Lanaria</i> Aiton	1	<i>Freesia</i> Eckl. ex Klatt	20	<i>Ennealophus</i> N.E.Br.	66
67. Hypoxidaceae, 10 genera		<i>Devia</i> Goldblatt & J.C.Manning	21	<i>Cobana</i> Ravenna	67
<i>Rhodohypoxis</i> Nel	1	<i>Crocospia</i> Planch.	22	<i>Sessilanthera</i> Molseed & Cruden	68
<i>Hypoxis</i> L.	2	<i>Radosiphon</i> N.E.Br.	23	<i>Tigridia</i> Juss.	69
<i>Empodium</i> Salisb.	3	<i>Romulea</i> Maratti	24	72. Xeronemataceae, 1 genus	
<i>Pauridia</i> Harv.	4	<i>Crocus</i> L.	25	<i>Xeronema</i> Brongn. & Gris	1
<i>Saniella</i> Hilliard & B.L.Burt	5	<i>Syringodea</i> Hook.f.	26	73. Xanthorrhoeaceae, 38 genera	
<i>Spiloxene</i> Salisb.	6	<i>Hesperantha</i> Ker Gawl.	27	<i>Asphodeline</i> Rchb.	1
<i>Sinocurculigo</i> Z.J.Liu, L.J.Chen & K.Weil Liu	7	<i>Geissorhiza</i> Ker Gawl.	28	<i>Asphodelus</i> L.	2
<i>Hypoxidia</i> F.Friedmann	8	<i>Chasmanthe</i> N.E.Br.	29	<i>Bulbinella</i> Kunth	3
<i>Molineria</i> Colla	9	<i>Babiana</i> Ker Gawl.	30	<i>Kniphofia</i> Moench	4
<i>Curculigo</i> Gaertn.	10	<i>Duthiastrum</i> M.P.de Vos	31	<i>Trachyandra</i> Kunth	5
68. Tecophilaeaceae, 9 genera		<i>Sparaxis</i> Ker Gawl.	32	<i>Eremurus</i> M.Bieb.	6
<i>Conanthera</i> Ruiz & Pav.	1	<i>Dierama</i> K.Koch.	33	<i>Bulbine</i> Wolf	7
<i>Tecophilaea</i> Bertero ex Colla	2	<i>Tritonia</i> Ker Gawl.	34	<i>Aloidendron</i> (Berger) Klopper & Gideon F.Sm.	8
<i>Zephyra</i> D.Don	3	<i>Ixia</i> L.	35	<i>Kumara</i> Medik	9
<i>Odontostomum</i> Torr.	4	<i>Diplarrena</i> Labill.	36	<i>Haworthia</i> Duval.	10
<i>Kabuyea</i> Brummitt	5	<i>Iris</i> Tourn. ex L.	37	<i>Aloiampelos</i> Klopper & Gideon F.Sm.	11
<i>Cyanastrum</i> Oliv.	6	<i>Dietes</i> Salisb. ex Klatt.	38	<i>Aloe</i> L.	12
<i>Walleria</i> J.Kirk	7	<i>Bobartia</i> L.	39	<i>Haworthiopsis</i> G.D.Rowley	13
<i>Eremiolirion</i> J.C.Manning & F.Forest	8	<i>Ferraria</i> Burm. ex Mill.	40	<i>Gasteria</i> Duval	14
<i>Cyanella</i> Royen ex L.	9	<i>Moraea</i> Mill.	41	<i>Astroloba</i> Uitewaal	15
69. Doryanthaceae, 1 genus		<i>Orthrosanthus</i> Sweet	42	<i>Aristaloe</i> Boatwr. & J.C.Manning	16
<i>Doryanthes</i> Corrêa	1	<i>Libertia</i> Spreng.	43	<i>Gonialoe</i> (Baker) Boatwr. & J.C.Manning	17
70. Ixioliriaceae, 1 genus		<i>Solenomelus</i> Miers	44	<i>Tulista</i> Raf.	18
<i>Ixiolirion</i> Fisch. ex Herb.	1	<i>Olsynium</i> Raf.	45	<i>Xanthorrhoea</i> Sm.	19
71. Iridaceae, 69 genera		<i>Tapinia</i> Juss.	46	<i>Simethis</i> Kunth	20
<i>Isophysis</i> T.Moore	1	<i>Sisyrrinchium</i> L.	47	<i>Hemerocallis</i> L.	21
<i>Patersonia</i> R.Br.	2	<i>Pseudiris</i> Chukr & A.Gil	48	<i>Hodgsonioli</i> F.Muell.	22
<i>Geosiris</i> Baill.	3	<i>Pseudotrimezia</i> R.C.Foster	49	<i>Tricoryne</i> R.Br.	23
<i>Aristea</i> Aiton	4	<i>Neomarica</i> Sprague	50	<i>Corynotheca</i> F.Muell. ex Benth.	24
<i>Nivenia</i> Vent.	5	<i>Trimezia</i> Salisb. ex Herb.	51	<i>Caesia</i> R.Br.	25
<i>Witsenia</i> Thunb.	6	<i>Larentia</i> Klatt	52	<i>Arnocrinum</i> Endl. & Lehm.	26
<i>Klattia</i> Baker	7	<i>Cipura</i> Aubl.	53	<i>Hensmania</i> W.Fitzg.	27
<i>Tritoniopsis</i> L.Bolus	8	<i>Lethia</i> Ravenna	54	<i>Stawellia</i> F.Muell.	28
<i>Melasphaerula</i> Ker Gawl.	9	<i>Salpingostylis</i> Small	55	<i>Johnsonia</i> R.Br.	29
<i>Gladiolus</i> Tourn. ex L.	10	<i>Nemastylis</i> Nutt.	56	<i>Pasithea</i> D.Don	30
<i>Micranthus</i> (Pers.) Eckl.	11	<i>Herbertia</i> Sweet	57		

Table 2. Continued.

<i>Phormium</i> J.R.Forst. & G.Forst.	31	<i>Acis</i> Salisb.	38	<i>Cordyline</i> Comm. ex R.Br.	9
<i>Geitonoplesium</i> A.Cunn. ex R.Br.	32	<i>Leucojum</i> L.	39	<i>Trichopetalum</i> Lindl.	10
<i>Agrostocrinum</i> F.Muell.	33	<i>Galanthus</i> L.	40	<i>Murchisonia</i> Brittan	11
<i>Herpolirion</i> Hook.f.	34	<i>Pancreatium</i> Dill. ex L.	41	<i>Thysanotus</i> R.Br.	12
<i>Stypandra</i> R.Br.	35	<i>Sternbergia</i> Waldst. & Kit.	42	<i>Eustrephus</i> R.Br.	13
<i>Thelionema</i> R.J.F.Hend.	36	<i>Narcissus</i> L.	43	<i>Dichopogon</i> Kunth	14
<i>Eccremis</i> Willd. ex Schult. & Schult.f.	37	<i>Worsleya</i> (Traub) Traub	44	<i>Arthropodium</i> R.Br.	15
<i>Dianella</i> Lam. ex Juss.	38	<i>Cearanthes</i> Ravenna	45	<i>Hemiphylacus</i> S.Watson	16
74. Amaryllidaceae, 75 genera		<i>Griffinia</i> Ker Gawl.	46	<i>Asparagus</i> Tourn. ex L.	17
<i>Agapanthus</i> L'Hér.	1	<i>Traubia</i> Moldenke	47	<i>Eriospermum</i> Jacq.	18
<i>Allium</i> L.	2	<i>Phycella</i> Lindl.	48	<i>Disporopsis</i> Hance	19
<i>Prototulbaghia</i> Vosa	3	<i>Placea</i> Miers	49	<i>Maianthemum</i> F.H.Wigg.	20
<i>Tulbaghia</i> L.	4	<i>Eitheia</i> Ravenna	50	<i>Heteropolygonatum</i> M.N.Tamura & Ogisu	21
<i>Solaria</i> Phil.	5	<i>Tocantinia</i> Ravenna	51	<i>Polygonatum</i> Mill.	22
<i>Gilliesia</i> Lindl.	6	<i>Sprekelia</i> Heist.	52	<i>Theropogon</i> Maxim.	23
<i>Miersia</i> Lindl.	7	<i>Rhodophiala</i> C.Presl.	53	<i>Comospermum</i> Rauschert	24
<i>Nothoscordum</i> Kunth	8	<i>Habranthus</i> Herb.	54	<i>Dracaena</i> Vand. ex L.	25
<i>Schickendantziella</i> Speg.	9	<i>Zephyranthes</i> Herb.	55	<i>Danae</i> Medik	26
<i>Speea</i> Loes.	10	<i>Hippeastrum</i> Herb.	56	<i>Semele</i> Kunth	27
<i>Tristagma</i> Poepp.	11	<i>Pyrolirion</i> Herb.	57	<i>Ruscus</i> L.	28
<i>Trichlora</i> Baker	12	<i>Eustephia</i> Cav.	58	<i>Peliosanthes</i> Andrews	29
<i>Leucocoryne</i> Lindl.	13	<i>Chlidanthus</i> Herb.	59	<i>Liriope</i> Lour.	30
<i>Amaryllis</i> L.	14	<i>Hieronymiella</i> Pax	60	<i>Ophiopogon</i> Ker Gawl.	31
<i>Boophone</i> Herb.	15	<i>Pamianthe</i> Stapf	61	<i>Dasylyrion</i> Zucc.	32
<i>Ammocharis</i> Herb.	16	<i>Paramongaia</i> Velarde	62	<i>Calibanus</i> Rose	33
<i>Crinum</i> L.	17	<i>Clinanthus</i> Herb.	63	<i>Beaucarnea</i> Lem.	34
<i>Crossyne</i> Salisb.	18	<i>Hymenocallis</i> Salisb.	64	<i>Nolina</i> Michx.	35
<i>Strumaria</i> Jacq.	19	<i>Leptochiton</i> Sealy	65	<i>Speirantha</i> Baker	36
<i>Nerine</i> Herb.	20	<i>Ismene</i> Salisb. ex Herb.	66	<i>Convallaria</i> L.	37
<i>Hessea</i> Herb.	21	<i>Rauhia</i> Traub	67	<i>Reineckea</i> Kunth	38
<i>Namaquanula</i> D.Müll.-Doblies & U.Müll.-Doblies	22	<i>Phaederanassa</i> Herb.	68	<i>Rohdea</i> Roth	39
<i>Brunsvigia</i> Heist.	23	<i>Plagiolirion</i> Baker	69	<i>Tupistra</i> Ker Gawl.	40
<i>Cyrtanthus</i> Aiton	24	<i>Caliphurria</i> Herb.	70	<i>Aspidistra</i> Ker Gawl.	41
<i>Calostemma</i> R.Br.	25	<i>Eucharis</i> Planch. & Linden	71	<i>Aphyllanthes</i> L.	42
<i>Proiphys</i> Herb.	26	<i>Mathieua</i> Klotzsch	72	<i>Anemarrhena</i> Bunge	43
<i>Cryptostephanus</i> Welw. ex Baker	27	<i>Stenomesson</i> Herb.	73	<i>Behnia</i> Didr.	44
<i>Clivia</i> Lindl.	28	<i>Urceolina</i> Rchb.	74	<i>Herreria</i> Ruiz & Pav.	45
<i>Scadoxus</i> Raf.	29	<i>Eucrosia</i> Ker Gawl.	75	<i>Herrerriopsis</i> H.Perrier	46
<i>Haemanthus</i> L.	30	75. Asparagaceae, 120 genera		<i>Clara</i> Kunth	47
<i>Apodolirion</i> Baker	31	<i>Sowerbaea</i> Sm.	1	<i>Anthericum</i> L.	48
<i>Gethyllis</i> L.	32	<i>Laxmannia</i> R.Br.	2	<i>Diamena</i> Ravenna	49
<i>Ungernia</i> Bunge	33	<i>Xerolirion</i> A.S.George	3	<i>Diora</i> Ravenna	50
<i>Lycoris</i> Herb.	34	<i>Romnalda</i> P.F.Stevens	4	<i>Paradisea</i> Mazzuc.	51
<i>Hannonia</i> Braun-Blanq. & Maire	35	<i>Chamaexeros</i> Benth.	5	<i>Trihesperus</i> Herb.	52
<i>Lapiedra</i> Lag.	36	<i>Acanthocarpus</i> Lehm.	6	<i>Duiranthera</i> Hemsl.	53
<i>Vagaria</i> Herb.	37	<i>Lomandra</i> Labill.	7	<i>Hagenbachia</i> Nees & Mart.	54
		<i>Chamaescilla</i> F.Muell. ex Benth.	8		

Table 2. Continued.

<i>Chlorophytum</i> Ker Gawl.	55	<i>Veltheimia</i> Gled.	102	<i>Hemithrinax</i> Hook.f.	24	
<i>Leucocrinum</i> Nutt. ex A.Gray	56	<i>Lachenalia</i> J.Jacq. ex Murray	103	<i>Leucothrinax</i> C.Lewis & Zona	25	
<i>Echeandia</i> Ortega	57	<i>Namophila</i> U.Müll.-Doblies & D.Müll.-Doblies	104	<i>Thrinax</i> L.f. ex Sw.	26	
<i>Hesperocallis</i> A.Gray	58	<i>Massonia</i> Thunb. ex Houtt.	105	<i>Chelyocarpus</i> Drammer	27	
<i>Hosta</i> Tratt.	59	<i>Barnardia</i> Lindl.	106	<i>Cryosophila</i> Blume	28	
<i>Eremocrinum</i> M.E.Jones	60	<i>Zagrosia</i> Speta	107	<i>Itaya</i> H.E.Moore	29	
<i>Chlorogalum</i> (Lindl.) Kunth	61	<i>Alrawia</i> (Wendelbo) Perss. & Wendelbo	108	<i>Sabinaria</i> R.Bernal & Galeano	30	
<i>Schoenolirion</i> Durand	62	<i>Puschkinia</i> Adams	109	<i>Phoenix</i> L.	31	
<i>Hastingsia</i> S.Watson	63	<i>Brimeura</i> Salisb.	110	<i>Chamaerops</i> L.	32	
<i>Camassia</i> Lindl.	64	<i>Hyacinthus</i> Tourn. ex L.	111	<i>Guihaia</i> J.Dransf., S.K.Lee & F.N.Wei	33	
<i>Hesperoyucca</i> (Engelm.) Trel.	65	<i>Pseudomuscari</i> Garbari & Greuter	112	<i>Trachycarpus</i> H.Wendl.	34	
<i>Hesperaloe</i> Engelm.	66	<i>Fessia</i> Speta	113	<i>Rhapidophyllum</i> H.Wendl. & Drude	35	
<i>Yucca</i> L.	67	<i>Hyacinthoides</i> Heist. ex Fabr.	114	<i>Maxburretia</i> Furtado	36	
<i>Beschorneria</i> Kunth	68	<i>Leopoldia</i> Parl.	115	<i>Rhapis</i> L.f. ex Aiton	37	
<i>Furcraea</i> Vent.	69	<i>Prospero</i> Salisb.	116	<i>Livistona</i> R.Br.	38	
<i>Polianthes</i> L.	70	<i>Hyacinthella</i> Schur	117	<i>Licuala</i> Wurmbr.	39	
<i>Manfreda</i> Salisb.	71	<i>Muscari</i> Mill.	118	<i>Lanonia</i> A.J.Hend. & C.D.Bacon	40	
<i>Agave</i> L.	72	<i>Bellevalia</i> Lapeyr.	119	<i>Johannesteijsmannia</i> H.E.Moore	41	
<i>Androstephium</i> Torr.	73	<i>Scilla</i> L.	120	<i>Pholidocarpus</i> Blume	42	
<i>Muilla</i> S.Watson ex Benth.	74	Arecales, 1 family			<i>Saribus</i> Blume	43
<i>Bloomeria</i> Kellogg	75	76. Arecaceae/Palmae, 183 genera			<i>Acoelorrhaphe</i> H.Wendl.	44
<i>Triteleia</i> Douglas ex Lindl.	76	<i>Eugeissona</i> Griff.	1	<i>Serenoa</i> Hook.f.	45	
<i>Triteleiopsis</i> Hoover	77	<i>Oncocalamus</i> (G.Mann & H.Wendl.) H.Wendl.	2	<i>Brahea</i> Mart.	46	
<i>Dichelostemma</i> Kunth	78	<i>Eremospatha</i> (G.Mann & H.Wendl.) Schaedtler	3	<i>Colpotherinax</i> Schaedtler	47	
<i>Brodiaea</i> Sm.	79	<i>Laccosperma</i> Drude	4	<i>Copernicia</i> Mart. ex Endl.	48	
<i>Jaimehintonia</i> B.L.Turner	80	<i>Raphia</i> P.Beauv.	5	<i>Pritchardia</i> Seem. & H.Wendl.	49	
<i>Petronymphe</i> H.E.Moore	81	<i>Lepidocaryum</i> Mart.	6	<i>Washingtonia</i> H.Wendl.	50	
<i>Bessera</i> Schult.f.	82	<i>Mauritia</i> L.f.	7	<i>Chuniophoenix</i> Burret	51	
<i>Dandya</i> H.E.Moore	83	<i>Mauritiella</i> Burret	8	<i>Kerriodoxa</i> J.Dransf.	52	
<i>Milla</i> Cav.	84	<i>Korthalsia</i> Blume	9	<i>Nannorrhops</i> H.Wendl.	53	
<i>Oziroe</i> Raf.	85	<i>Eleiodoxa</i> (Becc.) Burret	10	<i>Tahina</i> J.Dransf. & Rakotoarin.	54	
<i>Albuca</i> L.	86	<i>Salacca</i> Reinw.	11	<i>Caryota</i> L.	55	
<i>Ornithogalum</i> L.	87	<i>Metroxylon</i> Rottb.	12	<i>Arenga</i> Labill. ex DC	56	
<i>Pseudogaltonia</i> (Kunze) Engl.	88	<i>Pigafetta</i> (Blume) Becc.	13	<i>Wallichia</i> Roxb.	57	
<i>Dipcadi</i> Medik	89	<i>Plectocomia</i> Mart. & Blume	14	<i>Corypha</i> L.	58	
<i>Bowiea</i> Harv. ex Hook.f.	90	<i>Myrialepis</i> Becc.	15	<i>Bismarckia</i> Hildebr. & H.Wendl.	59	
<i>Sagittanthera</i>	91	<i>Plectocomiopsis</i> Becc.	16	<i>Satranala</i> J.Dransf. & Beentje	60	
<i>Drimia</i> Jacq.	92	<i>Calamus</i> L.	17	<i>Hyphaene</i> Gaertn.	61	
<i>Pseudoprosporo</i> Speta	93	<i>Nypa</i> Steck	18	<i>Medemia</i> Württemb. ex H.Wendl.	62	
<i>Merwillia</i> Speta	94	<i>Sabal</i> Adans.	19	<i>Latania</i> Comm. ex Juss.	63	
<i>Schizocarphus</i> van der Merwe	95	<i>Schippia</i> Burret	20	<i>Lodoicea</i> Comm. ex DC.	64	
<i>Resnova</i> van der Merwe	96	<i>Trithrinax</i> Mart.	21	<i>Borassodendron</i> Becc.	65	
<i>Drimiopsis</i> Lindl. & Paxton	97	<i>Zombia</i> L.H.Bailey	22	<i>Borassus</i> L.	66	
<i>Ledebouria</i> Roth	98	<i>Coccothrinax</i> Sarg.	23	<i>Pseudophoenix</i> H.Wendl. ex Sarg.	67	
<i>Eucomis</i> L'Hé	99			<i>Ceroxylon</i> Bonpl. ex DC.	68	
<i>Spetaea</i> Wetschnig & Pfosser	100			<i>Juania</i> Drude	69	
<i>Daubenya</i> Lindl.	101					

Table 2. Continued.

<i>Oraniopsis</i> (Becc.) J.Dransf., A.K.Irvine & N.W.Uhl	70	<i>Calyptrogyne</i> H.Wendl.	116	<i>Carpentaria</i> Becc.	162
		<i>Calyptronoma</i> Griseb.	117	<i>Wodyetia</i> A.K.Irvine	163
<i>Ravenea</i> H.Wendl. ex C.D.Bouché	71	<i>Asterogyne</i> H.Wendl. ex Hook.f.	118	<i>Drymophloeus</i> Zipp.	164
<i>Ammandra</i> O.F.Cook	72	<i>Geonoma</i> Willd.	119	<i>Normanbya</i> F.Muell. ex Becc.	165
<i>Aphandra</i> Barford	73	<i>Leopoldinia</i> Mart.	120	<i>Brassiophoenix</i> Burret	166
<i>Phytelephas</i> Ruiz & Pav.	74	<i>Pelagodoxa</i> Becc.	121	<i>Ptychococcus</i> Becc.	167
<i>Iriartella</i> H.Wendl.	75	<i>Sommieria</i> Becc.	122	<i>Rhopalostylis</i> H.Wendl. & Drude	168
<i>Dictyocaryum</i> H.Wendl.	76	<i>Actinorhynchis</i> H.Wendl. & Drude	123	<i>Hedyscepe</i> H.Wendl. & Drude	169
<i>Iriarteia</i> Ruiz & Pav.	77	<i>Archontophoenix</i> H.Wendl. & Drude	124	<i>Nephrosperma</i> Balf.f.	170
<i>Socratea</i> H.Karst.	78	<i>Actinokentia</i> Dammer	125	<i>Phoenicophorium</i> H.Wendl.	171
<i>Wettinia</i> Poepp. ex Endl.	79	<i>Chambeyronia</i> Vieill.	126	<i>Roscheria</i> H.Wendl. ex Balf.f.	172
<i>Hyophorbe</i> Gaertn.	80	<i>Kentiopsis</i> Brongn.	127	<i>Verschaffeltia</i> H.Wendl.	173
<i>Wendlandiella</i> Dammer	81	<i>Areca</i> L.	128	<i>Bentinckia</i> Berry ex Roxb.	174
<i>Synechanthus</i> H.Wendl.	82	<i>Nenga</i> H.Wendl. & Drude	129	<i>Clinostigma</i> H.Wendl.	175
<i>Chamaedorea</i> Willd.	83	<i>Pinanga</i> Blume	130	<i>Cyrtostachys</i> Blume	176
<i>Gaussia</i> H.Wendl.	84	<i>Basselinia</i> Vieill.	131	<i>Dictyosperma</i> H.Wendl. & Drude	177
<i>Podococcus</i> G.Mann & H.Wendl.	85	<i>Burretiokentia</i> Pic.Serm.	132	<i>Dransfieldia</i> W.J.Baker & Zona	178
<i>Orania</i> Zipp.	86	<i>Cyphophoenix</i> H.Wendl. ex Hook.f.	133	<i>Heterospathe</i> Scheff.	179
<i>Sclerosperma</i> G.Mann & H.Wendl.	87	<i>Cyphosperma</i> H.Wendl. ex Hook.f.	134	<i>Hydriastele</i> H.Wendl. & Drude	180
<i>Roystonea</i> O.F.Cook	88	<i>Lepidorrhachis</i> (H.Wendl. & Drude) O.F.Cook	135	<i>Iguanura</i> Blume	181
<i>Reinhardtia</i> Liebm.	89			<i>Loxococcus</i> H.Wendl. & Drude	182
<i>Beccariophoenix</i> Jum. & H.Perrier	90	<i>Physokentia</i> Becc.	136	<i>Rhopaloblaste</i> Scheff.	183
<i>Jubaeopsis</i> Becc.	91	<i>Carpoxydon</i> H.Wendl. & Drude	137	Commelinales, 5 families	
<i>Voanioala</i> J.Dransf.	92	<i>Satakentia</i> H.E.Moore	138	77. Hanguanaceae, 1 genus	
<i>Allagoptera</i> Nees	93	<i>Neoveitchia</i> Becc.	139	<i>Hanguana</i> Blume	1
<i>Attalea</i> Kunth.	94	<i>Cyphokentia</i> Brongn.	140	78. Commelinaceae, 41 genera	
<i>Butia</i> (Becc.) Becc.	95	<i>Clinosperma</i> Becc.	141	<i>Triceratella</i> Brenan	1
<i>Cocos</i> L.	96	<i>Dypsis</i> Noronha ex Mart.	142	<i>Cartonema</i> R.Br.	2
<i>Jubaea</i> Kunth	97	<i>Lemurophoenix</i> J.Dransf.	143	<i>Palisota</i> Rehb.	3
<i>Lytocaryum</i> Toledo	98	<i>Marojejya</i> Humbert	144	<i>Anthericopsis</i> Engl.	4
<i>Syagrus</i> Mart.	99	<i>Masoala</i> Jum.	145	<i>Murdannia</i> Royle	5
<i>Parajubaea</i> Burret	100	<i>Calyptracalyx</i> Blume	146	<i>Buforrestia</i> C.B.Clarke	6
<i>Acrocomia</i> Mart.	101	<i>Linospadix</i> H.Wendl.	147	<i>Stanfieldiella</i> Brenan	7
<i>Astrocaryum</i> G.Mey.	102	<i>Howea</i> Becc.	148	<i>Floscopa</i> Lour.	8
<i>Aiphanes</i> Willd.	103	<i>Laccospadix</i> H.Wendl. & Drude	149	<i>Pseudoparis</i> H.Perrier	9
<i>Bactris</i> Jacq. ex Scop.	104	<i>Oncosperma</i> Blume	150	<i>Tricarpelema</i> J.K.Morton	10
<i>Desmoncus</i> Mart.	105	<i>Deckenia</i> H.Wendl. ex Seem.	151	<i>Dictyospermum</i> Wight	11
<i>Barcella</i> (Traill) Drude	106	<i>Acanthophoenix</i> H.Wendl.	152	<i>Pollia</i> Thunb	12
<i>Elaeis</i> Jacq.	107	<i>Tectiphiala</i> H.E.Moore	153	<i>Tapheocarpa</i> Conran	13
<i>Manicaria</i> Gaertn.	108	<i>Ptychosperma</i> Labill.	154	<i>Rhopalephora</i> Hassk.	14
<i>Hyospathe</i> Mart.	109	<i>Ponapea</i> Becc.	155	<i>Aneilema</i> R.Br.	15
<i>Euterpe</i> Mart.	110	<i>Adonidia</i> Becc.	156	<i>Polyspatha</i> Benth.	16
<i>Prestoea</i> Hook.f.	111	<i>Wallaceodoxa</i> Heatubun & W.J.Baker	157	<i>Commelina</i> L.	17
<i>Neonicholsonia</i> Dammer	112	<i>Jailoloa</i> Heatubun & W.J.Baker	158	<i>Aetheolirion</i> Forman	18
<i>Oenocarpus</i> Mart.	113	<i>Manjekia</i> W.J.Baker & Heatubun	159	<i>Streptolirion</i> Edgew.	19
<i>Welfia</i> H.Wendl.	114	<i>Balaka</i> Becc.	160	<i>Spatholirion</i> Ridl.	20
<i>Pholidostachys</i> H.Wendl. ex Hook.f.	115	<i>Veitchia</i> H.Wendl.	161	<i>Cochliostema</i> Lem.	21

Table 2. Continued.

<i>Plowmanianthus</i> Faden & C.R.Hardy	22	Zingiberales, 8 families	<i>Dimerocostus</i> Kuntze	3	
<i>Geogenanthus</i> Ule	23	82. Strelitziaceae, 3 genera	<i>Costus</i> L.	4	
<i>Siderasis</i> Raf.	24	<i>Ravenala</i> Scop.	1	<i>Paracostus</i> C.D.Specht	5
<i>Dichorisandra</i> J.C.Mikan	25	<i>Phenakospermum</i> Endl.	2	<i>Hellenia</i> Retz.	6
<i>Coleotrype</i> C.B.Clark	26	<i>Strelitzia</i> Banks	3	<i>Tapeinochilos</i> Miq.	7
<i>Porandra</i> D.Y.Hong	27	83. Lowiaceae, 1 genus	89. Zingiberaceae, 52 genera		
<i>Amischotolype</i> Hassk.	28	<i>Orchidantha</i> N.E.Br.	1	<i>Aulotandra</i> Gagnep.	1
<i>Belosynapsis</i> Hassk.	29	84. Heliconiaceae, 1 genus	<i>Siphonochilus</i> J.M.Wood & Franks	2	
<i>Cyanotis</i> D.Don	30	<i>Heliconia</i> L.	1	<i>Tamijia</i> S.Sakai & Nagam.	3
<i>Sauvallea</i> C.Wright	31	85. Musaceae, 3 genera	<i>Siliquamomum</i> J.M.Wood & Franks	4	
<i>Gibasoides</i> D.R.Hunt	32	<i>Musa</i> L.	1	<i>Siamanthus</i> K.Larsen & J.Mood	5
<i>Matudanthus</i> D.R.Hunt	33	<i>Musella</i> (Franch.) C.Y.Wu ex H.W.Li	2	<i>Burbidgea</i> Hook.f.	6
<i>Tinantia</i> Scheidw.	34	<i>Ensete</i> Bruce ex Horan.	3	<i>Pleuranthodium</i> (K.Schum.) R.M.Sm.	7
<i>Weldenia</i> Schult.f.	35	86. Cannaceae, 1 genus	<i>Riedelia</i> Oliv.	8	
<i>Thyrsanthemum</i> Pichon	36	<i>Canna</i> L.	1	<i>Cyphostigma</i> Benth.	9
<i>Callisia</i> Loeffl.	37	87. Marantaceae, 28 genera	<i>Leptosolenia</i> C.Presl.	10	
<i>Tripogandra</i> Raf.	38	<i>Sarcophrynium</i> K.Schum.	1	<i>Vanoverberghia</i> Merr.	11
<i>Elasis</i> D.R.Hunt	39	<i>Thaumatococcus</i> Benth.	2	<i>Geocharis</i> (K.Schum.) Ridl.	12
<i>Gibasis</i> Raf.	40	<i>Megaphrynium</i> Milne-Redh.	3	<i>Elettaria</i> Maton	13
<i>Tradescantia</i> Ruppis ex L.	41	<i>Trachyphrynium</i> Benth.	4	<i>Elettariopsis</i> Baker	14
79. Philydraceae, 3 genera		<i>Hypselodelphys</i> (K.Schum.) Milne-Redh.	5	<i>Geostachys</i> (Baker) Ridl.	15
<i>Philydrella</i> Caruel	1	<i>Haumania</i> J.Léonard	6	<i>Plagiostachys</i> Ridl.	16
<i>Philydrum</i> Banks & Sol. ex Gaertn.	2	<i>Goepertia</i> Nees	7	<i>Hornstedtia</i> Retz.	17
<i>Helmholtzia</i> F.Muell.	3	<i>Monotagma</i> K.Schum.	8	<i>Aframomum</i> K.Schum.	18
80. Pontederiaceae, 6 genera		<i>Calathea</i> G.Mey.	9	<i>Renealmia</i> L.f.	19
<i>Hydrothrix</i> Hook.f.	1	<i>Pleiostachya</i> K.Schum.	10	<i>Etlingera</i> Giseke	20
<i>Scholleropsis</i> H.Perrier	2	<i>Ischnosiphon</i> Körn.	11	<i>Amomum</i> Roxb.	21
<i>Eichhornia</i> Kunth	3	<i>Thalia</i> L.	12	<i>Alpinia</i> Roxb.	22
<i>Pontederia</i> L.	4	<i>Donax</i> Lour.	13	<i>Globba</i> L.	23
<i>Monochoria</i> C.Presl.	5	<i>Schumannianthus</i> Gagnep.	14	<i>Gagnepainia</i> K.Schum.	24
<i>Heteranthera</i> Ruiz & Pav.	6	<i>Phrynium</i> Willd.	15	<i>Hemiorchis</i> Kurz	25
81. Haemodoraceae, 14 genera		<i>Marantochloa</i> Brongn. ex Gris	16	<i>Caulokaempferia</i> K.Larsen	26
<i>Tribonanthes</i> Endl.	1	<i>Afrocalathea</i> K.Schum.	17	<i>Camptandra</i> Ridl.	27
<i>Macropidia</i> J.Drumm. ex Harv.	2	<i>Stachyphrynium</i> K.Schum.	18	<i>Hitchenia</i> Wall.	28
<i>Anigozanthos</i> Labill.	3	<i>Monophyllanthe</i> K.Schum.	19	<i>Laosanthus</i> K.Larsen & Jenjitt.	29
<i>Phlebocarya</i> R.Br.	4	<i>Indianthus</i> Suksathan & Borchs.	20	<i>Smithatris</i> W.J.Kress & K.Larsen	30
<i>Blanca</i> Lindl.	5	<i>Halopogia</i> K.Schum.	21	<i>Stahlianthus</i> Kuntze	31
<i>Conostylis</i> R.Br.	6	<i>Myrosma</i> L.f.	22	<i>Curcuma</i> L.	32
<i>Dilatris</i> P.J.Bergius	7	<i>Hylaeanthus</i> A.M.E.Jonker & Jonker	23	<i>Nanochilus</i> K.Schum.	33
<i>Lachnanthes</i> Elliott	8	<i>Maranta</i> Plum. ex L.	24	<i>Stadiochilus</i> R.M.Sm.	34
<i>Haemodorum</i> Sm.	9	<i>Saranthe</i> (Regel & Körn.) Eichler	25	<i>Larsenianthus</i> W.J.Kress & Mood	35
<i>Barberetta</i> Harv.	10	<i>Koernickanthe</i> L.Andersson	26	<i>Hedychium</i> J.Koenig	36
<i>Wachendorfia</i> Burm.	11	<i>Ctenanthe</i> Eichler	27	<i>Pommereschea</i> Wittm.	37
<i>Pyrrorhiza</i> Maguire & Wurdack	12	<i>Stromanthe</i> Sond.	28	<i>Rhynchanthus</i> Hook.f.	38
<i>Schiekia</i> Meisn.	13	88. Costaceae, 7 genera		<i>Cautleya</i> (Royle ex Benth.) Hook.f.	39
<i>Xiphidium</i> Aubl.	14	<i>Chamaecostus</i> C.D.Specht & D.W.Stev.	1	<i>Roscoea</i> Sm.	40
		<i>Monocostus</i> K.Schum.	2	<i>Kedhalia</i> C.K.Lim	41

Table 2. Continued.

<i>Newmania</i> N.S.Lý & Škorničk.	42	<i>Fernseea</i> Baker	26	95. Eriocaulaceae, 10 genera	
<i>Haniffia</i> Holttum	43	<i>Neoglaziovia</i> Mez	27	<i>Mesanthemum</i> Körn.	1
<i>Parakaempferia</i> A.S.Rao & D.M.Verma	44	<i>Ananas</i> Mill.	28	<i>Eriocaulon</i> L.	2
<i>Myxochlamys</i> A.Takano & Nagam.	45	<i>Lapanthus</i> Louzada & Versieux	29	<i>Comanthera</i> L.B.Sm.	3
<i>Cornukaempferia</i> Mood & K.Larsen	46	<i>Cryptanthus</i> Otto & A.Dietr.	30	<i>Syngonanthus</i> Ruhland	4
<i>Distichochlamys</i> M.F.Newman	47	<i>Orthophytum</i> Beer	31	<i>Leiothrix</i> Ruhland	5
<i>Haplochorema</i> K.Schum.	48	<i>Acanthostachys</i> Link, Klotzsch & Otto	32	<i>Rondonanthus</i> Herzog	6
<i>Scaphochlamys</i> Baker	49	<i>Eduandrea</i> Leme, W.Till, G.K.Br., J.R.Grant & Govaerts	33	<i>Tonina</i> Aubl.	7
<i>Kaempferia</i> L.	50	<i>Hohenbergiopsis</i> L.B.Sm. & Read	34	<i>Actinocephalus</i> (Körn.) Sano	9
<i>Boesenbergia</i> Kuntze	51	<i>Androlepis</i> Brongn. ex Houlet	35	<i>Paepalanthus</i> Mart.	10
<i>Zingiber</i> Mill.	52	<i>Disteganthus</i> Lem.	36	96. Mayacaceae, 1 genus	
Unplaced, 1 family		<i>Portea</i> Brongn. ex K.Koch	37	<i>Mayaca</i> Aubl.	1
90. Dasypogonaceae, 4 genera		<i>Araeococcus</i> Brongn.	38	97. Thurniaceae, 2 genera	
<i>Baxteria</i> R.Br. ex Hook.	1	<i>Lymania</i> Read	39	<i>Pronium</i> E.Mey.	1
<i>Kingia</i> R.Br.	2	<i>Ronnbergia</i> E.Morren & André	40	<i>Thurnia</i> Hook.f.	2
<i>Dasypogon</i> R.Br.	3	<i>Canistrum</i> E.Morren	41	98. Juncaceae, 8 genera	
<i>Calectasia</i> R.Br.	4	<i>Quesnelia</i> Gaudich.	42	<i>Oreojuncus</i> Záv. Drábk. & Kirschner	1
Poales, 16 families		<i>Nidularium</i> Lem.	43	<i>Luzula</i> DC.	2
91. Typhaceae, 2 genera		<i>Hohenbergia</i> Schult. & Schult.f.	44	<i>Patosia</i> Buchenau	3
<i>Sparganium</i> L.	1	<i>Billbergia</i> Thunb.	45	<i>Rostkovia</i> Desv.	4
<i>Typha</i> L.	2	<i>Neoregelia</i> L.B.Sm.	46	<i>Distichia</i> Nees & Meyen	5
92. Bromeliaceae, 47 genera		<i>Aechmea</i> Ruiz & Pav.	47	<i>Marsippospermum</i> Desv.	6
<i>Ayensua</i> L.B.Sm.	1	93. Rapateaceae, 17 genera		<i>Oxychloe</i> Phil.	7
<i>Brocchinia</i> Schult. & Schult.f.	2	<i>Spathanthus</i> Desv.	1	<i>Juncus</i> L.	8
<i>Connellia</i> N.E.Br.	3	<i>Duckea</i> Maguire	2	99. Cyperaceae, 94 genera	
<i>Lindmania</i> Mez	4	<i>Cephalostemon</i> R.H.Schomb.	3	<i>Capitularina</i> J.Kern	1
<i>Glomeropitcairnia</i> Mez	5	<i>Rapatea</i> Aubl.	4	<i>Diplasia</i> Pers.	2
<i>Catopsis</i> Griseb.	6	<i>Maschalocephalus</i> Gilg & K.Schum.	5	<i>Exocarya</i> Benth.	3
<i>Vriesea</i> Lindl.	7	<i>Windsorina</i> Gleason	6	<i>Lepironia</i> Pers.	4
<i>Mezobromelia</i> L.B.Sm.	8	<i>Potarophytum</i> Sandwith	7	<i>Principina</i> Uittien	5
<i>Guzmania</i> Ruiz & Pav.	9	<i>Monotrema</i> Körn.	8	<i>Scirpodendron</i> Zipp. ex Kurz	6
<i>Tillandsia</i> L.	10	<i>Saxofridericia</i> R.H.Schomb.	9	<i>Chrysitrix</i> L.	7
<i>Hechtia</i> Klotzsch	11	<i>Kunhardtia</i> Maguire	10	<i>Chorizandra</i> R.Br.	8
<i>Cottendorfia</i> Schult. & Schult.f.	12	<i>Guacamaya</i> Maguire	11	<i>Paramapania</i> Uittien	9
<i>Brewcaria</i> L.B.Sm., Steyer. & H.Rob.	13	<i>Schoenocephalum</i> Seub.	12	<i>Hypolytrum</i> Pers.	10
<i>Steyerbromelia</i> L.B.Sm.	14	<i>Marahuacaea</i> Maguire	13	<i>Mapania</i> Aubl.	11
<i>Navia</i> Schult. & Schult.f.	15	<i>Phelpsiella</i> Maguire	14	<i>Afrotrilepis</i> (Gilly) J.Raynal	12
<i>Pitcairnia</i> L'Hér.	16	<i>Epidryos</i> Maguire	15	<i>Coleochloa</i> Gilly	13
<i>Fosterella</i> L.B.Sm.	17	<i>Amphiphyllum</i> Gleason	16	<i>Trilepis</i> Nees	14
<i>Deuterocohnia</i> Mez	18	<i>Stegolepis</i> Klotzsch ex Körn.	17	<i>Microdracoides</i> Hua	15
<i>Encholirium</i> Mart. ex Schult. & Schult.f.	19	94. Xyridaceae, 5 genera		<i>Cladium</i> P.Browne	16
<i>Dyckia</i> Schult. & Schult.f.	20	<i>Achlyphila</i> Maguire & Wurdack	1	<i>Gymnoschoenus</i> Nees	17
<i>Puya</i> Molina	21	<i>Xyris</i> Gronov. ex L.	2	<i>Koyamaea</i> W.W.Thomas & G.Davidse	18
<i>Fascicularia</i> Mez	22	<i>Abolboda</i> Bonpl.	3	<i>Cephalocarpus</i> Nees	19
<i>Ochagavia</i> Phil.	23	<i>Aratitiyopea</i> Steyer. & P.E.Berry	4	<i>Everardia</i> Ridl. ex Oliv.	20
<i>Greigia</i> Regel	24	<i>Orectanthe</i> Maguire	5	<i>Lagenocarpus</i> Nees.	21
<i>Bromelia</i> L.	25				

Table 2. Continued.

<i>Bisboeckelera</i> Kuntze	22	<i>Phylloscirpus</i> C.B.Clarke	67	<i>Platycaulos</i> H.P.Linder	10
<i>Diplacrum</i> R.Br.	23	<i>Zameioscirpus</i> Dhooge & Goetgh.	68	<i>Elegia</i> L.	11
<i>Becquerelia</i> Brongn.	24	<i>Eriophorum</i> L.	69	<i>Anthochortus</i> Endl.	12
<i>Scleria</i> P.J.Bergius	25	<i>Scirpus</i> Tourn. ex L.	70	<i>Askidiosperma</i> Steud.	13
<i>Calyptracarya</i> Nees	26	<i>Fuirena</i> Rottb.	71	<i>Staberoha</i> Kunth	14
<i>Capeobolus</i> Browning	27	<i>Eleocharis</i> R.Br.	72	<i>Rhodocoma</i> Nees	15
<i>Neesenbeckia</i> Levyns	28	<i>Nelmesia</i> Van der Veken	73	<i>Restio</i> Rottb.	16
<i>Ptilothrix</i> K.L.Wilson	29	<i>Bolboschoenus</i> (Asch.) Palla	74	<i>Sporadanthus</i> F.Muell. ex Buchanan	17
<i>Reedia</i> F.Muell.	30	<i>Fimbristylis</i> Vahl	75	<i>Calorophus</i> Labill.	18
<i>Rhynchoscladium</i> T.Koyama	31	<i>Actinoschoenus</i> Benth.	76	<i>Lepyrodia</i> R.Br.	19
<i>Trichoschoenus</i> J.Raynal	32	<i>Arthrostylis</i> R.Br.	77	<i>Eurychorda</i> B.G.Briggs & L.A.S.Johnson	20
<i>Evandra</i> R.Br.	33	<i>Trachystylis</i> S.T.Blake	78	<i>Empodisma</i> L.A.S.Johnson & D.F.Cutler	21
<i>Morelotia</i> Gaudich.	34	<i>Crosslandia</i> W.Fitzg.	79	<i>Taraxis</i> B.G.Briggs & L.A.S.Johnson	22
<i>Cyathocoma</i> Nees	35	<i>Nemum</i> Desv. ex Ham.	80	<i>Winifredia</i> L.A.S.Johnson & B.G.Briggs	23
<i>Trianoptiles</i> Fenzl ex Endl.	36	<i>Bulbostylis</i> Kunth	81	<i>Alexgeorgea</i> Carlquist	24
<i>Caustis</i> R.Br.	37	<i>Actinoscirpus</i> (Ohwi) R.W.Haines & Lye	82	<i>Hypolaena</i> R.Br.	25
<i>Cyathochaeta</i> Nees	38	<i>Schoenoplectus</i> (Rchb.) Palla	83	<i>Chaetanthus</i> R.Br.	26
<i>Mesomelaena</i> Nees	39	<i>Pseudoschoenus</i> (C.B.Clarke) Oteng-Yeb.	84	<i>Apodasmia</i> B.G.Briggs & L.A.S.Johnson	27
<i>Tricostularia</i> Nees	40	<i>Schoenoplectiella</i> Lye	85	<i>Dapsilanthus</i> B.G.Briggs & L.A.S.Johnson	28
<i>Oreobolus</i> R.Br.	41	<i>Karinia</i> Reznicek & McVaugh	86	<i>Leptocarpus</i> R.Br.	29
<i>Epischoenus</i> C.B.Clarke	42	<i>Scirpoides</i> Ség.	87	<i>Loxocarya</i> R.Br.	30
<i>Carpha</i> Banks & Sol. ex R.Br.	43	<i>Dracoscirpoides</i> Muasya	88	<i>Platychora</i> B.G.Briggs & L.A.S.Johnson	31
<i>Costularia</i> C.B.Clarke	44	<i>Hellmuthia</i> Steud.	89	<i>Tremulina</i> B.G.Briggs & L.A.S.Johnson	32
<i>Gahnia</i> J.R.Forst. & G.Forst.	45	<i>Erioscirpus</i> Palla	90	<i>Chordifex</i> B.G.Briggs & L.A.S.Johnson	33
<i>Machaerina</i> Vahl	46	<i>Isolepis</i> R.Br.	91	<i>Baloskion</i> Raf.	34
<i>Tetraria</i> P.Beauv.	47	<i>Ficinia</i> Schrad.	92	<i>Dielsia</i> Gilg	35
<i>Lepidosperma</i> Labill.	48	<i>Androtrichum</i> (Brongn.) Brongn.	93	<i>Cytogonidium</i> B.G.Briggs & L.A.S.Johnson	36
<i>Schoenus</i> L.	49	<i>Cyperus</i> L.	94		
<i>Pleurostachys</i> Brongn.	50				
<i>Rhynchospora</i> Vahl	51	100. Anarthriaceae, 3 genera			
<i>Khaosokia</i> D.A.Simpson, Chayam. & J.Parn.	52	<i>Anarthria</i> R.Br.	1	<i>Melanostachya</i> B.G.Briggs & L.A.S.Johnson	37
<i>Cymophyllus</i> Mack. ex Britton & A.Br.	53	<i>Hopkinsia</i> W.Fitzg.	2	<i>Tyrbastes</i> B.G.Briggs & L.A.S.Johnson	38
<i>Calliscirpus</i> C.N.Gilmour, J.R.Starr & Naczi	54	<i>Lyginia</i> R.Br.	3	<i>Catacolea</i> B.G.Briggs & L.A.S.Johnson	39
<i>Schoenoxiphium</i> Nees	55	101. Centrolepidaceae, 3 genera		<i>Lepidobolus</i> Nees	40
<i>Kobresia</i> Willd.	56	<i>Gaimardia</i> Gaudich.	1	<i>Coleocarya</i> S.T.Blake	41
<i>Uncinia</i> Pers.	57	<i>Aphelia</i> R.Br.	2	<i>Desmocladus</i> Nees	42
<i>Carex</i> L.	58	<i>Centrolepis</i> Labill.	3		
<i>Oreobolopsis</i> T.Koyama & Guagl.	59	102. Restionaceae, 42 genera		103. Flagellariaceae, 1 genus	
<i>Trichophorum</i> Pers.	60	<i>Hydrophilus</i> H.P.Linder	1	<i>Flagellaria</i> L.	1
<i>Dulichium</i> Pers.	61	<i>Mastersiella</i> Gilg-Ben.	2	104. Joinvilleaceae, 1 genus	
<i>Sumatrosirpus</i> Oteng-Yeb.	62	<i>Nevillea</i> Esterh. & H.P.Linder	3	<i>Joinvillea</i> Gaudich. ex Brongn. & Gris	1
<i>Blysmus</i> Panz. ex Schult.	63	<i>Cannomois</i> P.Beauv. ex Desv.	4	105. Ecteiocoleaceae, 2 genera	
<i>Amphiscirpus</i> Oteng-Yeb.	64	<i>Hypodiscus</i> Nees	5	<i>Georgeantha</i> B.G.Briggs & L.A.S.Johnson	1
<i>Neoscirpus</i> Y.N.Lee & Y.C.Oh	65	<i>Ceratocaryum</i> Nees	6	<i>Ecteiocolea</i> F.Muell.	2
<i>Cypringlea</i> M.T.Strong	66	<i>Willdenowia</i> Thunb.	7		
		<i>Thamnochortus</i> P.J.Bergius	8	106. Poaceae/Gramineae, not included	
		<i>Soroveta</i> H.P.Linder & C.R.Hardy	9		

Table 3. Alphabetical list of monocot genera (excluding Orchidaceae and Poaceae) arranged by family. Family sequence number from Haston & al. (2009) and Wearn & al. (2013).

Acorales, 1 family					
29. Acoraceae, 1 genus					
<i>Acorus</i> L.	1				
Alismatales, 12 families					
30. Araceae, 123 genera					
<i>Adelonema</i> Schott	43	<i>Dracunculus</i> Mill.	121	<i>Pothos</i> L.	11
<i>Aglaodorum</i> Schott	47	<i>Eminium</i> Schott	118	<i>Protarum</i> Engl.	103
<i>Aglaonema</i> Schott	48	<i>Englerarum</i> Nauheimer & P.C.Boyce	105	<i>Pseudohydrosme</i> Engl.	50
<i>Alloschemone</i> Schott	16	<i>Epipremnum</i> Schott	25	<i>Pycnospatha</i> Thorel ex Gagnep.	33
<i>Alocasia</i> (Schott) G.Don	111	<i>Filarum</i> Nicolson	89	<i>Remusatia</i> Schott	108
<i>Ambrosina</i> Bassi	96	<i>Furtadoa</i> M.Hotta	45	<i>Rhaphidophora</i> Hassk.	21
<i>Amorphophallus</i> Blume ex Decne.	84	<i>Gearum</i> N.E.Br.	55	<i>Rhodospatha</i> Poepp.	17
<i>Amydrium</i> Schott	24	<i>Gonatopus</i> Engl.	38	<i>Sauromatum</i> Schott	117
<i>Anadendrum</i> Schott	20	<i>Gorgonidium</i> Schott	65	<i>Scaphispatha</i> Brongn. ex Schott	93
<i>Anaphyllopsis</i> A.Hay	29	<i>Gymnomesium</i> Schott	122	<i>Schismatoglottis</i> Zoll. & Moritzi	76
<i>Anaphyllum</i> Schott	35	<i>Gymnostachys</i> R.Br.	1	<i>Schottariella</i> P.C.Boyce & S.Y.Wong	73
<i>Anchomanes</i> Schott	51	<i>Hapaline</i> Schott	86	<i>Schottarum</i> P.C.Boyce & S.Y.Wong	75
<i>Anthurium</i> Schott	10	<i>Helicodicerus</i> Schott	119	<i>Scindapsus</i> Schott	22
<i>Anubias</i> Schott	40	<i>Hestia</i> S.Y.Wong & P.C.Boyce	81	<i>Spathantheum</i> Schott	64
<i>Apoballis</i> Schott	70	<i>Heteropsis</i> Kunth	15	<i>Spathicarpa</i> Hook.	58
<i>Aridarum</i> Ridl.	79	<i>Holochlamys</i> Engl.	18	<i>Spathiphyllum</i> Schott	19
<i>Ariopsis</i> Nimmo	106	<i>Homalomena</i> Schott	46	<i>Spirodela</i> Schleid.	5
<i>Arisaema</i> Mart.	113	<i>Hottarum</i> Bogner & Nicolson	78	<i>Stenospermatum</i> Schott	14
<i>Arisarum</i> Mart.	97	<i>Incarum</i> E.G.Gonç.	63	<i>Steudefera</i> K.Koch	109
<i>Arophyton</i> Jum.	100	<i>Jasarum</i> G.S.Bunting	85	<i>Stylochaeton</i> Lepr.	36
<i>Arum</i> L.	123	<i>Lagenandra</i> Dalzell	68	<i>Symplocarpus</i> Salisb. ex W.P.C .Barton	4
<i>Asterostigma</i> Fisch. & C.A.Mey.	60	<i>Landoltia</i> Les & D.J.Crawford	7	<i>Synandropadix</i> Engl.	56
<i>Bakoa</i> P.C.Boyce & S.Y.Wong	80	<i>Lasia</i> Lour.	31	<i>Syngonium</i> Schott	88
<i>Biarum</i> Schott	120	<i>Lasimorpha</i> Schott	34	<i>Taccarum</i> Brongn. ex Schott	59
<i>Bognera</i> Mayo & Nicolson	54	<i>Lazarum</i> A.Hay	115	<i>Therioophonum</i> Blume	114
<i>Bucephalandra</i> Schott	82	<i>Lemna</i> L.	6	<i>Typhonium</i> Schott	116
<i>Caladium</i> Vent.	87	<i>Leucocasia</i> Schott	110	<i>Typhonodorum</i> Schott	98
<i>Calla</i> L.	83	<i>Lorenzia</i> E.G.Gonç.	53	<i>Ulearum</i> Engl.	90
<i>Calloopsis</i> Engl.	39	<i>Lysichiton</i> Schott	3	<i>Urospatha</i> Schott	26
<i>Carlephyton</i> Jum.	102	<i>Mangonia</i> Schott	62	<i>Wolffia</i> Horkel ex Schleid	9
<i>Cercestis</i> Schott	41	<i>Monstera</i> Adans.	23	<i>Wolffiella</i> Hegelm.	8
<i>Chlorospatha</i> Engl.	91	<i>Montrichardia</i> Crueg.	66	<i>Xanthosoma</i> Schott	92
<i>Colletogyne</i> Buchet	101	<i>Nephtytis</i> Schott	49	<i>Zamioculcas</i> Schott	37
<i>Colocasia</i> Schott	107	<i>Ooia</i> S.Y.Wong & P.C.Boyce	77	<i>Zantedeschia</i> Spreng.	52
<i>Croatiella</i> E.G.Gonç.	57	<i>Orontium</i> L.	2	<i>Zomicarpa</i> Schott	95
<i>Cryptocoryne</i> Fisch. ex Wydler	69	<i>Pedicellarum</i> M.Hotta	12	<i>Zomicarpella</i> N.E.Br.	94
<i>Culcasia</i> P.Beauv.	42	<i>Peltandra</i> Raf.	99		
<i>Cyrtosperma</i> Griff.	32	<i>Philodendron</i> Schott	44	31. Tofieldiaceae, 4 genera	
<i>Dieffenbachia</i> Schott	61	<i>Philonotion</i> Schott	67	<i>Isidrogalvia</i> Ruiz & Pav.	2
<i>Dracontioides</i> Engl.	28	<i>Phymatarum</i> M.Hotta	74	<i>Pleea</i> Michx.	1
<i>Dracontium</i> L.	27	<i>Pichinia</i> S.Y.Wong & P.C.Boyce	71	<i>Tofieldia</i> Huds.	4
		<i>Pinellia</i> Ten.	112	<i>Triantha</i> (Nutt.) Baker	3
		<i>Piptospatha</i> N.E.Br.	72		
		<i>Pistia</i> L.	104	32. Alismataceae, 17 genera	
		<i>Podolasia</i> N.E.Br.	30	<i>Albidella</i> Pichon	12
		<i>Pothoidium</i> Schott	13	<i>Alisma</i> L.	4
				<i>Astonia</i> S.W.L.Jacobs	15

Table 3. Continued.

<i>Baldellia</i> Parl.	3	39. Potamogetonaceae, 7 genera		Pandanales, 5 families	
<i>Burnatia</i> Micheli	5	<i>Althenia</i> F.Petit	1	47. Triuridaceae, 9 genera	
<i>Butomopsis</i> Kunth	7	<i>Groenlandia</i> J.Gay	5	<i>Kihansia</i> Cheek	1
<i>Caldesia</i> Parl.	10	<i>Lepilanea</i> J.Drumm. ex Harv.	2	<i>Kupea</i> Cheek & S.A.Williams	2
<i>Damasonium</i> Mill.	2	<i>Potamogeton</i> L.	7	<i>Lacandonia</i> E.Martínez & Ramos	5
<i>Echinodorus</i> Rich.	13	<i>Pseudoalthenia</i>	3	<i>Peltophyllum</i> Gardner	3
<i>Helanthium</i> (Benth. & Hook.f.) Engelm. ex J.G.Sm.	11	<i>Stuckenia</i> Börner	6	<i>Sciaphila</i> Blume	9
<i>Hydrocleys</i> Rich.	8	<i>Zannichellia</i> P.Micheli ex L.	4	<i>Seychellaria</i> Hemsl.	8
<i>Limnocharis</i> Humb. & Bonpl.	6	40. Posidoniaceae, 1 genus		<i>Soridium</i> Miers	7
<i>Limnophyton</i> Miq.	16	<i>Posidonia</i> K.D.Koenig	1	<i>Triuridopsis</i> H.Maas & Maas	4
<i>Luronium</i> Raf.	1	42. Cymodoceaceae, 6 genera		<i>Triuris</i> Miers	6
<i>Ranalisma</i> Stapf	9	<i>Amphibolis</i> C.Agardh	5	48. Velloziaceae, 5 genera	
<i>Sagittaria</i> Rupp. ex L.	14	<i>Cymodocea</i> K.D.Koenig	4	<i>Acanthochlamys</i> P.C.Kao	1
<i>Wiesneria</i> Micheli	17	<i>Halodule</i> Endl.	2	<i>Barbacenia</i> Vand.	3
33. Butomaceae, 1 genus		<i>Ruppia</i> L.	1	<i>Barbaceniopsis</i> L.B.Sm.	4
<i>Butomus</i> L.	1	<i>Syringodium</i> Kütz.	6	<i>Vellozia</i> Vand.	5
34. Hydrocharitaceae, 17 genera		<i>Thalassodendron</i> Hartog	3	<i>Xerophyta</i> Juss.	2
<i>Apalanthe</i> Planch.	7	Petrosaviales, 1 family		49. Stemonaceae, 4 genera	
<i>Appertiella</i> C.D.K.Cook & L.Triest	3	43. Petrosaviaceae, 2 genera		<i>Croomia</i> Torr.	4
<i>Blyxa</i> Noronha ex Thouars	5	<i>Japonolirion</i> Nakai	1	<i>Pentastemona</i> Steenis	1
<i>Egeria</i> Planch.	8	<i>Petrosavia</i> Becc.	2	<i>Stemona</i> Lour.	2
<i>Elodea</i> Michx.	9	Dioscoreales, 3 families		<i>Stichoneuron</i> Hook.f.	3
<i>Enhalus</i> Rich.	16	44. Nartheciaceae, 5 genera		50. Cyclanthaceae, 12 genera	
<i>Halophila</i> Thouars	15	<i>Aletris</i> L.	2	<i>Asplundia</i> Harling	9
<i>Hydrilla</i> Rich.	11	<i>Lophiola</i> Ker Gawl.	3	<i>Carludovica</i> Ruiz & Pav.	10
<i>Hydrocharis</i> L.	2	<i>Metanarthecium</i> Maxim.	1	<i>Chorigyne</i> R.Erikss.	7
<i>Lagarosiphon</i> Harv.	4	<i>Narthecium</i> Huds.	5	<i>Cyclanthus</i> Poit. ex A.Rich.	1
<i>Limnobium</i> Rich.	1	<i>Nietneria</i> Klotzsch ex Benth.	4	<i>Dianthoveus</i> Hammel & G.J.Wilder	11
<i>Najas</i> L.	14	45. Burmanniaceae, 13 genera		<i>Dicranopygium</i> Harling	3
<i>Nechamandra</i> Planch.	12	<i>Afrothismia</i> Schltr.	10	<i>Evodanthus</i> Oerst.	12
<i>Ottelia</i> Pers.	6	<i>Apteria</i> Nutt.	7	<i>Ludovia</i> Brongn.	4
<i>Stratiotes</i> L.	10	<i>Burmannia</i> L.	8	<i>Schultesiophytum</i> Harling	2
<i>Thalassia</i> Banks & Sol. ex K.D.Koenig	17	<i>Campylosiphon</i> Benth.	3	<i>Sphaeradenia</i> Harling	5
<i>Vallisneria</i> P.Micheli ex L.	13	<i>Dictyostega</i> Miers	4	<i>Stelestylis</i> Drude	6
35. Scheuchzeriaceae, 1 genus		<i>Gymnosiphon</i> Blume	6	<i>Thoracocarpus</i> Harling	8
<i>Scheuchzeria</i> L.	1	<i>Haplothismia</i> Airy Shaw	12	51. Pandanaceae, 5 genera	
36. Aponogetonaceae, 1 genus		<i>Hexapterella</i> Urb.	5	<i>Benstonea</i> Callm. & Buerki	4
<i>Aponogeton</i> L.f.	1	<i>Marthella</i> Urb.	1	<i>Freycinetia</i> Gaudich.	2
37. Juncaginaceae, 4 genera		<i>Miersiella</i> Urb.	2	<i>Martellidendron</i> (Pic.Serm.) Callm. & Chassot	3
<i>Cycnogeton</i> Endl.	2	<i>Oxygyne</i> Schltr.	9	<i>Pandanus</i> Parkinson	5
<i>Maundia</i> F.Muell.	4	<i>Thismia</i> Griff.	11	<i>Sararanga</i> Hemsl.	1
<i>Tetroncium</i> Willd.	1	<i>Tiputinia</i> P.E.Berry & C.L.Woodw.	13	Liliales, 10 families	
<i>Triglochin</i> Riv. ex L.	3	46. Dioscoreaceae, 4 genera		52. Campynemataceae, 2 genera	
38. Zosteraceae, 2 genera		<i>Dioscorea</i> Plum. ex L.	4	<i>Campynema</i> Labill.	1
<i>Phyllospadix</i> Hook.	1	<i>Stenomeris</i> Planch.	1	<i>Campynemanthe</i> Baill.	2
<i>Zostera</i> L.	2	<i>Tacca</i> J.R.Forst. & G.Forst.	2		
		<i>Trichopus</i> Gaertn.	3		

Table 3. Continued.

53. Melanthiaceae, 16 genera		59. Smilacaceae, 2 genera		<i>Saniella</i> Hilliard & B.L.Burt	5
<i>Amianthium</i> A.Gray	3	<i>Heterosmilax</i> Kunth	1	<i>Sinocurculigo</i> Z.J.Liu, L.J.Chen & K.Wei Liu	7
<i>Anticlea</i> Kunth	7	<i>Smilax</i> L.	2	<i>Spiloxene</i> Salisb.	6
<i>Chamaelirium</i> Willd.	8	60. Corsiaceae, 3 genera		68. Tecophilaeaceae, 9 genera	
<i>Chionographis</i> Maxim.	11	<i>Arachnitis</i> Phil.	1	<i>Conanthera</i> Ruiz & Pav.	1
<i>Helonias</i> L.	9	<i>Corsia</i> Becc.	2	<i>Cyanastrum</i> Oliv.	6
<i>Heloniopsis</i> A.Gray	12	<i>Corsiopsis</i> D.X.Zhang, R.M.K.Saunders & C.M.Hu	3	<i>Cyanella</i> Royen ex L.	9
<i>Paris</i> L.	15	61. Liliaceae, 16 genera		<i>Eremiolirion</i> J.C.Manning & F.Forest	8
<i>Pseudotrillium</i> S.B.Farmer	14	<i>Amana</i> Honda	10	<i>Kabuyea</i> Brummitt	5
<i>Schoenocaulon</i> A.Gray	2	<i>Calochortus</i> Pursh	5	<i>Odontostomum</i> Torr.	4
<i>Stenanthium</i> (A.Gray) Kunth	6	<i>Cardiocrinum</i> (Endl.) Lindl.	13	<i>Tecophilaea</i> Bertero ex Colla	2
<i>Toxicoscordion</i> Rydb.	5	<i>Clintonia</i> Raf.	7	<i>Walleria</i> J.Kirk	7
<i>Trillium</i> L.	16	<i>Erythronium</i> L.	11	<i>Zephyra</i> D.Don	3
<i>Veratrum</i> L.	4	<i>Fritillaria</i> Tourn. ex L.	14	69. Doryanthaceae, 1 genus	
<i>Xerophyllum</i> Michx.	13	<i>Gagea</i> Salisb.	8	<i>Doryanthes</i> Corrêa	1
<i>Ypsilandra</i> Franch.	10	<i>Lilium</i> Tourn. ex L.	16	70. Ixioliriaceae, 1 genus	
<i>Zigadenus</i> Michx.	1	<i>Medeola</i> Gronov. ex L.	6	<i>Ixiolirion</i> Fisch. ex Herb.	1
54. Petermanniaceae, 1 genus		<i>Nomocharis</i> Franch.	15	71. Iridaceae, 69 genera	
<i>Petermannia</i> F.Muell.	1	<i>Notholirion</i> Wall. ex Boiss.	12	<i>Alophia</i> Herb.	60
55. Alstroemeriaceae, 4 genera		<i>Prosartes</i> D.Don	4	<i>Aristea</i> Aiton	4
<i>Alstroemeria</i> L.	4	<i>Scoliopus</i> Torr.	3	<i>Babiana</i> Ker Gawl.	30
<i>Bomarea</i> Mirb.	3	<i>Streptopus</i> Michx.	2	<i>Bobartia</i> L.	39
<i>Drymophila</i> R.Br.	1	<i>Tricyrtis</i> Wall.	1	<i>Calydorea</i> Herb.	58
<i>Luzuriaga</i> Ruiz & Pav.	2	<i>Tulipa</i> L.	9	<i>Chasmanthe</i> N.E.Br.	29
56. Colchicaceae, 16 genera		Asparagales, 14 families		<i>Cipura</i> Aubl.	53
<i>Androcymbium</i> Willd.	15	62. Orchidaceae, not included		<i>Cobana</i> Ravenna	67
<i>Baeometra</i> Salisb. ex Endl.	9	63. Boryaceae, 2 genera		<i>Crocospia</i> Planch.	22
<i>Burchardia</i> R.Br.	3	<i>Alania</i> Endl.	1	<i>Crocus</i> L.	25
<i>Campторrhiza</i> Hutch.	7	<i>Borya</i> Labill.	2	<i>Cyanixia</i> Goldblatt & J.C.Manning	16
<i>Colchicum</i> L.	16	64. Blandfordiaceae, 1 genus		<i>Cypella</i> Herb.	59
<i>Disporum</i> Salisb. ex G.Don	2	<i>Blandfordia</i> Sm.	1	<i>Devia</i> Goldblatt & J.C.Manning	21
<i>Gloriosa</i> L.	11	65. Asteliaceae, 4 genera		<i>Dierama</i> K.Koch.	33
<i>Hexacyrtis</i> Dinter	14	<i>Astelia</i> Banks & Sol. ex R.Br.	4	<i>Dietes</i> Salisb. ex Klatt.	38
<i>Iphigenia</i> Kunth	8	<i>Collospermum</i> Skottsb.	3	<i>Diplarrena</i> Labill.	36
<i>Kuntheria</i> Conran & Clifford	4	<i>Milligania</i> Hook.f.	2	<i>Duthiastrum</i> M.P.de Vos	31
<i>Ornithoglossum</i> Salisb.	13	<i>Neostelia</i> J.B.Williams	1	<i>Eleutherine</i> Herb.	62
<i>Sandersonia</i> Hook.	12	66. Lanariaceae, 1 genus		<i>Ennealophus</i> N.E.Br.	66
<i>Schelhammera</i> R.Br.	6	<i>Lanaria</i> Aiton	1	<i>Ferraria</i> Burm. ex Mill.	40
<i>Tripladenia</i> D.Don	5	67. Hypoxidaceae, 10 genera		<i>Freesia</i> Eckl. ex Klatt	20
<i>Uvularia</i> L.	1	<i>Curculigo</i> Gaertn.	10	<i>Geissorhiza</i> Ker Gawl.	28
<i>Wurmbea</i> Thunb.	10	<i>Empodium</i> Salisb.	3	<i>Gelasine</i> Herb.	64
57. Philesiaceae, 2 genera		<i>Hypoxidia</i> F.Friedmann	8	<i>Geosiris</i> Baill.	3
<i>Lapageria</i> Ruiz & Pav.	1	<i>Hypoxis</i> L.	2	<i>Gladiolus</i> Tourn. ex L.	10
<i>Philesia</i> Comm. ex Juss.	2	<i>Molineria</i> Colla	9	<i>Herbertia</i> Sweet	57
58. Rhipogonaceae, 1 genus		<i>Pauridia</i> Harv.	4	<i>Hesperantha</i> Ker Gawl.	27
<i>Ripogonum</i> J.R.Forst. & G.Forst.	1	<i>Rhodohypoxis</i> Nel	1	<i>Hesperoxiphion</i> Baker	63

Table 3. Continued.

<i>Iris</i> Tourn. ex L.	37	<i>Aloiampelos</i> Klopper & Gideon F.Sm.	11	<i>Caliphruria</i> Herb.	70
<i>Isophysis</i> T.Moore	1	<i>Aloidendron</i> (Berger) Klopper & Gideon F.Sm.	8	<i>Calostemma</i> R.Br.	25
<i>Ixia</i> L.	35	<i>Aristoloe</i> Boatwr. & J.C.Manning	16	<i>Cearanthes</i> Ravenna	45
<i>Klattia</i> Baker	7	<i>Arnocrinum</i> Endl. & Lehm.	26	<i>Chlidanthus</i> Herb.	59
<i>Lapeirousia</i> Pourr.	15	<i>Asphodeline</i> Rchb.	1	<i>Clinanthus</i> Herb.	63
<i>Larentia</i> Klatt	52	<i>Asphodelus</i> L.	2	<i>Clivia</i> Lindl.	28
<i>Lethia</i> Ravenna	54	<i>Astroloba</i> Uitewaal	15	<i>Crinum</i> L.	17
<i>Libertia</i> Spreng.	43	<i>Bulbine</i> Wolf	7	<i>Crossyne</i> Salisb.	18
<i>Mastigostyla</i> I.M.Johnst.	65	<i>Bulbinella</i> Kunth	3	<i>Cryptostephanus</i> Welw. ex Baker	27
<i>Melaspheerula</i> Ker Gawl.	9	<i>Caesia</i> R.Br.	25	<i>Cyrtanthus</i> Aiton	24
<i>Micranthus</i> (Pers.) Eckl.	11	<i>Corynotheca</i> F.Muell. ex Benth.	24	<i>Eitheia</i> Ravenna	50
<i>Moraea</i> Mill.	41	<i>Dianella</i> Lam. ex Juss.	38	<i>Eucharis</i> Planch. & Linden	71
<i>Nemastylis</i> Nutt.	56	<i>Eccremis</i> Willd. ex Schult. & Schult.f.	37	<i>Eucrosia</i> Ker Gawl.	75
<i>Neomarica</i> Sprague	50	<i>Eremurus</i> M.Bieb.	6	<i>Eustephia</i> Cav.	58
<i>Nivenia</i> Vent.	5	<i>Gasteria</i> Duval	14	<i>Galanthus</i> L.	40
<i>Olsynium</i> Raf.	45	<i>Geitonoplesium</i> A.Cunn. ex R.Br.	32	<i>Gethyllis</i> L.	32
<i>Orthrosanthus</i> Sweet	42	<i>Gonialoe</i> (Baker) Boatwr. & J.C.Manning	17	<i>Gilliesia</i> Lindl.	6
<i>Patersonia</i> R.Br.	2	<i>Haworthia</i> Duval.	10	<i>Griffinia</i> Ker Gawl.	46
<i>Phalocallis</i> Herb.	61	<i>Haworthiopsis</i> G.D.Rowley	13	<i>Habranthus</i> Herb.	54
<i>Pillansia</i> L.Bolus	13	<i>Hemerocallis</i> L.	21	<i>Haemanthus</i> L.	30
<i>Pseudiris</i> Chukr. & A.Gil	48	<i>Hensmania</i> W.Fitzg.	27	<i>Hannonia</i> Braun-Blanq. & Maire	35
<i>Pseudotrimezia</i> R.C.Foster	49	<i>Herpolirion</i> Hook.f.	34	<i>Hessea</i> Herb.	21
<i>Radosiphon</i> N.E.Br.	23	<i>Hodgsoniola</i> F.Muell.	22	<i>Hieronymiella</i> Pax	60
<i>Romulea</i> Maratti	24	<i>Johnsonia</i> R.Br.	29	<i>Hippeastrum</i> Herb.	56
<i>Salpingostylis</i> Small	55	<i>Kniphofia</i> Moench	4	<i>Hymenocallis</i> Salisb.	64
<i>Savannosiphon</i> Goldblatt & Marais	17	<i>Kumara</i> Medik	9	<i>Ismene</i> Salisb. ex Herb.	66
<i>Sessilanthera</i> Molseed & Cruden	68	<i>Pasithea</i> D.Don	30	<i>Lapiedra</i> Lag.	36
<i>Sisyrinchium</i> L.	47	<i>Phormium</i> J.R.Forst. & G.Forst.	31	<i>Leptochiton</i> Sealy	65
<i>Solenomelus</i> Miers	44	<i>Simethis</i> Kunth	20	<i>Leucocoryne</i> Lindl.	13
<i>Sparaxis</i> Ker Gawl.	32	<i>Stawellia</i> F.Muell.	28	<i>Leucojum</i> L.	39
<i>Syringodea</i> Hook.f.	26	<i>Styandra</i> R.Br.	35	<i>Lycoris</i> Herb.	34
<i>Tapetia</i> Juss.	46	<i>Thelionema</i> R.J.F.Hend.	36	<i>Mathieua</i> Klotzsch	72
<i>Thereianthus</i> G.J.Lewis	12	<i>Trachyandra</i> Kunth	5	<i>Miersia</i> Lindl.	7
<i>Tigridia</i> Juss.	69	<i>Tricoryne</i> R.Br.	23	<i>Namaquanula</i> D.Müll.-Doblies & U.Müll.-Doblies	22
<i>Trimezia</i> Salisb. ex Herb.	51	<i>Tulista</i> Raf.	18	<i>Narcissus</i> L.	43
<i>Tritonia</i> Ker Gawl.	34	<i>Xanthorrhoea</i> Sm.	19	<i>Nerine</i> Herb.	20
<i>Tritoniopsis</i> L.Bolus	8	74. Amaryllidaceae, 75 genera		<i>Nothoscordum</i> Kunth	8
<i>Watsonia</i> Mill.	14	<i>Acis</i> Salisb.	38	<i>Pamianthe</i> Stapf	61
<i>Witsenia</i> Thunb.	6	<i>Agapanthus</i> L'Hér.	1	<i>Pancreatum</i> Dill. ex L.	41
<i>Xenoscapa</i> (Goldblatt) Goldblatt & J.C.Manning	19	<i>Allium</i> L.	2	<i>Paramongaia</i> Velarde	62
<i>Zygotritonia</i> Mildbr.	18	<i>Amaryllis</i> L.	14	<i>Phaedranassa</i> Herb.	68
72. Xeronemataceae, 1 genus		<i>Ammocharis</i> Herb.	16	<i>Phycella</i> Lindl.	48
<i>Xeronema</i> Brongn. & Gris	1	<i>Apodolirion</i> Baker	31	<i>Placea</i> Miers	49
73. Xanthorrhoeaceae, 38 genera		<i>Boophone</i> Herb.	15	<i>Plagiolirion</i> Baker	69
<i>Agrostocrinum</i> F.Muell.	33	<i>Brunsvigia</i> Heist.	23	<i>Proiphys</i> Herb.	26
<i>Aloe</i> L.	12			<i>Prototulbaghia</i> Vosa	3

Table 3. Continued.

<i>Pyrolirion</i> Herb.	57	<i>Chamaexeros</i> Benth.	5	<i>Leucocrinum</i> Nutt. ex A.Gray	56
<i>Rauhia</i> Traub	67	<i>Chlorogalum</i> (Lindl.) Kunth	61	<i>Liriope</i> Lour.	30
<i>Rhodophiala</i> C.Presl.	53	<i>Chlorophytum</i> Ker Gawl.	55	<i>Lomandra</i> Labill.	7
<i>Scadoxus</i> Raf.	29	<i>Clara</i> Kunth	47	<i>Maianthemum</i> F.H.Wigg.	20
<i>Schickendantziella</i> Speg.	9	<i>Comospermum</i> Rauschert	24	<i>Manfreda</i> Salisb.	71
<i>Solaria</i> Phil.	5	<i>Convallaria</i> L.	37	<i>Massonia</i> Thunb. ex Houtt.	105
<i>Speea</i> Loes.	10	<i>Cordyline</i> Comm. ex R.Br.	9	<i>Merwillia</i> Speta	94
<i>Sprekelia</i> Heist.	52	<i>Danae</i> Medik	26	<i>Milla</i> Cav.	84
<i>Stenomesson</i> Herb.	73	<i>Dandya</i> H.E.Moore	83	<i>Muilla</i> S.Watson ex Benth.	74
<i>Sternbergia</i> Waldst. & Kit.	42	<i>Dasylyrion</i> Zucc.	32	<i>Murchisonia</i> Brittan	11
<i>Strumaria</i> Jacq.	19	<i>Daubenya</i> Lindl.	101	<i>Muscari</i> Mill.	118
<i>Tocantinia</i> Ravenna	51	<i>Diamena</i> Ravenna	49	<i>Namophila</i> U.Müll.-Doblies & D.Müll.-Doblies	104
<i>Traubia</i> Moldenke	47	<i>Dichelostemma</i> Kunth	78	<i>Nolina</i> Michx.	35
<i>Trichlora</i> Baker	12	<i>Dichopogon</i> Kunth	14	<i>Ophiopogon</i> Ker Gawl.	31
<i>Tristagma</i> Poepp.	11	<i>Diora</i> Ravenna	50	<i>Ornithogalum</i> L.	87
<i>Tulbaghia</i> L.	4	<i>Dipcadi</i> Medik	89	<i>Oziroë</i> Raf.	85
<i>Ungernia</i> Bunge	33	<i>Disporopsis</i> Hance	19	<i>Paradisea</i> Mazzuc.	51
<i>Urceolina</i> Rchb.	74	<i>Dracaena</i> Vand. ex L.	25	<i>Peliosanthes</i> Andrews	29
<i>Vagaria</i> Herb.	37	<i>Drimia</i> Jacq.	92	<i>Petronympe</i> H.E.Moore	81
<i>Worsleya</i> (Traub) Traub	44	<i>Drimiopsis</i> Lindl. & Paxton	97	<i>Polianthes</i> L.	70
<i>Zephyranthes</i> Herb.	55	<i>Duiranthera</i> Hemsl.	53	<i>Polygonatum</i> Mill.	22
75. Asparagaceae, 120 genera		<i>Echeandia</i> Ortega	57	<i>Prospero</i> Salisb.	116
<i>Acanthocarpus</i> Lehm.	6	<i>Eremocrinum</i> M.E.Jones	60	<i>Pseudogaltonia</i> (Kunze) Engl.	88
<i>Agave</i> L.	72	<i>Eriospermum</i> Jacq.	18	<i>Pseudomuscari</i> Garbari & Greuter	112
<i>Albuca</i> L.	86	<i>Eucomis</i> L'Hé	99	<i>Pseudoprospéro</i> Speta	93
<i>Alrawia</i> (Wendelbo) Perss. & Wendelbo	108	<i>Eustrephus</i> R.Br.	13	<i>Puschkinia</i> Adams	109
<i>Androstegium</i> Torr.	73	<i>Fessia</i> Speta	113	<i>Reineckea</i> Kunth	38
<i>Anemarrhena</i> Bunge	43	<i>Furcraea</i> Vent.	69	<i>Resnova</i> van der Merwe	96
<i>Anthericum</i> L.	48	<i>Hagenbachia</i> Nees & Mart.	54	<i>Rohdea</i> Roth	39
<i>Aphyllanthes</i> L.	42	<i>Hastingsia</i> S.Watson	63	<i>Romnaldia</i> P.F.Stevens	4
<i>Arthropodium</i> R.Br.	15	<i>Hemiphylacus</i> S.Watson	16	<i>Ruscus</i> L.	28
<i>Asparagus</i> Tourn. ex L.	17	<i>Herreria</i> Ruiz & Pav.	45	<i>Sagittanthera</i>	91
<i>Aspidistra</i> Ker Gawl.	41	<i>Herrerriopsis</i> H.Perrier	46	<i>Schizocarphus</i> van der Merwe	95
<i>Barnardia</i> Lindl.	106	<i>Hesperaloe</i> Engelm.	66	<i>Schoenolirion</i> Durand	62
<i>Beaucarnea</i> Lem.	34	<i>Hesperocallis</i> A.Gray	58	<i>Scilla</i> L.	120
<i>Behnia</i> Didr.	44	<i>Hesperoyucca</i> (Engelm.) Trel.	65	<i>Semele</i> Kunth	27
<i>Bellevalia</i> Lapeyr.	119	<i>Heteropolygonatum</i> M.N.Tamura & Ogisu	21	<i>Sowerbaea</i> Sm.	1
<i>Beschorneria</i> Kunth	68	<i>Hosta</i> Tratt.	59	<i>Speirantha</i> Baker	36
<i>Bessera</i> Schult.f.	82	<i>Hyacinthella</i> Schur	117	<i>Spetaea</i> Wetschnig & Pfosser	100
<i>Bloomeria</i> Kellogg	75	<i>Hyacinthoides</i> Heist. ex Fabr.	114	<i>Theropogon</i> Maxim.	23
<i>Bowiea</i> Harv. ex Hook.f.	90	<i>Hyacinthus</i> Tourn. ex L.	111	<i>Thysanotus</i> R.Br.	12
<i>Brimeura</i> Salisb.	110	<i>Jaimehintonia</i> B.L.Turner	80	<i>Trichopetalum</i> Lindl.	10
<i>Brodiaea</i> Sm.	79	<i>Lachenalia</i> J.Jacq. ex Murray	103	<i>Trihesperus</i> Herb.	52
<i>Calibanus</i> Rose	33	<i>Laxmannia</i> R.Br.	2	<i>Triteleia</i> Douglas ex Lindl.	76
<i>Camassia</i> Lindl.	64	<i>Ledebouria</i> Roth	98	<i>Triteleopsis</i> Hoover	77
<i>Chamaescilla</i> F.Muell. ex Benth.	8	<i>Leopoldia</i> Parl.	115	<i>Tupistra</i> Ker Gawl.	40

Table 3. Continued.

<i>Veltheimia</i> Gled.	102	<i>Chuniophoenix</i> Burret	51	<i>Kerriodoxa</i> J.Dransf.	52
<i>Xerolirion</i> A.S.George	3	<i>Clinosperma</i> Becc.	141	<i>Korthalsia</i> Blume	9
<i>Yucca</i> L.	67	<i>Clinostigma</i> H.Wendl.	175	<i>Laccospadix</i> H.Wendl. & Drude	149
<i>Zagrosia</i> Speta	107	<i>Coccothrinax</i> Sarg.	23	<i>Laccosperma</i> Drude	4
Arecales, 1 family		<i>Cocos</i> L.	96	<i>Lanonia</i> A.J.Hend. & C.D.Bacon	40
76. Areaceae/Palmae, 183 genera		<i>Colpothrinax</i> Schaedtler	47	<i>Latania</i> Comm. ex Juss.	63
<i>Acanthophoenix</i> H.Wendl.	152	<i>Copernicia</i> Mart. ex Endl.	48	<i>Lemurophoenix</i> J.Dransf.	143
<i>Acoelorrhaphe</i> H.Wendl.	44	<i>Corypha</i> L.	58	<i>Leopoldinia</i> Mart.	120
<i>Acrocomia</i> Mart.	101	<i>Cryosophila</i> Blume	28	<i>Lepidocaryum</i> Mart.	6
<i>Actinokentia</i> Dammer	125	<i>Cyphokentia</i> Brongn.	140	<i>Lepidorrhachis</i> (H.Wendl. & Drude) O.F.Cook	135
<i>Actinorhynchis</i> H.Wendl. & Drude	123	<i>Cyphophoenix</i> H.Wendl. ex Hook.f.	133	<i>Leucothrinax</i> C.Lewis & Zona	25
<i>Adonidia</i> Becc.	156	<i>Cyphosperma</i> H.Wendl. ex Hook.f.	134	<i>Licuala</i> Wurmbr.	39
<i>Aiphanes</i> Willd.	103	<i>Cyrtostachys</i> Blume	176	<i>Linospadix</i> H.Wendl.	147
<i>Allagoptera</i> Nees	93	<i>Deckenia</i> H.Wendl. ex Seem.	151	<i>Livistona</i> R.Br.	38
<i>Ammandra</i> O.F.Cook	72	<i>Desmoncus</i> Mart.	105	<i>Lodoicea</i> Comm. ex DC.	64
<i>Aphandra</i> Barford	73	<i>Dictyocaryum</i> H.Wendl.	76	<i>Loxococcus</i> H.Wendl. & Drude	182
<i>Archontophoenix</i> H.Wendl. & Drude	124	<i>Dictyosperma</i> H.Wendl. & Drude	177	<i>Lytocaryum</i> Toledo	98
<i>Areca</i> L.	128	<i>Dransfieldia</i> W.J.Baker & Zona	178	<i>Manicaria</i> Gaertn.	108
<i>Arenga</i> Labill. ex DC	56	<i>Drymophloeus</i> Zipp.	164	<i>Manjekia</i> W.J.Baker & Heatubun	159
<i>Asterogyne</i> H.Wendl. ex Hook.f.	118	<i>Dypsis</i> Noronha ex Mart.	142	<i>Marojejya</i> Humbert	144
<i>Astrocaryum</i> G.Mey.	102	<i>Elaeis</i> Jacq.	107	<i>Masoala</i> Jum.	145
<i>Attalea</i> Kunth.	94	<i>Eleiodoxa</i> (Becc.) Burret	10	<i>Mauritia</i> L.f.	7
<i>Bactris</i> Jacq. ex Scop.	104	<i>Eremospatha</i> (G.Mann & H.Wendl.) Schaedtler	3	<i>Mauritiella</i> Burret	8
<i>Balaka</i> Becc.	160	<i>Eugeissona</i> Griff.	1	<i>Maxburretia</i> Furtado	36
<i>Barcella</i> (Traill) Drude	106	<i>Euterpe</i> Mart.	110	<i>Medemia</i> Württemb. ex H.Wendl.	62
<i>Basselinia</i> Vieill.	131	<i>Gaussia</i> H.Wendl.	84	<i>Metroxylon</i> Rottb.	12
<i>Beccariophoenix</i> Jum. & H.Perrier	90	<i>Geonoma</i> Willd.	119	<i>Myrialepis</i> Becc.	15
<i>Bentinckia</i> Berry ex Roxb.	174	<i>Guihaia</i> J.Dransf., S.K.Lee & F.N.Wei	33	<i>Nannorrhops</i> H.Wendl.	53
<i>Bismarckia</i> Hildebr. & H.Wendl.	59	<i>Hedyscepe</i> H.Wendl. & Drude	169	<i>Nenga</i> H.Wendl. & Drude	129
<i>Borassodendron</i> Becc.	65	<i>Hemithrinax</i> Hook.f.	24	<i>Neonicholsonia</i> Dammer	112
<i>Borassus</i> L.	66	<i>Heterospatha</i> Scheff.	179	<i>Neoveitchia</i> Becc.	139
<i>Brahea</i> Mart.	46	<i>Howea</i> Becc.	148	<i>Nephrosperma</i> Balf.f.	170
<i>Brassiophoenix</i> Burret	166	<i>Hydriastele</i> H.Wendl. & Drude	180	<i>Normanbya</i> F.Muell. ex Becc.	165
<i>Burretiokentia</i> Pic.Serm.	132	<i>Hyophorbe</i> Gaertn.	80	<i>Nypa</i> Steck	18
<i>Butia</i> (Becc.) Becc.	95	<i>Hyospathe</i> Mart.	109	<i>Oenocarpus</i> Mart.	113
<i>Calamus</i> L.	17	<i>Hyphaene</i> Gaertn.	61	<i>Oncocalamus</i> (G.Mann & H.Wendl.) H.Wendl.	2
<i>Calyptrocalyx</i> Blume	146	<i>Iguanura</i> Blume	181	<i>Oncosperma</i> Blume	150
<i>Calyptroglyne</i> H.Wendl.	116	<i>Iriartea</i> Ruiz & Pav.	77	<i>Orania</i> Zipp.	86
<i>Calyptronoma</i> Griseb.	117	<i>Iriartella</i> H.Wendl.	75	<i>Oraniopsis</i> (Becc.) J.Dransf., A.K.Irvine & N.W.Uhl	70
<i>Carpentaria</i> Becc.	162	<i>Itaya</i> H.E.Moore	29	<i>Parajubaea</i> Burret	100
<i>Carpoxydon</i> H.Wendl. & Drude	137	<i>Jailoloa</i> Heatubun & W.J.Baker	158	<i>Pelagodoxa</i> Becc.	121
<i>Caryota</i> L.	55	<i>Johannesteijsmannia</i> H.E.Moore	41	<i>Phoenicophorium</i> H.Wendl.	171
<i>Ceroxylon</i> Bonpl. ex DC.	68	<i>Juania</i> Drude	69	<i>Phoenix</i> L.	31
<i>Chamaedorea</i> Willd.	83	<i>Jubaea</i> Kunth	97	<i>Pholidocarpus</i> Blume	42
<i>Chamaerops</i> L.	32	<i>Jubaeopsis</i> Becc.	91		
<i>Chambeyronia</i> Vieill.	126	<i>Kentiopsis</i> Brongn.	127		
<i>Chelyocarpus</i> Drammer	27				

Table 3. Continued.

<i>Pholidostachys</i> H.Wendl. ex Hook.f.	115	<i>Welfia</i> H.Wendl.	114	<i>Triceratella</i> Brenan	1
<i>Physokentia</i> Becc.	136	<i>Wendlandiella</i> Dammer	81	<i>Tripogandra</i> Raf.	38
<i>Phytelephas</i> Ruiz & Pav.	74	<i>Wettinia</i> Poepp. ex Endl.	79	<i>Weldenia</i> Schult.f.	35
<i>Pigafetta</i> (Blume) Becc.	13	<i>Wodyetia</i> A.K.Irvine	163	79. Philydraceae, 3 genera	
<i>Pinanga</i> Blume	130	<i>Zombia</i> L.H.Bailey	22	<i>Helmholtzia</i> F.Muell.	3
<i>Plectocomia</i> Mart. & Blume	14	Commelinales, 5 families		<i>Philydrella</i> Caruel	1
<i>Plectocomiopsis</i> Becc.	16	77. Hanguanaceae, 1 genus		<i>Philydrum</i> Banks & Sol. ex Gaertn.	2
<i>Podococcus</i> G.Mann & H.Wendl.	85	<i>Hanguana</i> Blume	1	80. Pontederiaceae, 6 genera	
<i>Ponapea</i> Becc.	155	78. Commelinaceae, 41 genera		<i>Eichhornia</i> Kunth	3
<i>Prestoea</i> Hook.f.	111	<i>Aetheolirion</i> Forman	18	<i>Heteranthera</i> Ruiz & Pav.	6
<i>Pritchardia</i> Seem. & H.Wendl.	49	<i>Amischotolype</i> Hassk.	28	<i>Hydrothrix</i> Hook.f.	1
<i>Pseudophoenix</i> H.Wendl. ex Sarg.	67	<i>Aneilema</i> R.Br.	15	<i>Monochoria</i> C.Presl.	5
<i>Ptychococcus</i> Becc.	167	<i>Anthericopsis</i> Engl.	4	<i>Pontederia</i> L.	4
<i>Ptychosperma</i> Labill.	154	<i>Belosynapsis</i> Hassk.	29	<i>Scholleropsis</i> H.Perrier	2
<i>Raphia</i> P.Beauv.	5	<i>Buforrestia</i> C.B.Clarke	6	81. Haemodoraceae, 14 genera	
<i>Ravenea</i> H.Wendl. ex C.D.Bouché	71	<i>Callisia</i> Loeffl.	37	<i>Anigozanthos</i> Labill.	3
<i>Reinhardtia</i> Liebm.	89	<i>Cartonema</i> R.Br.	2	<i>Barberetta</i> Harv.	10
<i>Rhaphidophyllum</i> H.Wendl. & Drude	35	<i>Cochliostema</i> Lem.	21	<i>Blancoa</i> Lindl.	5
<i>Rhapis</i> L.f. ex Aiton	37	<i>Coleotrype</i> C.B.Clarke	26	<i>Conostylis</i> R.Br.	6
<i>Rhopaloblaste</i> Scheff.	183	<i>Commelina</i> L.	17	<i>Dilatris</i> P.J.Bergius	7
<i>Rhopalostylis</i> H.Wendl. & Drude	168	<i>Cyanotis</i> D.Don	30	<i>Haemodorum</i> Sm.	9
<i>Roscheria</i> H.Wendl. ex Balf.f.	172	<i>Dichorisandra</i> J.C.Mikan	25	<i>Lachnanthes</i> Elliott	8
<i>Roystonea</i> O.F.Cook	88	<i>Dictyospermum</i> Wight	11	<i>Macropidia</i> J.Drumm. ex Harv.	2
<i>Sabal</i> Adans.	19	<i>Elasis</i> D.R.Hunt	39	<i>Phlebocarya</i> R.Br.	4
<i>Sabinaria</i> R.Bernal & Galeano	30	<i>Floscopa</i> Lour.	8	<i>Pyrrorhiza</i> Maguire & Wurdack	12
<i>Salacca</i> Reinw.	11	<i>Geogenanthus</i> Ule	23	<i>Schiekia</i> Meisn.	13
<i>Saribus</i> Blume	43	<i>Gibasis</i> Raf.	40	<i>Tribonanthes</i> Endl.	1
<i>Satakentia</i> H.E.Moore	138	<i>Gibasoides</i> D.R.Hunt	32	<i>Wachendorfia</i> Burm.	11
<i>Satranala</i> J.Dransf. & Beentje	60	<i>Matudanthus</i> D.R.Hunt	33	<i>Xiphidium</i> Aubl.	14
<i>Schippia</i> Burret	20	<i>Murdannia</i> Royle	5	Zingiberales, 8 families	
<i>Sclerosperma</i> G.Mann & H.Wendl.	87	<i>Palisota</i> Rchb.	3	82. Strelitziaceae, 3 genera	
<i>Serenoa</i> Hook.f.	45	<i>Plowmanianthus</i> Faden & C.R.Hardy	22	<i>Phenakospermum</i> Endl.	2
<i>Socratea</i> H.Karst.	78	<i>Pollia</i> Thunb	12	<i>Ravenala</i> Scop.	1
<i>Sommieria</i> Becc.	122	<i>Polyspatha</i> Benth.	16	<i>Strelitzia</i> Banks	3
<i>Syagrus</i> Mart.	99	<i>Porandra</i> D.Y.Hong	27	83. Lowiaceae, 1 genus	
<i>Synechanthus</i> H.Wendl.	82	<i>Pseudoparis</i> H.Perrier	9	<i>Orchidantha</i> N.E.Br.	1
<i>Tahina</i> J.Dransf. & Rakotoarin.	54	<i>Rhopalephora</i> Hassk.	14	84. Heliconiaceae, 1 genus	
<i>Tectiphiala</i> H.E.Moore	153	<i>Sauvallea</i> C.Wright	31	<i>Heliconia</i> L.	1
<i>Thrinax</i> L.f. ex Sw.	26	<i>Siderasis</i> Raf.	24	85. Musaceae, 3 genera	
<i>Trachycarpus</i> H.Wendl.	34	<i>Spatholirion</i> Ridl.	20	<i>Ensete</i> Bruce ex Horan.	3
<i>Trithrinax</i> Mart.	21	<i>Stanfieldiella</i> Brenan	7	<i>Musa</i> L.	1
<i>Veitchia</i> H.Wendl.	161	<i>Streptolirion</i> Edgew.	19	<i>Musella</i> (Franch.) C.Y.Wu ex H.W.Li	2
<i>Verschaffeltia</i> H.Wendl.	173	<i>Tapheocarpa</i> Conran	13	86. Cannaceae, 1 genus	
<i>Voanioala</i> J.Dransf.	92	<i>Thyrsanthemum</i> Pichon	36	<i>Canna</i> L.	1
<i>Wallaceodoxa</i> Heatubun & W.J.Baker	157	<i>Tinantia</i> Scheidw.	34	87. Marantaceae, 28 genera	
<i>Wallichia</i> Roxb.	57	<i>Tradescantia</i> Ruppius ex L.	41	<i>Afrocalathea</i> K.Schum.	17
<i>Washingtonia</i> H.Wendl.	50	<i>Tricarpelema</i> J.K.Morton	10	<i>Calathea</i> G.Mey.	9

Table 3. Continued.

<i>Ctenanthe</i> Eichler	27	<i>Cyphostigma</i> Benth.	9	Poales, 16 families	
<i>Donax</i> Lour.	13	<i>Distichochlamys</i> M.F.Newman	47	91. Typhaceae, 2 genera	
<i>Goepertia</i> Nees	7	<i>Elettaria</i> Maton	13	<i>Sparganium</i> L.	1
<i>Halopegia</i> K.Schum.	21	<i>Elettariopsis</i> Baker	14	<i>Typha</i> L.	2
<i>Haumania</i> J.Léonard	6	<i>Etlingera</i> Giseke	20	92. Bromeliaceae, 47 genera	
<i>Hylaeanthus</i> A.M.E.Jonker & Jonker	23	<i>Gagnepainia</i> K.Schum.	24	<i>Acanthostachys</i> Link, Klotzsch & Otto	32
<i>Hypselodelphys</i> (K.Schum.) Milne-Redh.	5	<i>Geocharis</i> (K.Schum.) Ridl.	12	<i>Aechmea</i> Ruiz & Pav.	47
<i>Indianthus</i> Suksathan & Borchs.	20	<i>Geostachys</i> (Baker) Ridl.	15	<i>Ananas</i> Mill.	28
<i>Ischnosiphon</i> Körn.	11	<i>Globba</i> L.	23	<i>Androlepis</i> Brongn. ex Houlet	35
<i>Koernickanthe</i> L.Andersson	26	<i>Haniffia</i> Holttum	43	<i>Araeococcus</i> Brongn.	38
<i>Maranta</i> Plum. ex L.	24	<i>Haplochorema</i> K.Schum.	48	<i>Ayensua</i> L.B.Sm.	1
<i>Marantochloa</i> Brongn. ex Gris	16	<i>Hedychium</i> J.Koenig	36	<i>Billbergia</i> Thunb.	45
<i>Megaphrynium</i> Milne-Redh.	3	<i>Hemiorchis</i> Kurz	25	<i>Brewcaria</i> L.B.Sm., Steyerl. & H.Rob.	13
<i>Monophyllanthe</i> K.Schum.	19	<i>Hitchenia</i> Wall.	28	<i>Brocchinia</i> Schult. & Schult.f.	2
<i>Monotagma</i> K.Schum.	8	<i>Hornstedtia</i> Retz.	17	<i>Bromelia</i> L.	25
<i>Myrosma</i> L.f.	22	<i>Kaempferia</i> L.	50	<i>Canistrum</i> E.Morren	41
<i>Phrynium</i> Willd.	15	<i>Kedhalia</i> C.K.Lim	41	<i>Catopsis</i> Griseb.	6
<i>Pleiostachya</i> K.Schum.	10	<i>Laosanthus</i> K.Larsen & Jenjitt.	29	<i>Connellia</i> N.E.Br.	3
<i>Saranthe</i> (Regel & Körn.) Eichler	25	<i>Larsenianthus</i> W.J.Kress & Mood	35	<i>Cottendorfia</i> Schult. & Schult.f.	12
<i>Sarcophrynium</i> K.Schum.	1	<i>Leptosolenia</i> C.Presl.	10	<i>Cryptanthus</i> Otto & A.Dietr.	30
<i>Schumannianthus</i> Gagnep.	14	<i>Myxochlamys</i> A.Takano & Nagam.	45	<i>Deuterocohnia</i> Mez	18
<i>Stachyphrynium</i> K.Schum.	18	<i>Nanochilus</i> K.Schum.	33	<i>Disteganthus</i> Lem.	36
<i>Stromanthe</i> Sond.	28	<i>Newmania</i> N.S.Lý & Škorničk.	42	<i>Dyckia</i> Schult. & Schult.f.	20
<i>Thalia</i> L.	12	<i>Parakaempferia</i> A.S.Rao & D.M.Verma	44	<i>Eduandrea</i> Leme, W.Till, G.K.Br., J.R.Grant & Govaerts	33
<i>Thaumatococcus</i> Benth.	2	<i>Plagiostachys</i> Ridl.	16	<i>Encholirium</i> Mart. ex Schult. & Schult.f.	19
<i>Trachyphrynium</i> Benth.	4	<i>Pleuranthodium</i> (K.Schum.) R.M.Sm.	7	<i>Fascicularia</i> Mez	22
88. Costaceae, 7 genera		<i>Pommereschea</i> Wittm.	37	<i>Fernseea</i> Baker	26
<i>Chamaecostus</i> C.D.Specht & D.W.Stev.	1	<i>Renealmia</i> L.f.	19	<i>Fosterella</i> L.B.Sm.	17
<i>Costus</i> L.	4	<i>Rhynchanthus</i> Hook.f.	38	<i>Glomeropitcairnia</i> Mez	5
<i>Dimerocostus</i> Kuntze	3	<i>Riedelia</i> Oliv.	8	<i>Greigia</i> Regel	24
<i>Hellenia</i> Retz.	6	<i>Roscoea</i> Sm.	40	<i>Guzmania</i> Ruiz & Pav.	9
<i>Monocostus</i> K.Schum.	2	<i>Scaphochlamys</i> Baker	49	<i>Hechtia</i> Klotzsch	11
<i>Paracostus</i> C.D.Specht	5	<i>Siamanthus</i> K.Larsen & J.Mood	5	<i>Hohenbergia</i> Schult. & Schult.f.	44
<i>Tapeinochilos</i> Miq.	7	<i>Siliquamomum</i> J.M.Wood & Franks	4	<i>Hohenbergiopsis</i> L.B.Sm. & Read	34
89. Zingiberaceae, 52 genera		<i>Siphonochilus</i> J.M.Wood & Franks	2	<i>Lapanthus</i> Louzada & Versieux	29
<i>Aframomum</i> K.Schum.	18	<i>Smithatris</i> W.J.Kress & K.Larsen	30	<i>Lindmania</i> Mez	4
<i>Alpinia</i> Roxb.	22	<i>Stadiochilus</i> R.M.Sm.	34	<i>Lymania</i> Read	39
<i>Amomum</i> Roxb.	21	<i>Stahlianthus</i> Kuntze	31	<i>Mezobromelia</i> L.B.Sm.	8
<i>Aulotandra</i> Gagnep.	1	<i>Tamijia</i> S.Sakai & Nagam.	3	<i>Navia</i> Schult. & Schult.f.	15
<i>Boesenbergia</i> Kuntze	51	<i>Vanoverberghia</i> Merr.	11	<i>Neoglaziovia</i> Mez	27
<i>Burbridgea</i> Hook.f.	6	<i>Zingiber</i> Mill.	52	<i>Neoregelia</i> L.B.Sm.	46
<i>Camptandra</i> Ridl.	27	Unplaced, 1 family		<i>Nidularium</i> Lem.	43
<i>Caulokaempferia</i> K.Larsen	26	90. Dasypogonaceae, 4 genera		<i>Ochagavia</i> Phil.	23
<i>Cautleya</i> (Royle ex Benth.) Hook.f.	39	<i>Baxteria</i> R.Br. ex Hook.	1	<i>Orthophytum</i> Beer	31
<i>Cornukaempferia</i> Mood & K.Larsen	46	<i>Calectasia</i> R.Br.	4	<i>Pitcairnia</i> L'Hér.	16
<i>Curcuma</i> L.	32	<i>Dasypogon</i> R.Br.	3		
		<i>Kingia</i> R.Br.	2		

Table 3. Continued.

<i>Portea</i> Brongn. ex K.Koch	37	98. Juncaceae, 8 genera	<i>Eriophorum</i> L.	69	
<i>Puya</i> Molina	21	<i>Distichia</i> Nees & Meyen	5	<i>Erioscirpus</i> Palla	90
<i>Quesnelia</i> Gaudich.	42	<i>Juncus</i> L.	8	<i>Evandra</i> R.Br.	33
<i>Ronbergia</i> E.Morren & André	40	<i>Luzula</i> DC.	2	<i>Everardia</i> Ridl. ex Oliv.	20
<i>Steyerbromelia</i> L.B.Sm.	14	<i>Marsippospermum</i> Desv.	6	<i>Exocarya</i> Benth.	3
<i>Tillandsia</i> L.	10	<i>Oreojuncus</i> Záv. Drábk. & Kirschner	1	<i>Ficinia</i> Schrad.	92
<i>Vriesea</i> Lindl.	7	<i>Oxychloe</i> Phil.	7	<i>Fimbristylis</i> Vahl	75
93. Rapateaceae, 17 genera		<i>Patosia</i> Buchenau	3	<i>Fuirena</i> Rottb.	71
<i>Amphiphyllum</i> Gleason	16	<i>Rostkovia</i> Desv.	4	<i>Gahnia</i> J.R.Forst. & G.Forst.	45
<i>Cephalostemon</i> R.H.Schomb.	3	99. Cyperaceae, 94 genera		<i>Gymnoschoenus</i> Nees	17
<i>Duckea</i> Maguire	2	<i>Actinoschoenus</i> Benth.	76	<i>Hellmuthia</i> Steud.	89
<i>Epidryos</i> Maguire	15	<i>Actinoscirpus</i> (Ohwi) R.W.Haines & Lye	82	<i>Hypolytrum</i> Pers.	10
<i>Guacamaya</i> Maguire	11	<i>Afrotrilepis</i> (Gilly) J.Raynal	12	<i>Isolepis</i> R.Br.	91
<i>Kunhardtia</i> Maguire	10	<i>Amphiscirpus</i> Oteng-Yeb.	64	<i>Karinia</i> Reznicek & McVaugh	86
<i>Marahuacaea</i> Maguire	13	<i>Androtrichum</i> (Brongn.) Brongn.	93	<i>Khaosokia</i> D.A.Simpson, Chayam. & J.Parn.	52
<i>Maschalocephalus</i> Gilg & K.Schum.	5	<i>Arthrostylis</i> R.Br.	77	<i>Kobresia</i> Willd.	56
<i>Monotrema</i> Körn.	8	<i>Becquerelia</i> Brongn.	24	<i>Koyamaea</i> W.W.Thomas & G.Davidse	18
<i>Phelpsiella</i> Maguire	14	<i>Bisboeckelera</i> Kuntze	22	<i>Lagenocarpus</i> Nees.	21
<i>Potarophytum</i> Sandwith	7	<i>Blysmus</i> Panz. ex Schult.	63	<i>Lepidosperma</i> Labill.	48
<i>Rapatea</i> Aubl.	4	<i>Bolboschoenus</i> (Asch.) Palla	74	<i>Lepironia</i> Pers.	4
<i>Saxofridericia</i> R.H.Schomb.	9	<i>Bulbostylis</i> Kunth	81	<i>Machaerina</i> Vahl	46
<i>Schoenocephalum</i> Seub.	12	<i>Calliscirpus</i> C.N.Gilmour, J.R.Starr & Naczi	54	<i>Mapania</i> Aubl.	11
<i>Spathanthus</i> Desv.	1	<i>Calyptrocarya</i> Nees	26	<i>Mesomelaena</i> Nees	39
<i>Stegolepis</i> Klotzsch ex Körn.	17	<i>Capeobolus</i> Browning	27	<i>Microdracoides</i> Hua	15
<i>Windsorina</i> Gleason	6	<i>Capitularina</i> J.Kern	1	<i>Morelotia</i> Gaudich.	34
94. Xyridaceae, 5 genera		<i>Carex</i> L.	58	<i>Neesenbeckia</i> Levyns	28
<i>Abolboda</i> Bonpl.	3	<i>Carpha</i> Banks & Sol. ex R.Br.	43	<i>Nelmesia</i> Van der Veken	73
<i>Achlyphila</i> Maguire & Wurdack	1	<i>Caustis</i> R.Br.	37	<i>Nemum</i> Desv. ex Ham.	80
<i>Aratitiopea</i> Steyerl. & P.E.Berry	4	<i>Cephalocarpus</i> Nees	19	<i>Neoscirpus</i> Y.N.Lee & Y.C.Oh	65
<i>Orectanthe</i> Maguire	5	<i>Chorizandra</i> R.Br.	8	<i>Oreobolopsis</i> T.Koyama & Guagl.	59
<i>Xyris</i> Gronov. ex L.	2	<i>Chrysitrix</i> L.	7	<i>Oreobolus</i> R.Br.	41
95. Eriocaulaceae, 10 genera		<i>Cladium</i> P.Browne	16	<i>Paramapania</i> Uittien	9
<i>Actinocephalus</i> (Körn.) Sano	9	<i>Coleochloa</i> Gilly	13	<i>Phylloscirpus</i> C.B.Clarke	67
<i>Comanthera</i> L.B.Sm.	3	<i>Costularia</i> C.B.Clarke	44	<i>Pleurostachys</i> Brongn.	50
<i>Eriocaulon</i> L.	2	<i>Crosslandia</i> W.Fitzg.	79	<i>Principina</i> Uittien	5
<i>Lachnocaulon</i> Kunth	8	<i>Cyathochaeta</i> Nees	38	<i>Pseudoschoenus</i> (C.B.Clarke) Oteng-Yeb.	84
<i>Leiostrix</i> Ruhland	5	<i>Cyathocoma</i> Nees	35	<i>Ptilothrix</i> K.L.Wilson	29
<i>Mesanthemum</i> Körn.	1	<i>Cymophyllum</i> Mack. ex Britton & A.Br.	53	<i>Reedia</i> F.Muell.	30
<i>Paepalanthus</i> Mart.	10	<i>Cyperus</i> L.	94	<i>Rhynchoscladium</i> T.Koyama	31
<i>Rondonanthus</i> Herzog	6	<i>Cypringlea</i> M.T.Strong	66	<i>Rhynchospora</i> Vahl	51
<i>Syngonanthus</i> Ruhland	4	<i>Diplacrum</i> R.Br.	23	<i>Schoenoplectiella</i> Lye	85
<i>Tonina</i> Aubl.	7	<i>Diplasia</i> Pers.	2	<i>Schoenoplectus</i> (Rchb.) Palla	83
96. Mayacaceae, 1 genus		<i>Dracoscirpoides</i> Muasya	88	<i>Schoenoxiphium</i> Nees	55
<i>Mayaca</i> Aubl.	1	<i>Dulichium</i> Pers.	61	<i>Schoenus</i> L.	49
97. Thurniaceae, 2 genera		<i>Eleocharis</i> R.Br.	72	<i>Scirpodendron</i> Zipp. ex Kurz	6
<i>Prionium</i> E.Mey.	1	<i>Epischoenus</i> C.B.Clarke	42		
<i>Thurnia</i> Hook.f.	2				

Table 3. Continued.

<i>Scirpoides</i> Ség.	87	<i>Baloskion</i> Raf.	34	<i>Melanostachya</i> B.G.Briggs & L.A.S.Johnson	37
<i>Scirpus</i> Tourn. ex L.	70	<i>Calorophus</i> Labill.	18	<i>Nevillea</i> Esterh. & H.P.Linder	3
<i>Scleria</i> P.J.Bergius	25	<i>Cannomois</i> P.Beauv. ex Desv.	4	<i>Platycaulos</i> H.P.Linder	10
<i>Sumatrosclirpus</i> Oteng-Yeb.	62	<i>Catacolea</i> B.G.Briggs & L.A.S.Johnson	39	<i>Platychora</i> B.G.Briggs & L.A.S.Johnson	31
<i>Tetraria</i> P.Beauv.	47	<i>Ceratocaryum</i> Nees	6	<i>Restio</i> Rottb.	16
<i>Trachystylis</i> S.T.Blake	78	<i>Chaetanthus</i> R.Br.	26	<i>Rhodocoma</i> Nees	15
<i>Trianoptiles</i> Fenzl ex Endl.	36	<i>Chordifex</i> B.G.Briggs & L.A.S.Johnson	33	<i>Soroveta</i> H.P.Linder & C.R.Hardy	9
<i>Trichophorum</i> Pers.	60	<i>Coleocarya</i> S.T.Blake	41	<i>Sporadanthus</i> F.Muell. ex Buchanan	17
<i>Trichoschoenus</i> J.Raynal	32	<i>Cytogonidium</i> B.G.Briggs & L.A.S.Johnson	36	<i>Staberoha</i> Kunth	14
<i>Tricostularia</i> Nees	40	<i>Dapsilanthus</i> B.G.Briggs & L.A.S.Johnson	28	<i>Taraxis</i> B.G.Briggs & L.A.S.Johnson	22
<i>Trilepis</i> Nees	14	<i>Desmocladus</i> Nees	42	<i>Thamnochortus</i> P.J.Bergius	8
<i>Uncinia</i> Pers.	57	<i>Dielsia</i> Gilg	35	<i>Tremulina</i> B.G.Briggs & L.A.S.Johnson	32
<i>Zameiosclirpus</i> Dhooge & Goetgh.	68	<i>Elegia</i> L.	11	<i>Tyrbastes</i> B.G.Briggs & L.A.S.Johnson	38
100. Anarthriaceae, 3 genera		<i>Empodisma</i> L.A.S.Johnson & D.F.Cutler	21	<i>Willdenowia</i> Thunb.	7
<i>Anarthria</i> R.Br.	1	<i>Eurychora</i> B.G.Briggs & L.A.S.Johnson	20	<i>Winifredia</i> L.A.S.Johnson & B.G.Briggs	23
<i>Hopkinsia</i> W.Fitzg.	2	<i>Hydrophilus</i> H.P.Linder	1	103. Flagellariaceae, 1 genus	
<i>Lyginia</i> R.Br.	3	<i>Hypodiscus</i> Nees	5	<i>Flagellaria</i> L.	1
101. Centrolepidaceae, 3 genera		<i>Hypolaena</i> R.Br.	25	104. Joinvilleaceae, 1 genus	
<i>Aphelia</i> R.Br.	2	<i>Lepidobolus</i> Nees	40	<i>Joinvillea</i> Gaudich. ex Brongn. & Gris	1
<i>Centrolepis</i> Labill.	3	<i>Leptocarpus</i> R.Br.	29	105. Ecdeiocoleaceae, 2 genera	
<i>Gaimardia</i> Gaudich.	1	<i>Lepyrodia</i> R.Br.	19	<i>Ecdeiocolea</i> F.Muell.	2
102. Restionaceae, 42 genera		<i>Loxocarya</i> R.Br.	30	<i>Georgeantha</i> B.G.Briggs & L.A.S.Johnson	1
<i>Alexgeorgea</i> Carlquist	24	<i>Mastersiella</i> Gilg-Ben.	2	106. Poaceae/Gramineae, not included	
<i>Anthochortus</i> Endl.	12				
<i>Apodasmia</i> B.G.Briggs & L.A.S.Johnson	27				
<i>Askidiosperma</i> Steud.	13				

Table 4. List of the subfamilial classification of the Xanthorrhoeaceae, Amaryllidaceae and Asparagaceae with corresponding generic numbers according to the new monocot linear sequence.

Family	Sequence number family ^a	Subfamily	Genus number range
Xanthorrhoeaceae	73	Asphodeloideae	1–18
		Xanthorrhoeoideae	19
		Hemerocallidoideae	20–38
Amaryllidaceae	74	Agaphanthoideae	1
		Allioideae	2–13
		Amaryllidoideae	14–75
Asparagaceae	75	Lomandroideae	1–15
		Asparagoideae	16–17
		Nolinoideae	18–41
		Aphyllanthoideae	42
		Agavoideae	43–72
		Brodiaeoideae	73–84
Scilloideae	85–120		

^aHaston & al., 2009; Wearn & al., 2013

■ ACKNOWLEDGEMENTS

We would like to thank the following people for their help: John Conran, Charlotte Couch, Dion Devey, Felix Forest, Lauren Gardiner, Gwil Lewis, Alan Meerow, Muthama Muasya, Mark Newman and Maria Vorontsova.

■ LITERATURE CITED

- Aagesen, L. & Sanso, A.M.** 2003. The phylogeny of the Alstroemeriaceae, based on morphology, *rps16* intron, and *rbcL* sequence data. *Syst. Bot.* 28: 47–49.
<http://dx.doi.org/10.1043/0363-6445-28.1.47>
- Andersson, L.** 1998. Marantaceae. Pp. 278–474 in: Kubitzki, K. (ed.), *The families and genera of vascular plants*, vol. 4. Berlin, Heidelberg, New York: Springer.
- APG** 1998. An ordinal classification for the families of flowering plants. *Ann. Missouri Bot. Gard.* 85: 531–553.
<http://dx.doi.org/10.2307/2992015>
- APG II** 2003. An update of the Angiosperm Phylogeny Group classification for the orders and families of flowering plants: APG II. *Bot. J. Linn. Soc.* 141: 399–436.
<http://dx.doi.org/10.1046/j.1095-8339.2003.t01-1-00158.x>
- APG III** 2009. An update of the Angiosperm Phylogeny Group classification for the orders and families of flowering plants: APG III. *Bot. J. Linn. Soc.* 161: 105–121.
<http://dx.doi.org/10.1111/j.1095-8339.2009.00996.x>
- Azuma, H. & Tobe, H.** 2011. Molecular phylogenetic analyses of Tofieldiaceae (Alismatales): Family circumscription and intergeneric relationships. *J. Pl. Res.* 124: 349–357.
<http://dx.doi.org/10.1007/s10265-010-0387-5>
- Bacon, C.D. & Baker, W.J.** 2011. *Saribus* resurrected. *Palms (1999+)* 55: 109–116.
- Baker, W.J.** 2015. A revised delimitation of the rattan genus *Calamus* (Arecaceae). *Phytotaxa* 197: 139–152.
<http://dx.doi.org/10.11646/phytotaxa.197.2.7>
- Baker, W.J., Savolainen, V., Asmussen-Lange, C.B., Chase, M.W., Dransfield, J., Forest, F., Harley, M.M., Uhl, N.W. & Wilkinson, M.** 2009. Complete generic-level phylogenetic analyses of palms (Arecaceae) with comparisons of supertree and supermatrix approaches. *Syst. Biol.* 58: 240–256.
<http://dx.doi.org/10.1093/sysbio/syp021>
- Barrett, C.F., Specht, C.D., Leebens-Mack, J., Stevenson, D.W., Zomlefer, W.B. & Davis, J.I.** 2014. Resolving ancient radiations: Can complete plastid gene sets elucidate deep relationships among the tropical ginger (Zingiberales)? *Ann. Bot. (Oxford)* 113: 119–133.
<http://dx.doi.org/10.1093/aob/mct264>
- Bauters, K., Larridon, I., Reynders, M., Asselman, P., Vrijdaghs, A., Muasya, A.M., Simpson, D.A. & Goetghebeur, P.** 2014. A new classification for *Lipocarpha* and *Volkiella* as infrageneric taxa of *Cyperus* s.l. (Cypereae, Cyperoideae, Cyperaceae): Insights from species tree reconstruction supplemented with morphological and floral developmental data. *Phytotaxa* 166: 1–32.
<http://dx.doi.org/10.11646/phytotaxa.166.1.1>
- Bay-Smidt, M.G.K., Jäger, A.K., Krydsfeldt, K., Meerow, A.W., Stafford, G.I., Van Staden, J. & Rønsted, N.** 2010. Phylogenetic selection of target species in Amaryllidaceae tribe Haemantheae for acetylcholinesterase inhibition and affinity to the serotonin reuptake transport protein. *S. African J. Bot.* 77: 175–183.
<http://dx.doi.org/10.1016/j.sajb.2010.07.016>
- Bentham, G. & Hooker, J.D.** 1862–1883. *Genera plantarum ad exemplaria imprimis in herbariis kewensibus servata definita*, 3 vols. in 7 parts. Londini [London]: venit apud A. Black, etc.
<http://dx.doi.org/10.5962/bhl.title.747>
- Birch, J.L., Keeley, S.C. & Morden, C.W.** 2012. Molecular phylogeny and dating of Asteliaceae (Asparagales): *Astelia* s.l. evolution provides insight into the Oligocene history of New Zealand. *Molec. Phylog. Evol.* 65: 102–115.
<http://dx.doi.org/10.1016/j.ympev.2012.05.031>
- Boatwright, J.S. & Manning, J.C.** 2010. Asphodelaceae. Inclusion of the genus *Jodrellia* in *Bulbine* (Asphodeloideae). *Bothalia* 40: 59.
- Bogler, D.J., Pires, J.C. & Francisco-Ortega, J.** 2006. Phylogeny of Agavaceae based on *ndhF*, *rbcL*, and ITS sequences: Implications of molecular data for classification. *Aliso* 22: 313–328.
- Borchsenius, F., Suárez Suárez, L.S. & Prince, L.M.** 2012. Molecular phylogeny and redefined generic limits of *Calathea* (Marantaceae). *Syst. Bot.* 37: 620–635.
<http://dx.doi.org/10.1600/036364412X648571>
- Boyce, P.C. & Croat, T.B.** 2012. The Überlist of Araceae, totals for published and estimated number of species in aroid genera, current as of 10 Jan 2012. <http://www.aroid.org/genera/120110uberlist.pdf> (accessed 15 Aug 2014).
- Briggs, B.G.** 2014a. *Leptocarpus* (Restionaceae) enlarged to include *Meeboldina* and *Stenotalis*, with new subgenera and Western Australian species. *Telopea* 16: 19–41.
<http://dx.doi.org/10.7751/telopea20147400>
- Briggs, B.G.** 2014b. *Desmocladus* (Restionaceae) enlarged to include the Western Australian genera *Harperia*, *Kulinia* and *Onychosepalum*. *Telopea* 17: 29–33. <http://dx.doi.org/10.7751/telopea20147402>
- Briggs, B.G. & Linder, H.P.** 2009. A new subfamilial and tribal classification of Restionaceae (Poales). *Telopea* 12: 333–345.
- Briggs, B.G., Marchant, A.D., Gilmore, S. & Porter, C.L.** 2000. A molecular phylogeny of Restionaceae and allies. Pp. 661–671 in: Wilson, K.L. & Morrison, D.A. (eds.), *Monocots: Systematics and evolution*. Collingwood: CSIRO.
- Briggs, B.G., Marchant, A.D. & Perkins, A.J.** 2010. Phylogeny and features in Restionaceae, Centrolepidaceae and Anarthriaceae (restiid clade of Poales). Pp. 357–388 in: Seberg, O., Petersen, G., Barfod, A.S. & Davis, J.I. (eds.), *Diversity, phylogeny, and evolution in the monocotyledons*. Aarhus: Aarhus University Press.
- Briggs, B.G., Marchant, A.D. & Perkins, A.J.** 2014. Phylogeny of the restiid clade (Poales) and implications for the classification of Anarthriaceae, Centrolepidaceae and Australian Restionaceae. *Taxon* 63: 24–46. <http://dx.doi.org/10.12705/631.1>
- Buerki, S., Callmender, M.W., Devey, D.S., Chappell, L., Gallaher, T., Munzinger, J., Haevermans, T. & Forest, F.** 2012a. Straightening out the screw-pines: A first step in understanding phylogenetic relationships within Pandanaceae. *Taxon* 61: 1010–1020.
- Buerki, S., Jose, S., Yadav, S.R., Goldblatt, P., Manning, J.C. & Forest, F.** 2012b. Contrasting biogeographic and diversification patterns in two Mediterranean-type ecosystems. *PLoS ONE* 7: 1–11. <http://dx.doi.org/10.1371/journal.pone.0039377>
- Buerki, S., Manning, J.C. & Forest, F.** 2013. Spatio-temporal history of the disjunct family Tecophilaeaceae: A tale involving the colonization of three Mediterranean-type ecosystems. *Ann. Bot. (Oxford)* 111: 361–373. <http://dx.doi.org/10.1093/aob/mcs286>
- Burns, J.H., Faden, R.B. & Steppan, S.J.** 2011. Phylogenetic studies in the Commelinaceae subfamily Commelinoideae inferred from nuclear ribosomal and chloroplast DNA sequences. *Syst. Bot.* 36: 268–276. <http://dx.doi.org/10.1600/036364411X569471>
- Caddick, L.R., Rudall, P.J., Wilkin, P., Hedderson, T.A.J. & Chase, M.W.** 2002a. Phylogenetics of Dioscoreales based on combined analyses of morphological and molecular data. *Bot. J. Linn. Soc.* 138: 123–144. <http://dx.doi.org/10.1046/j.1095-8339.2002.138002123.x>
- Caddick, L.R., Wilkin, P., Rudall, P.J., Hedderson, T.A.J. & Chase, M.W.** 2002b. Yams reclassified: A recircumscription of Dioscoreaceae and Dioscoreales. *Taxon* 51: 103–114.
<http://dx.doi.org/10.2307/1554967>
- Callmender, M.W., Chassot, P., Küpfer, P. & Lowry, P.P., II** 2003. Recognition of *Martellidendron*, a new genus of Pandanaceae, and its biogeographic implications. *Taxon* 52: 747–762.

- Callmander, M.W., Booth, T.J., Beentje, H. & Buerki, S. 2012a. Update on the systematics of *Benstonea* (Pandanaceae): When a visionary taxonomist foresees phylogenetic relationships. *Phytotaxa* 112: 57–60. <http://dx.doi.org/10.11646/phytotaxa.112.2.4>
- Callmander, M.W., Lowry, P.P., II, Forest, F., Devey, D.S., Beentje, H. & Buerki, S. 2012b. *Benstonea* Callm. & Buerki (Pandanaceae): Characterization, circumscription, and distribution of a new genus of screw-pines, with a synopsis of accepted species. *Candollea* 67: 323–345.
- Cameron, K. & Fu, C. 2006. A nuclear rDNA phylogeny of *Smilax* (Smilacaceae). *Aliso* 22: 598–605.
- Cameron, K.M., Chase, M.W. & Rudall, P.J. 2003. Recircumscription of the monocotyledonous family Petrosaviaceae to include *Japonolirion*. *Brittonia* 55: 214–225. [http://dx.doi.org/10.1663/0007-196X\(2003\)055\[0214:ROTMFP\]2.0.CO;2](http://dx.doi.org/10.1663/0007-196X(2003)055[0214:ROTMFP]2.0.CO;2)
- Campbell, L.M. 2012. Pollen morphology of Xyridaceae (Poales) and its systematic potential. *Bot. Rev. (Lancaster)* 78: 428–439.
- Chase, M.W., Rudall, P.J. & Conran, J.G. 1996. New circumscriptions and a new family of asparagoid lilies: Genera formerly included in Anthericaceae. *Kew Bull.* 51: 667–680. <http://dx.doi.org/10.2307/4119721>
- Chase, M.W., De Bruijn, A.Y., Cox, A.V., Reeves, G., Rudall, P.J., Johnson, M.A.T. & Eguiarte, L.E. 2000a. Phylogenetics of Asphodelaceae (Asparagales): An analysis of plastid *rbcL* and *trnL-F* DNA sequences. *Ann. Bot. (Oxford)* 86: 935–951. <http://dx.doi.org/10.1006/anbo.2000.1262>
- Chase, M.W., Soltis, D.E., Soltis, P.S., Rudall, P.J., Fay, M.F., Hahn, W.H., Sullivan, S., Joseph, J., Molvray, M., Kores, P.J., Givnish, T.J., Sytsma, K.J. & Pires, J.C. 2000b. Higher-level systematics of the monocotyledons: An assessment of current knowledge and a new classification. Pp. 3–16 in: Wilson, K.L. & Morrison, D.A. (eds.), *Monocots: Systematics and evolution*. Collingwood: CSIRO.
- Chase, M.W., Fay, M.F., Devey, D.S., Maurin, O., Rønsted, N., Davies, T.J., Pillon, Y., Petersen, G., Seberg, O., Tamura, M.N., Asmussen, C.B., Hilu, K., Borsch, T., Davis, J.I., Stevenson, D.W., Pires, J.C., Givnish, T.J., Sytsma, K.J., McPherson, M.A., Graham, S.W. & Rai, H.S. 2006. Multigene analyses of monocot relationships: A summary. *Aliso* 22: 63–75.
- Chase, M.W., Reveal, J.W. & Fay, M.F. 2009. A subfamilial classification for the expanded asparagean families Amaryllidaceae, Asparagaceae and Xanthorrhoeaceae. *Bot. J. Linn. Soc.* 161: 132–136. <http://dx.doi.org/10.1111/j.1095-8339.2009.00999.x>
- Chauveau, O., Eggers, L., Souza-Chies, T.T. & Nadot, S. 2012. Oil-producing flowers within the Iridoideae (Iridaceae): Evolutionary trends in the flowers of the New World genera. *Ann. Bot. (Oxford)* 110: 713–729. <http://dx.doi.org/10.1093/aob/mcs134>
- Chen, L.-Y., Chen, J.-M., Gituru, R.W., Temam, T.D. & Wang, Q.-F. 2012. Generic phylogeny and historical biogeography of Alismataceae, inferred from multiple DNA sequences. *Molec. Phylog. Evol.* 63: 407–416. <http://dx.doi.org/10.1016/j.ympev.2012.01.016>
- Chen, S., Kim, D., Chase, M.W. & Kim, J. 2013. Networks in a large-scale phylogenetic analysis: Reconstructing evolutionary history of Asparagales (Lilianae) based on four plastid genes. *PLoS ONE* 8: 1–18. <http://dx.doi.org/10.1371/journal.pone.0059472>
- Christenhusz, M.J.M., Zhang, X. & Schneider, H. 2011. A linear sequence of extant families and genera of lycophytes and ferns. *Phytotaxa* 19: 7–54. <http://www.mapress.com/phytotaxa/content/2011/f/pt00019p054.pdf>
- Christenhusz, M.J.M., Govaerts, R., David, J.C., Hall, T., Borland, K., Roberts, P.S., Tuomisto, A., Buerki, S., Chase, M.W. & Fay, M.F. 2013. Tiptoe through the tulips—Cultural history, molecular phylogenetics and classification of *Tulipa* (Liliaceae). *Bot. J. Linn. Soc.* 172: 280–328. <http://dx.doi.org/10.1111/boj.12061>
- Clayton, W.D., Vorontsova, M.S., Harman, K.T. & Williamson, H. 2006–. GrassBase – The Online World Grass Flora. <http://www.kew.org/data/grasses-db.html> (accessed 21 Aug 2014)
- Clennett, J.C.B., Chase, M.W., Forest, F., Maurin, O. & Wilkin, P. 2012. Phylogenetic systematics of *Erythronium* (Liliaceae): Morphological and molecular analyses. *Bot. J. Linn. Soc.* 170: 504–528. <http://dx.doi.org/10.1111/j.1095-8339.2012.01302.x>
- Conran, J.G. 1994. *Tapheocarpa* (Commelinaceae), a new Australian genus with hypogeous fruits. *Austral. Syst. Bot.* 7: 585–589. <http://dx.doi.org/10.1071/SB9940585>
- Conran, J.G. 1998. Lomandraceae. Pp. 354–365 in: Kubitzki, K. (ed.), *The families and genera of vascular plants*, vol. 3. Berlin, Heidelberg, New York: Springer.
- Cruden, R.W. 1987. *Hagenbachia*, a misplaced genus of New World Liliaceae. *Nordic J. Bot.* 7: 255–260. <http://dx.doi.org/10.1111/j.1756-1051.1987.tb00938.x>
- Cruden, R.W., Maas, P.J.M. & Maas-van de Kamer, H. 1991. *Hagenbachia* (Liliaceae): Reexamination of its familial placement, its authors, the lectotype, and other collections. *Taxon* 40: 445–452. <http://dx.doi.org/10.2307/1223223>
- Cusimano, N., Barrett, M., Hettterscheidt, W.L.A. & Renner, S.S. 2010. A phylogeny of the Areae (Araceae) implies that *Typhonium*, *Sauromatum* and the Australian species of *Typhonium* are distinct clades. *Taxon* 59: 439–447.
- Cusimano, N., Bogner, J., Mayo, S.J., Boyce, P.C., Wong, S.Y., Hesse, M., Hettterscheidt, W., Keating, R.C. & French, J.C. 2011. Relationships within the Araceae: Comparisons of morphological patterns with molecular phylogenies. *Amer. J. Bot.* 98: 654–668. <http://dx.doi.org/10.3732/ajb.1000158>
- Dahlgren, R.M., Clifford, H.T. & Yeo, P.F. 1985. *The families of the monocotyledons*. Berlin: Springer.
- Daru, B.H., Manning, J.C., Boatwright, S.J., Maurin, O., Maclean, N., Schaefer, H., Kuzmina, M. & Van der Bank, M. 2013. Molecular and morphological analysis of subfamily Alooideae (Asphodelaceae) and the inclusion of *Chortolirion* in *Aloe* L. *Taxon* 62: 62–76.
- Davis, J.I., Stevenson, D.W., Petersen, G., Seberg, O., Campbell, L.M., Freudenstein, J.V., Goldman, D.H., Hardy, C.R., Michelangeli, F.A., Simmons, M.P., Specht, C.D., Vergara-Silva, F. & Gandolfo, M.A. 2004. A phylogeny of the monocots, as inferred from *rbcL* and *atpA* sequence variation, and a comparison of methods for calculating jackknife and bootstrap values. *Syst. Bot.* 29: 467–510. <http://dx.doi.org/10.1600/0363644041744365>
- Devey, D.S., Leitch, I., Rudall, P.J., Pires, J.C., Pillon, Y. & Chase, M.W. 2006. Systematics of Xanthorrhoeaceae sensu lato, with an emphasis on *Bulbine*. *Aliso* 22: 345–351.
- Dransfield, J., Uhl, N.W., Asmussen, C.B., Baker, W.J., Harley, M.M. & Lewis, C.E. 2005. A new phylogenetic classification of the palm family, Arecaceae. *Kew Bull.* 60: 559–569.
- Dransfield, J., Uhl, N.W., Asmussen, C.B., Baker, W.J., Harley, M.M. & Lewis, C.E. 2008. *Genera Palmarum: The evolution and classification of palms*. Richmond: Royal Botanic Gardens, Kew.
- Echternacht, L., Sano, P.T., Bonillo, C., Cruaud, C., Couloux, A. & Dubuisson, J.-Y. 2014. Phylogeny and taxonomy of *Syngonanthus* and *Comanthera* (Eriocaulaceae): Evidence from expanded sampling. *Taxon* 63: 47–63. <http://dx.doi.org/10.12705/631.36>
- eMonocot 2014. eMonocot: An online resource for monocot plants, version 1.0.2. <http://e-monocot.org/> (accessed 30 Jul 2014)
- Eriksson, R. 1994. Phylogeny of the Cyranthaceae. *Pl. Syst. Evol.* 190: 31–47. <http://dx.doi.org/10.1007/BF00937857>
- Evans, T.M., Faden, R.B., Simpson, M.G. & Sytsma, K.J. 2000. Phylogenetic relationships in the Commelinaceae: I. A cladistic analysis of morphological data. *Syst. Bot.* 25: 668–691. <http://dx.doi.org/10.2307/2666727>
- Evans, T.M., Sytsma, K.J., Faden, R.B. & Givnish, T.J. 2003. Phylogenetic relationships in the Commelinaceae: II. A cladistic analysis of *rbcL* sequences and morphology. *Syst. Bot.* 28: 270–292. <http://dx.doi.org/10.1043/0363-6445-28.2.270>
- Faden, R.B. 1998. Commelinaceae. Pp. 109–128 in: Kubitzki, K. (ed.), *The families and genera of vascular plants*, vol. 4. Berlin, Heidelberg, New York: Springer.

- FAO 2010. *FAO statistical yearbook*. Rome: Food and Agriculture Organization of the United Nations.
- Farmer, S.B. 2006. Phylogenetic analyses and biogeography of Trilliaceae. *Aliso* 22: 579–592.
- Fay, M.F. & Chase, M.W. 1996. Resurrection of Themidaceae for the *Brodiaea* alliance, and recircumscription of Alliaceae, Amaryllidaceae and Agapanthoideae. *Taxon* 45: 441–451. <http://dx.doi.org/10.2307/1224136>
- Fay, M.F., Chase, M.W., Rønsted, N., Devey, D.S., Pillon, Y., Pires, J.C., Petersen, G., Seberg, O. & Davis, J.I. 2006a. Phylogenetics of Liliales: Summarized evidence from combined analyses of five plastid and one mitochondrial loci. *Aliso* 22: 559–565.
- Fay, M.F., Rudall, P.J. & Chase, M.W. 2006b. Molecular studies of subfamily Gilliesioideae (Alliaceae). *Aliso* 22: 367–371.
- Fishbein, M., Kephart, S.R., Wilder, M., Halpin, K.M. & Datwyler, S.L. 2010. Phylogeny of *Camassia* (Agavaceae) inferred from plastid *rpl16* intron and *trnD-trnY-trnE-trnT* intergenic spacer DNA sequences: Implications for species delimitation. *Syst. Bot.* 35: 77–85. <http://dx.doi.org/10.1600/036364410790862588>
- Forest, F., Goldblatt, P., Manning, J.C., Baker, D., Colville, J.F., Devey, D.S., Jose, S., Kaye, M. & Buerki, S. 2014. Pollinator shifts as triggers of speciation in painted petal irises (*Lapeirousia*: Iridaceae). *Ann. Bot. (Oxford)* 113: 357–371. <http://dx.doi.org/10.1093/aob/mct248>
- Funk, V.A. 2003. An opinion: Down with alphabetically arranged herbaria (and alphabetically arranged Floras for that matter). *Pl. Sci. Bull.* 49: 131–132.
- Fuse, S., Lee, N.S. & Tamura, M.N. 2012. Biosystematic studies on the family Nartheciaceae (Dioscoreales) I. Phylogenetic relationships, character evolution and taxonomic re-examination. *Pl. Syst. Evol.* 298: 1575–1584. <http://dx.doi.org/10.1007/s00606-012-0660-2>
- Galeano, G. & Bernal, R. 2013. *Sabinaria*, a new genus of palms (Cryosophileae, Coryphoideae, Arecaceae) from the Colombia–Panama border. *Phytotaxa* 144: 27–44. <http://dx.doi.org/10.11646/phytotaxa.144.2.1>
- García, N., Meerow, A.W., Soltis, D.E. & Soltis, P.S. 2014. Testing deep reticulate evolution in Amaryllidaceae tribe Hippeastreae (Asparagales) with ITS and chloroplast sequence data. *Syst. Bot.* 39: 75–89. <http://dx.doi.org/10.1600/036364414X678099>
- Gil, A.S.B., Chukr, N.S., Giulietti, A.M. & Amaral, M.C.E. 2008. *Pseudiris speciosa*, a new genus and species of Trimezieae (Iridoideae, Iridaceae) from Chapada Diamantina, Brazil. *Proc. Calif. Acad. Sci.*, ser. 4, 59: 723–729.
- Gilmour, C.N., Starr, J.R. & Naczi, R.F.C. 2013. *Calliscirpus*, a new genus for two narrow endemics of the California Floristic Province, *C. criniger* and *C. brachythrix* sp. nov. (Cyperaceae). *Kew Bull.* 68: 85–105. <http://dx.doi.org/10.1007/s12225-012-9420-2>
- Givnish, T.J., Millam, K.C., Evans, T.M., Hall, J.C., Pires, J.C., Berry, P.E. & Sytsma, K.J. 2004. Ancient vicariance or recent long-distance dispersal? Inferences about phylogeny and South American–African disjunctions in Rapateaceae and Bromeliaceae based on *ndhF* sequence data. *Int. J. Pl. Sci.* 165: S35–S54. <http://dx.doi.org/10.1086/421067>
- Givnish, T.J., Pires, J.C., Graham, S.W., McPherson, M.A., Prince, L.M., Paterson, T.B., Rai, H.S., Roalson, E.H., Evans, T.M., Hahn, W.J., Millam, K.C., Meerow, A.W., Molvray, M., Kores, P.J., O'Brien, H.E., Hall, J.C., Kress, W.J. & Sytsma, K.J. 2006. Phylogeny of the monocots based on the highly informative plastid gene *ndhF*: Evidence for widespread concerted convergence. *Aliso* 22: 28–51.
- Givnish, T.J., Ames, M.S., McNeal, J.R., McKain, M.R., Steele, P.R., dePamphilis, C.W., Graham, S.W., Pires, J.C., Stevenson, D.W., Zomlefer, W.B., Briggs, B.G., Duvall, M.R., Moore, M.J., Heaney, J.M., Soltis, D.E., Soltis, P.S., Thiele, K. & Leebens-Mack, J.H. 2010. Assembling the tree of the monocotyledons: Plastome sequence phylogeny and evolution of Poales. *Ann. Missouri Bot. Gard.* 97: 584–616. <http://dx.doi.org/10.3417/2010023>
- Givnish, T.J., Barfuss, M.H., Van Ee, B., Riina, R., Schulte, K., Horres, R., Gonsiska, P.A., Jabaily, R.S., Crayn, D.M., Smith, J.A., Winter, K., Brown, G.K., Evans, T.M., Holst, B.K., Luther, H., Till, W., Zizka, G., Berry, P.E. & Sytsma, K.J. 2011. Phylogeny, adaptive radiation, and historical biogeography in Bromeliaceae: Insights from an eight-locus plastid phylogeny. *Amer. J. Bot.* 98: 872–895. <http://dx.doi.org/10.3732/ajb.1000059>
- Goetghebeur, P. 1998. Cyperaceae. Pp. 141–190 in: Kubitzki, K. (ed.), *The families and genera of vascular plants*, vol. 4. Berlin, Heidelberg, New York: Springer.
- Goldblatt, P. & Henrich, J.E. 1991. *Calydorea* Herbert (Iridoideae–Tigridiidae): Notes on this New World genus and reduction to synonymy of *Catila*, *Cardiostigma*, *Itysa*, and *Salpingostylis*. *Ann. Missouri Bot. Gard.* 78: 504–511. <http://dx.doi.org/10.2307/2399577>
- Goldblatt, P., Manning, J.C. & Rudall, P. 1998. Iridaceae. Pp. 295–333 in: Kubitzki, K. (ed.), *The families and genera of vascular plants*, vol. 3. Berlin, Heidelberg, New York: Springer.
- Goldblatt, P., Rodriguez, A., Powell, M.P., Davies, T.J., Manning, J.C., Van der Bank, M. & Savolainen, V. 2008. Iridaceae ‘out of Australia’? Phylogeny, biogeography and divergence times based on plastid DNA sequences. *Syst. Bot.* 33: 495–508. <http://dx.doi.org/10.1600/036364408785679806>
- Gomes de Andrade, M.J., Giuletti, A.M., Rapini, A., De Queiroz, L.P., Conceição de Souza, A., Macahado de Almeida, P.R. & Van den Berg, C. 2010. A comprehensive phylogenetic analysis of Eriocaulaceae: Evidence from nuclear (ITS) and plastid *psbA-trnH* and *trnL-F* DNA sequences. *Taxon* 59: 379–388.
- Gomes de Andrade, M.J., Giuletti, A.M., Harley, R.M. & Van den Berg, C. 2011. *Blastocaulon* (Eriocaulaceae), a synonym of *Paepalanthus*: Morphological and molecular evidence. *Taxon* 60: 178–184.
- Gonçalves, E.G. 2012. *Lorenzia* (Araceae—Spathicarpeae): A new genus from northern Brazil supported by *matK* sequence data. *Syst. Bot.* 37: 48–52. <http://dx.doi.org/10.1600/036364412X616620>
- Grace, O.M., Klopper, R.R., Smith, G.F., Cropuch, N.R., Figueredo, E., Rønsted, N. & Van Wyk, A.E. 2013. A revised generic classification for *Aloe* (Xanthorrhoeaceae subfam. Asphodelaceae). *Phytotaxa* 76: 7–14. <http://dx.doi.org/10.11646/phytotaxa.76.1.2>
- Graham, S.W., Kohn, J.R., Morton, B.R., Eckenwalder, J.E. & Barrett, S.C.H. 1998. Phylogenetic congruence and discordance among one morphological and three molecular datasets from Pontederiaceae. *Syst. Biol.* 47: 545–567. <http://dx.doi.org/10.1080/106351598260572>
- Hammel, B.E. & Wilder, G.J. 1989. *Dianthoveus*: A new genus of Cyclanthaceae. *Ann. Missouri Bot. Gard.* 76: 112–123. <http://dx.doi.org/10.2307/2399344>
- Hardy, C.R. & Faden, R.B. 2004. *Plowmanianthus*, a new genus of Commelinaceae with five new species from tropical America. *Syst. Bot.* 29: 316–333. <http://dx.doi.org/10.1600/036364404774195511>
- Harris, D.J., Newman, M.F., Hollingsworth, M.L., Möller, M. & Clark, A. 2006. The phylogenetic position of *Aulotandra* (Zingiberaceae). *Nordic J. Bot.* 23: 725–734. <http://dx.doi.org/10.1111/j.1756-1051.2003.tb00451.x>
- Haston, E., Richardson, J.E., Stevens, P.F., Chase, M.W. & Harris, D.J. 2007. A linear sequence of Angiosperm Phylogeny Group II families. *Taxon* 56: 7–12.
- Haston, E., Richardson, J.E., Stevens, P.F., Chase, M.W. & Harris, D.J. 2009. The Linear Angiosperm Phylogeny Group (LAPG) III: A linear sequence of the families in APG III. *Bot. J. Linn. Soc.* 161: 128–131. <http://dx.doi.org/10.1111/j.1095-8339.2009.01000.x>
- Hawthorne, W.D. & Hughes, C.E. 2008. Optimising linear taxon sequences derived from phylogenetic trees: A reply to Haston & al. *Taxon* 57: 698–704.
- Heatubun, C.D., Zona, S. & Baker, W.J. 2014. Three new genera of arecoid palm (Arecaceae) from eastern Malesia. *Kew Bull.* 69: 9525. <http://dx.doi.org/10.1007/s12225-014-9525-x>
- Henderson, A.J. & Bacon, C.D. 2011. *Lanonia* (Arecaceae: Palmae), a

- new genus from Asia, with a revision of the species. *Syst. Bot.* 36: 883–895. <http://dx.doi.org/10.1600/03636441X604903>
- Hopper, S.D., Smith, R.J., Fay, M.F., Manning, J.C. & Chase, M.F.** 2009. Molecular phylogenetics of Haemodoraceae in the Greater Cape and Southwest Australian floristic regions. *Molec. Phylogen. Evol.* 51: 19–30. <http://dx.doi.org/10.1016/j.ympev.2008.11.015>
- Horres, R., Schulte, K., Weising, K. & Zizka, G.** 2007. Systematics of Bromelioideae (Bromeliaceae) – Evidence from molecular and anatomical studies. *Aliso* 23: 27–43. <http://dx.doi.org/10.5642/aliso.20072301.05>
- Iles, W., Smith, S.Y. & Graham, S.W.** 2009. Robust resolution of the backbone of the Alismatales phylogeny [Abstract]. P. 156 in: *Botany and Mycology 2009, Snowbird, Utah July 25–29 ...: Abstract Book.*
- Janssen, T. & Bremer, K.** 2004. The age of major monocot groups inferred from 800+ *rbcL* sequences. *Bot. J. Linn. Soc.* 146: 385–398. <http://dx.doi.org/10.5642/10.1111/j.1095-8339.2004.00345.x>
- Jara-Arancio, P., Arroyo, M.T.K., Guerrero, P.C., Hinojosa, L.F., Arancio, G. & Mendez, M.A.** 2014. Phylogenetic perspectives on biome shifts in *Leucocoryne* (Alliaceae) in relation to climatic niche evolution in western South America. *J. Biogeogr.* 41: 328–338. <http://dx.doi.org/10.1111/jbi.12186>
- Kim, J.-H., Kim, D.-K., Forest, F., Fay, M.F. & Chase, M.W.** 2010. Molecular phylogenetics of Ruscaceae sensu lato and related families (Asparagales) based on plastid and nuclear DNA sequences. *Ann. Bot. (Oxford)* 106: 775–790. <http://dx.doi.org/10.1093/aob/mcq167>
- Kim, J.-S., Hong, J.-K., Chase, M.W., Fay, M.F. & Kim, J.-H.** 2013. Familial relationships of the monocot order Liliales based on a molecular phylogenetic analysis using four plastid loci: *matK*, *rbcL*, *atpB* and *atpF-H*. *Bot. J. Linn. Soc.* 171: 5–21. <http://dx.doi.org/10.1111/boj.12039>
- Klopper, R.R., Van Wyk, A. & Smith, G.F.** 2010. Phylogenetic relationships in the family Asphodelaceae (Asparagales). *Schumannia* 6: 9–36.
- Klopper, R.R., Smith, G.F., Figueredo, E., Grace, O.M. & Van Wyk, A.** 2013. The correct names for species of *Aloe* sect. *Chortolirion* (Asphodelaceae: Alooideae). *Taxon* 62: 1266–1267. <http://dx.doi.org/10.12705/626.5>
- Kocyan, A., Snijman, D.A., Forest, F., Devey, D.S., Freudenstein, J.V., Wiland-Szymańska, J., Chase, M.W. & Rudall, P.J.** 2011. Molecular phylogenetics of Hypoxidaceae: Evidence from plastid DNA and inferences on morphology and biogeography. *Molec. Phylogen. Evol.* 60: 122–136. <http://dx.doi.org/10.1016/j.ympev.2011.02.021>
- Kral, R.** 1998. Xyridaceae. Pp. 461–469 in: Kubitzki, K. (ed.), *The families and genera of vascular plants*, vol. 4. Berlin, Heidelberg, New York: Springer.
- Kress, W.J. & Specht, C.D.** 2006. The evolutionary and biogeographic origin and diversification on the tropical monocot order Zingiberales. *Aliso* 22: 621–632.
- Kress, W.J., Prince, L.M. & Williams, K.J.** 2002. The phylogeny and a new classification of gingers: Evidence from molecular data. *Amer. J. Bot.* 89: 1682–1696. <http://dx.doi.org/10.3732/ajb.89.10.1682>
- Kress, W.J., Liu, A.-Z., Newman, M. & Li, Q.-J.** 2005. The molecular phylogeny of *Alpinia* (Zingiberaceae): A complex and polyphyletic genus of gingers. *Amer. J. Bot.* 92: 167–178. <http://dx.doi.org/10.3732/ajb.92.1.167>
- Larsen, K. & Jenjittikul, T.** 2001. *Laosanthus*, a new genus of Zingiberaceae from Laos. *Nordic J. Bot.* 21: 135–138. <http://dx.doi.org/10.1111/j.1756-1051.2001.tb01348.x>
- Larsen, K., Lock, J.M., Maas, H. & Maas, P.J.M.** 1998. Zingiberaceae. Pp. 474–493 in: Kubitzki, K. (ed.), *The families and genera of vascular plants*, vol. 4. Berlin, Heidelberg, New York: Springer.
- Larsen, M.M., Adersen, A., Davis, A.P., Lledó, M.D., Jäger, A.K. & Rønsted, N.** 2010. Using a phylogenetic approach to selection of target plants in drug discovery of acetylcholinesterase inhibiting alkaloids in Amaryllidaceae tribe Galantheae. *Biochem. Syst. Ecol.* 38: 1026–1034. <http://dx.doi.org/10.1016/j.bse.2010.10.005>
- Larridon, I., Bauters, K., Reynders, M., Huygh, W. & Goetghebeur, P.** 2014. Taxonomic changes in C4 *Cyperus* (Cypereae, Cyperoidae, Cyperaceae): Combining the sedge genera *Ascolepis*, *Kyllinga* and *Pycreus* into *Cyperus* s.l. *Phytotaxa* 166: 33–48. <http://dx.doi.org/10.11646/phytotaxa.166.1.2>
- Lee, Y. & Oh, Y.** 2007. A comparative study of *Neoscirpus dioicus* (Y.Lee & Y.Oh) Y.Lee & Y.Oh and *Scirpus caespitosus* Linne. *Bull. Korea Pl. Res.* 7: 23–26.
- Lehtonen, S. & Myllys, L.** 2008. Cladistic analysis of *Echinodorus* (Alismataceae): Simultaneous analysis of molecular and morphological data. *Cladistics* 24: 218–239. <http://dx.doi.org/10.1111/j.1096-0031.2007.00177.x>
- Leong-Škorničková, J., Lý, N.-S., Poulsen, A.D., Tosh, J. & Forrest, A.** 2011. *Newmania*: A new ginger genus from central Vietnam. *Taxon* 60: 1386–1396.
- Les, D.H. & Tippery, N.P.** 2013. In time and with water ... the systematics of alismatid monocotyledons. Pp. 118–164 in: Wilkin, P. & Mayo, S.M. (eds.), *Early events in monocot evolution*. Cambridge: Cambridge University Press.
- Les, D.H., Cleland, M.A. & Waycott, M.** 1997. Phylogenetic studies in Alismatidae, II: Evolution of marine angiosperms (“seagrasses”) and hydrophilily. *Syst. Bot.* 22: 443–463. <http://dx.doi.org/10.2307/2419820>
- Les, D.H., Moody, M.L. & Soros, C.L.** 2006. A reappraisal of phylogenetic relationships in the monocotyledon family Hydrocharitaceae (Alismatidae). *Aliso* 22: 211–230.
- Lewis, G.P., Schrire, B.D., Mackinder, B.A., Rico, L. & Clark, R.** 2013. A 2013 linear sequence of legume genera set in a phylogenetic context: A tool for collections management and taxon sampling. *S. African J. Bot.* 89: 76–84. <http://dx.doi.org/10.1016/j.sajb.2013.06.005>
- Li, P., Qi, Z., Chen, S., Cameron, K.M. & Fu, C.** 2011. *Smilax ligneoriparia* sp. nov.: A link between herbaceous and woody *Smilax* (Smilacaceae) based on morphology, karyotype and molecular phylogenetic data. *Taxon* 60: 1104–1112.
- Li, Q.-Q., Zhou, S.-D., He, X.-J., Yu, Y., Zhang, Y.-C. & Wei, X.-Q.** 2010. Phylogeny and biogeography of *Allium* (Amaryllidaceae: Alliaceae) based on nuclear ribosomal internal transcribed spacer and chloroplast *rps16* sequences, focusing on the inclusion of species endemic to China. *Ann. Bot. (Oxford)* 106: 709–733. <http://dx.doi.org/10.1093/aob/mcq177>
- Linder, H.P.** 2011. New species and combinations in the African Restionaceae. *S. African J. Bot.* 77: 415–424. <http://dx.doi.org/10.1016/j.sajb.2010.10.008>
- Linder, H.P., Briggs, B.G. & Johnson, L.A.S.** 1998. Restionaceae. Pp. 425–434 in: Kubitzki, K. (ed.), *The families and genera of vascular plants*, vol. 4. Berlin, Heidelberg, New York: Springer.
- Lindqvist, C., De Laet, J., Haynes, R.R., Aagesen, L., Keener, B.R. & Albert, V.A.** 2006. Molecular phylogenetics of an aquatic plant lineage, Potamogetonaceae. *Cladistics* 22: 568–588. <http://dx.doi.org/10.1111/j.1096-0031.2006.00124.x>
- Linz, J., Stöckl, J., Urru, L., Krügel, T., Stensmyr, M.C. & Hansson, B.S.** 2010. Molecular phylogeny of the genus *Arum* (Araceae) inferred from multi-locus sequence data and AFLPs. *Taxon* 59: 405–415.
- Liu, K., Xie, G., Chen, L., Xiao, X., Zheng, Y., Cai, J., Zhai, J., Zhang, G. & Liu, Z.** 2012. *Sinocurculigo*, a new genus of Hypoxidaceae from China based on molecular and morphological evidence. *PLoS ONE* 7: 1–11. <http://dx.doi.org/10.1371/journal.pone.0038880>
- Lledó, M.D., Davis, A.P., Crespo, M.B., Chase, M.W. & Fay, M.F.** 2004. Phylogenetic analysis of *Leucojum* and *Galanthus* (Amaryllidaceae) based on plastid *matK* and nuclear ribosomal spacer (ITS) DNA sequences and morphology. *Pl. Syst. Evol.* 246: 223–243. <http://dx.doi.org/10.1007/s00606-004-0152-0>
- Lopes, R.C. & Andreatta, R.H.P.** 2003. *Clara* Kunth (Herreriaceae): Novo posicionamento taxonômico para o gênero. *Bradea* 9: 17–20

- Lopes, R.C. & Andreato, R.H.P. 2006. A new species of *Clara* (Herreriaceae) from Brazil. *Syst. Bot.* 31: 298–391. <http://dx.doi.org/10.1600/03636440677585883>
- Lopes, R.C., Andreato, R.H.P., Cartaxo-Pinto, S., Trovó, M. & Gonçalves-Esteves, V. 2013. Pollen morphology and wall structure of Neotropical species of *Herreria* and *Clara* (Asparagaceae-Agavoideae) and its taxonomic implications. *Pl. Syst. Evol.* 299: 25–34. <http://dx.doi.org/10.1007/s00606-012-0699-0>
- Louzada, R.B. & Versieux, L.M. 2010. *Lapanthus* (Bromeliaceae, Bromelioideae): A new genus from the southern Espinhaço Range, Brazil. *Syst. Bot.* 35: 497–503. <http://dx.doi.org/10.1600/036364410792495908>
- Lovo, J., Winkworth, R.C. & Mello-Silva, R. 2012. New insights into Trimezieae (Iridaceae) phylogeny: What do molecular data tell us? *Ann. Bot. (Oxford)* 110: 689–702. <http://dx.doi.org/10.1093/aob/mcs127>
- Low, S.L., Wong, S.Y. & Boyce, P.C. 2014. *Schottarum* (Schismatoglottideae: Araceae) substantiated based on combined nuclear and plastid DNA sequences. *Pl. Syst. Evol.* 300: 607–617. <http://dx.doi.org/10.1007/s00606-013-0906-7>
- Manning, J.C., Goldblatt, P. & Fay, M.F. 2004. A revised generic synopsis of Hyacinthaceae in Sub-Saharan Africa, based on molecular evidence, including new combinations and the new tribe Pseudopropereae. *Edinburgh J. Bot.* 60: 533–568. <http://dx.doi.org/10.1017/S0960428603000404>
- Manning, J.C., Forest, F., Devey, D.S., Fay, M.F. & Goldblatt, P. 2009. A molecular phylogeny and a revised classification of Ornithogaloideae (Hyacinthaceae) based on an analysis of four plastid DNA regions. *Taxon* 58: 77–107.
- Manning, J., Boatwright, J.S., Daru, B.H., Maurin, O. & Van der Bank, M. 2014. A molecular phylogeny and generic classification of Asphodelaceae subfamily Alooideae: A final resolution of the prickly issue of polyphyly in the Aloooids? *Syst. Bot.* 39: 55–74. <http://dx.doi.org/10.1600/036364414X678044>
- Mansion, G., Rosenbaum, G., Schoenenberger, N., Bacchetta, G., Rossello, J.A. & Conti, E. 2008. Phylogenetic analysis informed by geological history supports multiple, sequential invasions of the Mediterranean basin by the angiosperm family Araceae. *Syst. Biol.* 57: 269–285. <http://dx.doi.org/10.1080/10635150802044029>
- Martínez-Azorín, M., Crespo, M.B., Juan, A. & Fay, M.F. 2011. Molecular phylogenetics of subfamily Ornithogaloideae (Hyacinthaceae) based on nuclear and plastid DNA regions, including a new taxonomic arrangement. *Ann. Bot. (Oxford)* 107: 1–37. <http://dx.doi.org/10.1093/aob/mcq207>
- Martínez-Azorín, M., Crespo, M.B., Dold, A.P., Wetschnig, W., Pinter, M., Pfosser, M. & Van Jaarsveld, E. 2013. *Sagittanthera* (Hyacinthaceae, Urgineoideae), a new buzz pollinated genus from the Eastern Cape Province of South Africa. *Phytotaxa* 98: 43–54. <http://dx.doi.org/10.11646/phytotaxa.98.2.2>
- Meerow, A.W. 1987. A monograph of *Eucrosia* (Amaryllidaceae). *Syst. Bot.* 12: 429–461. <http://dx.doi.org/10.2307/2418883>
- Meerow, A.W. 2010. Convergence or reticulation? Mosaic evolution in the canalized American Amaryllidaceae. Pp. 145–168 in: Seberg, O., Petersen, G., Barfod, A.S. & Davis, J.I. (eds.), *Diversity, phylogeny, and evolution in the monocotyledons*. Aarhus: Aarhus University Press.
- Meerow, A.W. & Clayton, J.R. 2004. Generic relationships among the baccate-fruited Amaryllidaceae (tribe Haemantheae) inferred from plastid and nuclear non-coding DNA sequences. *Pl. Syst. Evol.* 244: 141–155. <http://dx.doi.org/10.1007/s00606-003-0085-z>
- Meerow, A.W. & Snijman, D.A. 1998. Amaryllidaceae. Pp. 83–110 in: Kubitzki, K. (ed.), *Families and genera of vascular plants*, vol. 3. Berlin, Heidelberg, New York: Springer.
- Meerow, A.W. & Snijman, D.A. 2001. Phylogeny of Amaryllidaceae tribe Amaryllideae based on nrDNA ITS sequences and morphology. *Amer. J. Bot.* 88: 2321–2330.
- Meerow, A.W. & Snijman, D.A. 2006. The never-ending story: Multi-gene approaches to the phylogeny of Amaryllidaceae. *Aliso* 22: 355–366.
- Meerow, A.W., Fay, M.F., Guy, C.L., Li, Q.-B., Zaman, F.Q. & Chase, M.W. 1999. Systematics of Amaryllidaceae based on cladistic analysis of plastid *rbcl* and *trnL-F* sequence data. *Amer. J. Bot.* 86: 1325–1345.
- Meerow, A.W., Fay, M.F., Chase, M.W., Guy, C.L., Li, Q.-B., Snijman, D.A. & Yang, S.L. 2000a. Phylogeny of Amaryllidaceae: Molecules and morphology. Pp. 372–386 in: Wilson, K.L. & Morison, D.A. (eds.), *Monocots: Systematics and evolution*. Collingwood: CSIRO.
- Meerow, A.W., Guy, C.L., Li, Q.-L. & Yang, S.-L. 2000b. Phylogeny of the American Amaryllidaceae based on nrDNA ITS sequences. *Syst. Bot.* 25: 708–726. <http://dx.doi.org/10.2307/2666729>
- Meerow, A.W., Francisco-Ortega, J., Kuhn, D.N. & Schnell, R.J. 2006. Phylogenetic relationships and biogeography within the Eurasian clade of Amaryllidaceae based on plastid *ndhF* and nrDNA ITS sequences: Lineage sorting in a reticulate area? *Syst. Bot.* 31: 42–60. <http://dx.doi.org/10.1600/036364406775971787>
- Mello-Silva, R. 2005. Morphological analysis, phylogenies and classification in Velloziaceae. *Bot. J. Linn. Soc.* 148: 157–173. <http://dx.doi.org/10.1111/j.1095-8339.2005.00399.x>
- Mello-Silva, R., Santos, D.Y.A.C., Salatino, M.L.F., Motta, L.B., Cattai, M.B., Sasaki, D., Lovo, J., Pita, P.B., Rocini, C., Rodrigues, C.D.N., Zarrei, M. & Chase, M.W. 2011. Five vicarious genera from Gondwana: The Velloziaceae as shown by molecules and morphology. *Ann. Bot. (Oxford)* 108: 87–102. <http://dx.doi.org/10.1093/aob/mcr107>
- Mennes, C.B., Smets, E., Moses, S.N. & Merckx, V.S.F.T. 2013. New insights in the long-debated evolutionary history of Triuridaceae (Pandanales). *Molec. Phylog. Evol.* 69: 994–1004. <http://dx.doi.org/10.1016/j.jmpev.2013.05.031>
- Merckx, V.S.F.T. (ed.) 2013. *Mycoheterotrophy*. Berlin, Heidelberg, New York: Springer.
- Merckx, V., Schols, P., Maas-van de Kamer, H., Maas, P., Huysmans, S. & Smets, E. 2006. Phylogeny and evolution of Burmanniaceae (Dioscoreales) based on nuclear and mitochondrial data. *Amer. J. Bot.* 93: 1684–1998. <http://dx.doi.org/10.3732/ajb.93.11.1684>
- Merckx, V., Chatrou, L.W., Lemaire, B., Sainge, M.N., Huysmans, S. & Smets, E.F. 2008a. Influence of tectonic and climatic events on diversification and biogeography of myco-heterotrophic angiosperms: Evidence from Burmanniaceae. *B. M. C. Evol. Biol.* 8: 178. <http://dx.doi.org/10.1186/1471-2148-8-178>
- Merckx, V., Schols, P., Geuten, K., Huysmans, S. & Smets, E. 2008b. Phylogenetic relationships in Nartheciaceae (Dioscoreales), with focus on pollen and orbicule morphology. *Belg. J. Bot.* 141: 64–77.
- Merckx, V., Bakker, F.T., Huysmans, S. & Smets, E. 2009. Bias and conflict in phylogenetic inference of myco-heterotrophic plants: A case study in Thismiaceae. *Cladistics* 25: 64–77. <http://dx.doi.org/10.1111/j.1096-0031.2008.00241.x>
- Mering, S. von & Kadereit, J.W. 2010. Systematics, phylogeny, and recircumscription of Juncaginaceae—A cosmopolitan wetland family. Pp. 55–79 in: Seberg, O., Petersen, G., Barfod, A.S. & Davis, J.I. (eds.), *Diversity, phylogeny, and evolution in the monocotyledons*. Aarhus: Aarhus University Press.
- Moore, H.E. 1973. The major groups of palms and their distribution. *Gentes Herbarum* 11: 27–140.
- Muasya, A.M. & De Lange, P.J. 2010. *Ficinia spiralis* (Cyperaceae): A new genus and combination for *Desmoschoenus spiralis*. *New Zealand J. Bot.* 48: 31–39. <http://dx.doi.org/10.1080/00288251003660703>
- Muasya, A.M., Simpson, D.A., Verboom, G.A., Goetghebeur, P., Naczi, R.F.C., Chase, M.W. & Smets, E. 2009. Phylogeny of Cyperaceae based on DNA sequence data: Current progress and future prospects. *Bot. Rev. (Lancaster)* 75: 2–21. <http://dx.doi.org/10.1007/s12229-008-9019-3>

- Nauheimer, L. & Boyce, P.C.** 2013. *Englerarum* (Araceae, Aroideae): A new genus supported by plastid and nuclear phylogenies. *Pl. Syst. Evol.* 300: 709–715.
<http://dx.doi.org/10.1007/s00606-013-0914-7>
- Nauheimer, L., Metzler, D. & Renner, S.S.** 2012. Global history of the ancient monocot family Araceae inferred with models accounting for past continental positions and previous ranges based on fossils. *New Phytol.* 195: 938–950.
<http://dx.doi.org/10.1111/j.1469-8137.2012.04220.x>
- Ness, R.W., Graham, S.W. & Barrett, S.C.H.** 2011. Reconciling gene and genome duplication events: Using multiple gene families to infer the phylogeny of the aquatic plant family Pontederiaceae. *Molec. Biol. Evol.* 28: 3009–3018.
<http://dx.doi.org/10.1093/molbev/msr119>
- Newman, M.F.** 1995. *Distichochlamys*, a new genus from Vietnam. *Edinburgh J. Bot.* 52: 65–69.
<http://dx.doi.org/10.1017/S096042860000192X>
- Neyland, R. & Hennigan, M.** 2003. A phylogenetic analysis of large-subunit (26S) ribosome DNA sequences suggests that Corsiaceae are polyphyletic. *New Zealand J. Bot.* 41: 1–11.
<http://dx.doi.org/10.1080/0028825X.2003.9512828>
- Ngamriabsakul, C., Newman, M.F. & Cronk, Q.C.B.** 2004. Phylogeny and disjunction in *Roscoea* (Zingiberaceae). *Edinburgh J. Bot.* 57: 39–61.
- Nguyen, T.P.A., Kim, J.S. & Kim, J.-H.** 2013. Molecular phylogenetic relationships and implications for the circumscription of Colchicaceae (Liliales). *Bot. J. Linn. Soc.* 172: 255–269.
<http://dx.doi.org/10.1111/boj.12037>
- Pedersen, L.B.** 2004. Phylogenetic analysis of the subfamily Alpinioideae (Zingiberaceae), particularly *Etilingera* Giseke, based on nuclear and plastid DNA. *Pl. Syst. Evol.* 245: 239–258.
<http://dx.doi.org/10.1007/s00606-004-0126-2>
- Persson, K., Petersen, G., Del Hoyo, A., Seberg, O. & Jorgensen, T.** 2011. A phylogenetic analysis of the genus *Colchicum* L. (Colchicaceae) based on sequences from six plastid regions. *Taxon* 60: 1349–1365.
- Petersen, G., Seberg, O. & Davis, J.I.** 2013. Phylogeny of the Liliales (Monocotyledons) with special emphasis on data partition congruence and RNA editing. *Cladistics* 29: 274–295.
<http://dx.doi.org/10.1111/j.1096-0031.2012.00427.x>
- Pfosser, M. & Speta, F.** 1999. Phylogenetics of Hyacinthaceae based on plastid DNA sequences. *Ann. Missouri Bot. Gard.* 86: 852–875.
<http://dx.doi.org/10.2307/2666172>
- Pires, J.C. & Sytsma, K.J.** 2002. A phylogenetic evaluation of a bio-systematic framework: *Brodiaea* and related petaloid monocots (Themidaceae). *Amer. J. Bot.* 89: 1342–1359.
<http://dx.doi.org/10.3732/ajb.89.8.1342>
- Pires, J.C., Fay, M.F., Davis, W.S., Hufford, L., Rova, J., Chase, M.W. & Sytsma, K.J.** 2001. Molecular and morphological analyses of Themidaceae (Asparagales). *Kew Bull.* 56: 601–626.
<http://dx.doi.org/10.2307/4117686>
- Pridgeon, A.M., Cribb, P.J., Chase, M.W. & Rasmussen, F.N. (eds.)** 1999. *Genera Orchidacearum*, vol. 1, *General introduction, Apostasioideae and Cypripedioideae*. Oxford: Oxford University Press.
- Pridgeon, A.M., Cribb, P.J., Chase, M.W. & Rasmussen, F.N. (eds.)** 2001. *Genera Orchidacearum*, vol. 2, *Orchidoideae (part 1)*. Oxford: Oxford University Press.
- Pridgeon, A.M., Cribb, P.J., Chase, M.W. & Rasmussen, F.N. (eds.)** 2003. *Genera Orchidacearum*, vol. 3, *Orchidoideae (part 2) and Vanilloideae*. Oxford: Oxford University Press.
- Pridgeon, A.M., Cribb, P.J., Chase, M.W. & Rasmussen, F.N. (eds.)** 2005. *Genera Orchidacearum*, vol. 4, *Epidendroideae (part 1)*. Oxford: Oxford University Press.
- Pridgeon, A.M., Cribb, P.J., Chase, M.W. & Rasmussen, F.N. (eds.)** 2009. *Genera Orchidacearum*, vol. 5, *Epidendroideae (part 2)*. Oxford: Oxford University Press.
- Pridgeon, A.M., Cribb, P.J., Chase, M.W. & Rasmussen, F.N. (eds.)** 2014. *Genera Orchidacearum*, vol. 6, *Epidendroideae (part 3)*. Oxford: Oxford University Press.
- Prince, L.M. & Kress, W.J.** 2006. Phylogenetic relationships and classification in Marantaceae: Insights from plastid DNA sequence data. *Taxon* 55: 281–296.
- Qi, Z., Li, P., Zhao, Y., Cameron, K.M. & Fu, C.** 2012. Molecular phylogeny and biogeography of Smilacaceae (Liliales), a cosmopolitan family of monocots. Paper presented at Botany 2012: Annual meeting of the Botanical Society of America, Columbus, Ohio, July 7–12, 2012. Abstract available on <http://www.2012.botanyconference.org/engine/search/index.php?func=detail&aid=441>
- Ravenna, P.F.** 2000. *Tocantinia* and *Cearanthes*, two new genera, and Tocantiniaceae new tribe, of Brazilian Amaryllidaceae. *Onira* 5: 9–43.
- Remizowa, M.V., Sokoloff, D.D., Campbell, L.M., Stevenson, D.W. & Rudall, P.J.** 2011. *Harperocallis* is congeneric with *Isidrogalvia* (Tofieldiaceae, Alismatales): Evidence from comparative floral morphology. *Taxon* 60: 1076–1094.
- Rudall, P.J.** 1994. The ovule and embryo sac in Xanthorrhoeaceae sensu lato. *Flora* 189: 335–351.
- Rudall, P.J. & Bateman, R.M.** 2006. Morphological phylogenetic analysis of Pandanales: Testing contrasting hypotheses of floral evolution. *Syst. Bot.* 31: 223–238.
<http://dx.doi.org/10.1600/036364406777585766>
- Rudall, P.J. & Chase, M.W.** 1996. Systematics of Xanthorrhoeaceae sensu lato: Evidence for polyphyly. *Telopea* 6: 629–647.
- Rudall, P.J. & Conran, J.G.** 2012. Systematic placement of Dasypogonaceae among commelinid monocots: Evidence from flowers and fruits. *Bot. Rev. (Lancaster)* 78: 398–415.
<http://dx.doi.org/10.1007/s12229-012-9103-6>
- Rudall, P.J., Cunniff, J., Wilkin, P. & Caddick, J.R.** 2005. Evolution of dimery, pentamery and the monocarpellary condition in Stemonaceae (Pandanales). *Taxon* 54: 701–711.
- Saarela, J.M., Prentis, P.J., Rai, H.S. & Graham, S.W.** 2008. Phylogenetic relationships in the monocot order Commelinales, with a focus on Philydraceae. *Botany* 86: 719–731.
- Saka, M.N. & Lombardi, J.A.** 2014. A new species of *Goepertia* (Marantaceae) from the northeast Brazil and an identification key for species from the state of Sergipe. *Phytotaxa* 170(1): 46–48.
<http://dx.doi.org/10.11646/phytotaxa.170.1.6>
- Sakai, S., Kawakita, A., Ooi, K. & Inoue, T.** 2013. Variation in the strength of association among pollination systems and floral traits: Evolutionary changes in the floral traits of Bornean gingers (Zingiberaceae). *Amer. J. Bot.* 100: 546–555.
<http://dx.doi.org/10.3732/ajb.1200359>
- Sanso, A.M.** 1996. El género *Alstroemeria* (Alstroemeriaceae) en Argentina. *Darwiniana* 34: 349–382.
- Sanso, A.M. & Xifreda, C.C.** 1999. The synonymy of *Schickedantzia* with *Alstroemeria* (Alstroemeriaceae). *Syst. & Geogr. Pl.* 68: 315–323.
- Sanso, A.M. & Xifreda, C.C.** 2001. Generic delimitation between *Alstroemeria* and *Bomarea* (Alstroemeriaceae). *Ann. Bot. (Oxford)* 38: 1057–1069. <http://dx.doi.org/10.1006/anbo.2001.1548>
- Sass, C. & Specht, C.D.** 2010. Phylogenetic estimation of the core bromelioids with an emphasis on the genus *Aechmea* (Bromeliaceae). *Molec. Phylog. Evol.* 55: 559–571.
<http://dx.doi.org/10.1016/j.ympev.2010.01.005>
- Schulte, K., Barfuss, M.H.J. & Zizka, J.** 2009. Phylogeny of Bromelioideae (Bromeliaceae) inferred from nuclear and plastid DNA loci reveals the evolution of the tank habit within the subfamily. *Molec. Phylog. Evol.* 51: 327–339.
<http://dx.doi.org/10.1016/j.ympev.2009.02.003>
- Seberg, O., Petersen, G., Davis, J.I., Pires, J.C., Stevenson, D.W., Chase, M.W., Fay, M.F., Devey, D.S., Jørgensen, T., Sytsma, K.J. & Pillon, Y.** 2012. Phylogeny of the Asparagales based on

- three plastid and two mitochondrial genes. *Amer. J. Bot.* 99: 875–889. <http://dx.doi.org/10.3732/ajb.1100468>
- Seberg, O., Petersen, G. & Wagner, P.** 2013. To aitch or not to aitch: *Ripogonum* (Ripogonaceae) or *Rhipogonum* (Rhipogonaceae)? *Taxon* 62: 606–608. <http://dx.doi.org/10.12705/623.7>
- Shiels, D.R., Hurlbut, D.L., Lichtenwald, S.K. & Monfils, A.K.** 2014. Monophyly and phylogeny of *Schoenoplectus* and *Schoenoplectiella* (Cyperaceae): Evidence from chloroplast and nuclear DNA sequences. *Syst. Bot.* 39: 132–144. <http://dx.doi.org/10.1600/036364414X678198>
- Smith, C.I., Pellmyr, O., Althoff, D.M., Balcázar-Lara, M., Leebens-Mack, J. & Seagraves, K.A.** 2008. Pattern and timing of diversification in *Yucca* (Agavaceae): Specialized pollination does not escalate rates of diversification. *Proc. Roy. Soc. London, Ser. B, Biol. Sci.* 275: 249–258. <http://dx.doi.org/10.1098/rspb.2007.1405>
- Smith, L.B. & Till, W.** 1998. Bromeliaceae. Pp. 74–99 in: Kubitzki, K. (ed.), *The families and genera of vascular plants*, vol. 4. Berlin, Heidelberg, New York: Springer.
- Sokoloff, D.D., Remizowa, M.V., Campbell, L.M., Stevenson, D.W., Rudall, P.J. & Gandhi, K.N.** 2011. (2020) Proposal to conserve the name *Isidrogalvia* (Tofieldiaceae) with a conserved type. *Taxon* 60: 909.
- Specht, C.D. & Stevenson, D.W.** 2006. A new phylogeny-based generic classification of Costaceae (Zingiberales). *Taxon* 55: 153–163.
- Starr, J.R., Harris, S.A. & Simpson, D.A.** 2004. Phylogeny of the unispicate taxa in Cyperaceae tribe Cariceae I: Generic relationships and evolutionary scenarios. *Syst. Bot.* 29: 528–544. <http://dx.doi.org/10.1600/0363644041744455>
- Strong, M.T.** 2003. *Cypringlea*, a new genus of Cyperaceae from Mexico. *Novon* 13: 123–132. <http://dx.doi.org/10.2307/3393577>
- Suksathan, P., Gustafsson, M.H. & Borchsenius, F.** 2009. Phylogeny and generic delimitation of Asian Marantaceae. *Bot. J. Linn. Soc.* 159: 381–395. <http://dx.doi.org/10.1111/j.1095-8339.2009.00949.x>
- Takano, A. & Nagamasu, H.** 2007. *Myxochinmys* (Zingiberaceae), a new genus from Borneo. *Acta Phytotax. Geobot.* 58: 19–32.
- Tamura, M.N., Ogisu, M. & Xu, J.-M.** 1997. *Heteropolygonatum*, a new genus of the Tribe Polygonateae (Convallariaceae) from West China. *Kew Bull.* 52: 949–956. <http://dx.doi.org/10.2307/4117821>
- Thomas, W.W. & Davidse, G.** 1989. *Koyamaea neblinensis*, a new genus and species of Cyperaceae (Sclerioideae) from Cerro de la Neblina, Venezuela and Brazil. *Syst. Bot.* 14: 189–196. <http://dx.doi.org/10.2307/2418905>
- Tomlinson, P.B. & Posluszny, U.** 1976. Generic limits in the Zannichelliaceae (sensu Dumortier). *Taxon* 25: 273–279. <http://dx.doi.org/10.2307/1219454>
- Türktaş, M., Metin, Ö.K., Baştuğ, B., Ertuğrul, F., Saraç, Y. & Kaya, E.** 2013. Molecular phylogenetic analysis of *Tulipa* spp. based on non-coding plastid and nuclear DNA sequences. *Bot. J. Linn. Soc.* 172: 270–279. <http://dx.doi.org/10.1111/boj.12040>
- Uhl, N.W. & Dransfield, J.** 1987. *Genera Palmarum: A classification of palms based on the work of Harold E. Moore Jr.* Lawrence: The L. H. Bailey Hortorium and the International Palm Society.
- Vieira, S., Maas, P.J.M. & Borchsenius, F.** 2012. Taxonomic revision of *Myrosma* (Marantaceae). *Blumea* 57: 125–130. <http://dx.doi.org/10.3767/000651912X654218>
- Vinnersten, A. & Manning, J.** 2007. A new classification of Colchicaceae. *Taxon* 56: 171–178. <http://dx.doi.org/10.2307/25065748>
- Vosa, C.G.** 2007. *Prototulbaghia*, a new genus of the Alliaceae family from the Leolo Mountains in Sekhukhuneland, South Africa. *Caryologia* 60: 273–278. <http://dx.doi.org/10.1080/00087114.2007.10797948>
- WCSP** 2014. World checklist of selected plant families. Facilitated by the Royal Botanic Gardens, Kew. <http://apps.kew.org/wcsp/> (accessed 20 Mar 2014)
- Wearn, J.A., Chase, M.W., Mabberley, D.J. & Couch, C.** 2013. Utilizing a phylogenetic plant classification for systematic arrangements in botanic gardens and herbaria. *Bot. J. Linn. Soc.* 172: 127–141. <http://dx.doi.org/10.1111/boj.12031>
- Williams, K.J., Kress, W.J. & Htun, T.** 2003. A striking new epiphytic *Hedychium* (Zingiberaceae) from Myanmar with a discussion on some anomalous related genera. *Edinburgh J. Bot.* 60: 43–48. <http://dx.doi.org/10.1017/S0960428603000040>
- Wurdack, K.J. & Dorr, L.J.** 2009. The South American genera of Hemerocallidaceae (*Eccremis* and *Pasithea*): Two introductions to the New World. *Taxon* 58: 1122–1132.
- Yano, O., Ikeda, H., Watson, M.F., Rajbhandari, K.R., Jin, X.-F., Hoshino, T., Muasya, A.M. & Ohba, H.** 2012. Phylogenetic position of the Himalayan genus *Erioscirpus* (Cyperaceae) inferred from DNA sequence data. *Bot. J. Linn. Soc.* 170: 1–11. <http://dx.doi.org/10.1111/j.1095-8339.2012.01255.x>
- Yeng, W.S., Jean, T.P., Kiaw, N.K., Othman, Ahmad S., Boon, L.H., Ahmad, F.B. & Boyce, P.C.** 2013. Phylogeny of Asian *Homalomena* (Araceae) based on the ITS region combined with morphological and chemical data. *Syst. Bot.* 38: 589–599. <http://dx.doi.org/10.1600/036364413X670430>
- Yokoyama, J., Koizumi, Y., Yokota, M. & Tsukaya, H.** 2008. Phylogenetic relationships of *Oxygyne shinzatoi* (Burmanniaceae) inferred from 18S rDNA sequences. *J. Pl. Res.* 121: 27–32. <http://dx.doi.org/10.1007/s10265-007-0136-6>
- Záveská Drábková, L.** 2010. Phylogenetic relationships within Juncaceae: Evidence from all three genomic compartments with notes to the morphology. Pp. 389–416 in: Seberg, O., Petersen, G., Barford, A.S. & Davis, J.I. (eds.), *Diversity, phylogeny, and evolution in the monocotyledons*. Aarhus: Aarhus University Press.
- Záveská Drábková, L. & Kirschner, J.** 2013. *Oreojuncus*, a new genus in the Juncaceae. *Preslia* 85: 483–503.
- Zomlefer, W.B., Williams, N.H., Whitten, W.M. & Judd, W.S.** 2001. Generic circumscription and relationships in the tribe Melanthieae (Liliales, Melanthiaceae), with emphasis on *Zigadenus*: Evidence from ITS and *trnL-F* sequence data. *Amer. J. Bot.* 88: 1657–1669.
- Zomlefer, W.B., Whitten, W.M., Williams, N.H. & Judd, W.S.** 2003. An overview of *Veratrum* s.l. (Liliales: Melanthiaceae) and an infrageneric phylogeny based on ITS sequence data. *Syst. Bot.* 28: 250–269. <http://dx.doi.org/10.1043/0363-6445-28.2.250>
- Zomlefer, W.B., Whitten, W.M., Williams, N.H. & Judd, W.S.** 2006. Infrageneric phylogeny of *Schoenocaulon* (Liliales: Melanthiaceae) with classification of cryptic species based on ITS sequence data and geographical distribution. *Amer. J. Bot.* 93: 1178–1192. <http://dx.doi.org/10.3732/ajb.93.8.1178>
- Zona, S. & Baker, W.J.** 2014. *Solfia* transferred to *Balaka*. *Palms (1999+)* 58: 191–192.