

# **Weather variability and travel behaviour - what we know and what we do not know**

This is the authors' pre-print version of the following article:

Liu, C., Y. O, Susilo., A, Karlström. (2017) Weather variability and travel behaviour – what we know and what we do not know. *Transport Reviews*. <http://dx.doi.org/10.1080/01441647.2017.1293188>

Chengxi Liu\*

*\*Division of Traffic Analysis and Logistics, Swedish Road and Transport Research Institute, Stockholm, Sweden*

\* Division of Traffic Analysis and Logistics, Swedish Road and Transport Research Institute, Teknikringen 10, 100 44 Stockholm, Sweden. Tel.: +46 (0)8 518 388 10.

Yusak O. Susilo

*Department of Transport Science, KTH Royal Institute of Technology, Stockholm, Sweden*

Division of Transport Planning, Economics and Engineering, Department of Transport Science, KTH Royal Institute of Technology, Teknikringen 10, 100 44 Stockholm, Sweden. Tel.: +46 (0)8 790 9635.

Anders Karlström

*Department of Transport Science, KTH Royal Institute of Technology, Stockholm, Sweden*

Division of System Analysis and Economics, Department of Transport Science, KTH Royal Institute of Technology, Teknikringen 72, 100 44 Stockholm, Sweden. Tel.: +46 (0)8 790 9263.

*ABSTRACT Given that severe weather conditions are becoming more frequent, it is important to understand the influence of weather on an individual's daily activity-travel pattern. While some previously rare events are becoming more common, such as heavy rain, unpredicted snow, higher temperatures, it is still largely unknown how individuals will change and adapt their travel patterns in future climate conditions. Because of this concern, the number of research studies on weather and travel behaviour has increased in recent decades. Most of these empirical studies, however, have not used a cost-benefit analysis (CBA) framework, which serves as the main tool for policy evaluation and project selection by stakeholders. This study summarises the existing findings regarding relationships between weather variability and travel behaviour, and critically assesses the methodological issues in these studies. Several further research directions are suggested to bridge the gap between empirical evidence and current practices in CBA.*

**Key words:** weather; travel behaviour; large-scale transport model; transport policy; cost-benefit analysis.

## 1 **Introduction**

2 As a result of global warming and climate change, it is expected that severe weather events will become more  
3 frequent. Maximum and minimum temperatures will become more extreme, while precipitation patterns will tend  
4 to shift towards more intensive individual storms; (Collins et al., 2013). Travellers' reactions, and ways in which  
5 they may adapt to a warmer and more extreme future climate are becoming popular topics in the travel behaviour  
6 area. Weather and climate are considered to influence travel behaviour, and have been investigated in various  
7 studies that suggest an impact of non-trivial magnitude (see reviews, Koetse & Rietveld, 2009; Böcker, Dijst, &  
8 Prillwitz, 2013; Dijst, Böcker, & Kwan, 2013). Many studies have focused on the disruptions caused by extreme  
9 weather conditions (for example, Lam, Shao, & Sumalee, 2008; Fu, Lam, & Meng, 2014; Zanni & Ryley, 2015)  
10 while less attention has been paid to everyday weather conditions (for example, Sabir, 2011; Böcker, Dijst, &  
11 Faber, 2014). The impact of everyday weather on transport systems may be substantial, although not particularly  
12 noticeable because the variation of everyday weather influences the individual's travel patterns throughout the  
13 year. Extreme weather may have a strong negative impact on transport systems in a sub-region, and its impact is  
14 often long-term (Van Leeuwen, Koetse, Koomen, & Rietveld, 2009). Since extreme weather events will become  
15 more frequent in the future, travel behaviour adaptation to these extreme events is expected, resulting in more  
16 substantial travel behaviour changes in future extreme weather conditions, compared to travel behaviour changes  
17 in response to the variations in current weather conditions.

18 Studies focusing on weather impacts on travel behaviour differ from each other in a variety of  
19 perspectives. Some use different representations of weather and investigate weather impacts on users of different  
20 travel modes. The impact of weather has been found to be stronger on active and open-air transport modes,  
21 particularly cycling, than in-vehicle modes (Sabir, 2011). The most commonly investigated weather dimensions  
22 (meteorological variables) are temperature, precipitation, wind speed and snowfall (in Nordic countries and

1 Canada). The impacts of humidity, fog, sunshine and cloud are less often investigated (for a detailed summary of  
2 study locations and weather dimensions, please see Table 1). Despite the inclusion of various weather dimensions,  
3 its effects are often not well distinguished. In that sense, an increase of temperature in summer is often assumed  
4 to have the same effect on travel behaviour as an increase of temperature in winter. Moreover, studies tend to  
5 focus mainly on western temperate and cold countries but empirical evidence from the global south is lacking  
6 (Böcker, Dijst, & Prillwitz, 2013).

7 Table 1 summarises a non-exhaustive set of empirical findings with respect to the focus on travel  
8 behaviour dimensions, weather dimensions, the study location, the data source, and the methodology issues.

9 (Table 1)

10 In general, these studies have used data collected from two sources: passively generated data and survey  
11 data. Studies using passively generated data usually focus on aggregated level indicators, such as bicycle flow,  
12 for example, the number of cyclists crossing a section of a specific cycle lane during a certain period (Brandenberg,  
13 Matzarakis, & Arnberger, 2007; Nosal & Miranda-Moreno, 2014). These indicators reflect the level of a given  
14 transport service under different weather conditions. Other studies have utilised traditional survey data that  
15 include detailed individual characteristics. An on-site survey can also collect information on weather perception  
16 (e.g., Thorsson, Honjo, Lindberg, Eliasson, & Lim, 2007; Sihvola, 2009). These types of data can help researchers  
17 to further understand how weather affects travel decision making processes. However, most travel surveys collect  
18 only one-day travel behaviour of a given respondent, while passively generated data (for example, GPS  
19 trajectories on travel routes) normally record multi-day travels of a given individual. Future studies combining  
20 survey data with passively generated data have the potential to better unravel the complex relationships between  
21 weather and travel behaviour.

1           Studies carried out in different countries, for example, those in tropical areas versus temperate areas, or  
2 developing countries versus developed countries, may also yield distinct results since inhabitants in different  
3 regions may have different weather adaptation strategies, resulting in different perceptions of  
4 “normal”/“cold”/“warm”. Variations in culture, land use and transportation networks may also affect the impact  
5 of weather in different regions. So far, most studies (Table 1) have focused on a single travel behaviour dimension,  
6 such as mode choice or trip distance, while only a few have developed models involving several travel behaviour  
7 dimensions (e.g. Böcker, Dijst, Faber, & Helbich, 2015; Liu, Susilo, & Kalström, 2015a). Since travel is a derived  
8 demand of activity participation, studies that jointly model activity time use and activity participation with travel  
9 mode choice and trip distance seem to better describe weather impacts. For instance, a decreased walk share with  
10 the increase of temperature (Sabir, 2011) could be the result of changing activity location; for example, more long  
11 distance trips result in a lower walk share.

12           Although much effort has been put into quantifying the impact of weather on travel behaviour, the  
13 resulting information is rarely transferred or integrated into the existing transport planning process. Given the  
14 significant weather impacts on travel behaviour, it is likely that future travel demand could vary in a warmer  
15 climate scenario (Böcker et al., 2013), and thus lead to variations in, for example, traffic flow, bicycle usage, and  
16 transit ridership, resulting in changes in various transport externalities, such as road congestion, emissions, safety,  
17 etc. Figure 1 presents the dynamic interactions between weather and travel behaviour.

18           (Figure 1)

19           As shown in Figure 1, different weather dimensions, such as temperature, precipitation, and wind speed,  
20 can affect individuals’ travel decisions resulting in changes to travel mode, trip frequency, destination, etc.  
21 Changes in travel behaviour could then lead to changes in transport system usage, such as more or less traffic and  
22 more or less transit ridership in adverse weather conditions. Most studies have investigated weather impacts on

1 traffic flow and transit ridership through a direct approach such as regression analysis using data from single or  
2 several intersections or stations (e.g. Akin, Sisiopiku, & Skabardonis, 2011; Guo, Wilson, & Rahbee, 2007). Few  
3 studies have investigated weather impacts on traffic networks by integrating findings from travel behaviour  
4 models into transport demand-supply models. Therefore, the induced externalities such as emissions, which may  
5 again influence the future climate, are difficult to quantify.

6 This paper aims to provide a systematic summary and discussion of weather-related issues in travel  
7 behaviour analysis, transport models and transport appraisal. It focuses on the discussion and critical evaluation  
8 of existing studies investigating the relationship between weather and travel behaviour, and relationships between  
9 weather and transport system usage. This paper also assesses the potential of including weather impacts on  
10 transport externalities through a cost-benefit analysis (CBA) framework. Understanding these issues would be  
11 helpful in bridging the gap between existing knowledge of travel behaviour regarding plausible weather  
12 variability impacts and the absence of weather-related factors in transport appraisal and its related policy measures.

13 The next section comprises a review of studies investigating the relationship between weather and travel  
14 behaviour. This is followed by a discussion of studies investigating the relationship between weather and transport  
15 system usage. Then, the potential consequences of ignoring the impacts of weather in transport appraisal are  
16 presented. Finally, this paper concludes by summarising the findings from the previous sections.

## 17 **Weather impacts on travel behaviour dimensions**

18 Among various travel behaviour dimensions, mode choice is the measure focused on by most studies (e.g. Sabir,  
19 2011; Saneinejad, Roorda, & Kennedy, 2012). It is not surprising that leisure travel is more elastic than  
20 commuting in response to changes in weather conditions (Liu, Susilo, & Karlström, 2015b). Cycling has been  
21 found to be the most elastic towards these changes in weather. Studies in the Netherlands, Canada and Sweden  
22 have showed that bicycle usage positively correlates with temperature until the temperature reaches 25 °C (Sabir,

1 2011; Saneinejad, Roorda, & Kennedy, 2012; Liu, et al., 2015a). Snow is the major factor that negatively impacts  
2 on bicycle usage (Cools, Moons, & Creemers, 2010). Precipitation and wind speed are two other major weather  
3 factors that negatively affect both commute and non-commute cycling (Aaheim & Hauge, 2005; Heinen, Maat,  
4 & Wee, 2011; Flynn, Dana, Sears, & Aultman-Hall, 2012). Their impacts are non-linear; that is, there is a sharp  
5 decline of cycling demand at the slightest hint of rain followed by much steadier reductions (Phung & Rose,  
6 2008). Saneinejad et al. (2012) showed an increasing probability of travellers choosing to walk on rainy days.  
7 Most studies focusing on mode choice did not find significant impacts of wind speed and relative humidity on  
8 walking, although Sabir (2011) found an increasing walk share in heavy wind. The usage of private cars is higher  
9 in low temperature conditions (Saneinejad et al., 2012; Liu et al., 2015), and people tended to switch from walking  
10 and cycling to cars and public transport during rainy days (Sabir, 2011).

11 A few studies have investigated the weather impacts on travel scheduling and travel distance/travel time  
12 by mode. Walking and car travel distances are shorter in warmer temperatures, while cycle travel distances  
13 become longer (Bergström, & Magnusson, 2003); snow corresponds to an increase in walking distance at the  
14 expense of car distance (Sabir, 2011). Snow also encourages trip chaining with all types of purposes, including  
15 commute, errands and discretionary (Liu, Susilo, & Karlström, 2015d). Weather has been found to significantly  
16 influence drivers' behaviours, including a 6-7 km/h speed reduction and an increase in drivers' perceived accident  
17 risk (Kilpeläinen & Summala, 2007). Drivers are also likely to change route in adverse weather conditions  
18 (Sumalee, Uchida, & Lam, 2011).

19 Most of these studies have investigated the roles of multiple weather dimensions on one or a few travel  
20 behaviour dimensions. However, various issues may arise when this approach is adopted.

## 1 *Matching weather to travel survey data*

2 Most studies used objective meteorological indicators to represent weather dimensions, such as temperature, wind  
3 speed or relative humidity. These were assigned to each trip by matching the meteorological indicators from the  
4 weather station closest to the trip departure point and selecting the weather variable present at the departure time  
5 (examples are: Sabir, 2011; Saneinejad, Roorda, & Kennedy, 2012; Liu, Susilo & Karlström, 2014). It was  
6 assumed that each traveller would base his or her travel decision on the weather conditions that prevailed at the  
7 departure place and time. Different interpolation methods were used to match weather data from sparsely  
8 distributed weather stations to trip origins/destinations. Chen and Mahmassani (2015) interpolated weather over  
9 the study area based on the observed meteorological indicators at the stations. Jaroszweski and McNamara (2014)  
10 used a weather radar approach, though their focus was on traffic accidents. Nevertheless, these techniques tried  
11 to assign the most “accurate” weather information to each spot by assuming a certain spatial distribution of the  
12 meteorological indicators.

13 Another issue is whether to match the weather information to the departure time and location, or arrival  
14 time and location, or a certain point of time during the trip. Chen and Clifton (2011) argued that travellers would  
15 assess the weather conditions based on the conditions prior to travel. Chen and Mahmassani (2015) assumed that  
16 travellers would anticipate the weather conditions and they therefore matched weather according to the destination  
17 location and time, although they also admitted that “more research is needed to examine how weather is  
18 incorporated in travel decision processes” (Chen and Mahmassani, 2015 p. 58). Based on a stated preference  
19 survey, Cools and Creemers (2013) showed that “planned” travel decisions are often changed at the last minute  
20 in response to an adverse weather presented. Sihvola (2009) interviewed the drivers and found a substantial  
21 number of drivers changing their travel plans (that is, their route or departure time). However, more empirical  
22 evidence is needed from revealed preference studies.



## 1 *Weather dimensions separately or in combination*

2 Since weather dimensions are recorded in terms of observed meteorological variables (for example, temperature,  
3 wind speed), it is logical to assess the effect of each individual meteorological variable on travel behaviour (see  
4 review, Böcker, Dijst, & Prillwitz, 2013a). Studies tend to use a linear function of weather dimensions (variables),  
5 which assumes that each meteorological variable has a single and independent effect on the travel behaviour  
6 indicator of interest. To capture the bell-shape effect of certain meteorological variables, mostly temperature and  
7 precipitation, the continuous measures are often segmented into different intervals, and different parameters are  
8 estimated for each interval. For example, Sabir (2011) found a bell-shape effect of temperature on bicycle usage  
9 which increased along with the temperature up to 25 °C and decreased when the temperature rose above 25 °C.  
10 Different classifications of the variable levels may also affect the interpretation of the model results and their  
11 application to demand forecasting. For instance, studies in the Netherlands (Sabir, 2011; Böcker et al., 2015)  
12 classified “temperature  $\geq 25^{\circ}\text{C}$ ” as an interval, while Saneinejad et al. (2012) in Toronto classified “temperature  
13 25-30°C, 31-35°C and  $\geq 35^{\circ}\text{C}$ ” as three intervals.

14 More importantly, different meteorological variables often naturally correlate, indicating that the effects  
15 of meteorological variables are interrelated. Phung and Rose (2008) found a combined negative effect of wind  
16 and light rain on bicycle flow. A few weather studies in travel behaviour have used data mining techniques.  
17 Clifton, Chen, and Cutter (2011) used a two-step clustering technique to classify various types of weather  
18 conditions based on observed meteorological variables. However, it is worth mentioning that data mining  
19 techniques including clustering, factor analysis, Bayesian inference etc. have long been used to identify weather  
20 types in climatology (see review, Tian, Zheng, Yang, Ji, & Wang, 2014). Recent advances in thermal comfort  
21 studies have shown that various weather parameters have a joint effect on individuals’ perception of the thermal  
22 environment (see review, Chen & Ng, 2012). Thermal comfort indexes have been used to explain variations in

1 demand for activity space usage long before their application to travel behaviour studies (e.g. Nikolopoulou,  
2 Baker, & Steemers, 2001; Lin, 2009). Creemer et al. (2015) pioneered weather-related travel behaviour studies  
3 by introducing different thermal comfort constructs and comparing their performance in travel behaviour models.  
4 They concluded that physiologically equivalent temperature, among various thermal comfort indexes, is the most  
5 suited to represent weather in travel behaviour models. Liu, Susilo, and Karlström (2015d) used the universal  
6 thermal climate index (UTCI) instead of temperature, wind speed and relative humidity, to represent thermal  
7 comfort when investigating trip chaining behaviour. However, in most travel behaviour studies related to weather,  
8 thermal comfort measures have not replaced observed meteorological variables.

9         Another issue is that most of these studies did not separate the effects of weather and of climate. In studies  
10 directly using meteorological variables or using thermal comfort measures, one cannot separate these two effects.  
11 For instance, 10°C in summer in a country of cold climate may have a completely different effect from 10°C in  
12 winter in the same country. The former may be interpreted as “cold in summer” while the latter may be interpreted  
13 as “warm in winter”. Sabir (2011) used dummy variables to represent that trips took place in different seasons  
14 (seasonal dummies), together with the temperature variables in a travel behaviour model, and found significant  
15 effects of the seasonal dummies. However, this approach hinders the interpretation of the effect of temperature  
16 variables because their parameters should then be interpreted as the effects of changing temperature values in  
17 different temperature intervals after controlling for the season, which does not seem to be reasonable. Liu et al.  
18 (2015d) proposed an alternative approach; that is, to allow the parameters of different temperature intervals to  
19 interact with the parameters of seasonal dummies. Liu et al. (2014; 2015b) proposed another approach to separate  
20 the effect of climate and the effect of weather. They used the mean of historical meteorological variables or  
21 thermal comfort measures in a given month and given location of each trip as a variable to represent climate  
22 effect. They used the standardised deviation against this variable to represent the weather effect. This assumes

1 that travellers recognise the historical meteorological variables and will respond to changes in them. In general,  
2 there is still no consensus on how the effect of climate should be represented. Furthermore, variations in climate  
3 are often seasonal, and correspond with other non-weather-related factors that exhibit a seasonal pattern. For  
4 instance, the estimated effect of “summer” compared to that of “winter” may also capture the effects of summer  
5 holidays. It is not possible and not meaningful to separate the effect of climate and the effect of non-weather-  
6 related events because they always co-occur.

7 Fundamentally, weather is perceived by travellers and this perception affects travellers’ travel decision  
8 making. Studies on weather perception have tended to originate from the discipline of psychology (e.g.  
9 Thorsson, Lindqvist, & Lindqvist, 2004; Thorsson, Honjo, Lindberg, Eliasson, & Lim, 2007; Thorsson, Lindberg,  
10 Björklund, Holmer, & Rayner, 2011; Connolly, 2013) although a few have come from the field of travel behaviour  
11 and mobility (Böcker, Dijst, & Faber, 2014; Liu, Susilo, & Karlström, 2015c). Weather perception naturally  
12 defines a reference point of “good/bad” weather. Therefore, prospect theory (Kahneman & Tversky, 1979) and  
13 latent variable models (Everitt, 1984) are likely to also be applied to model weather perception.

14 Weather perception, as one element, has been shown to strongly influence an individual’s mood and  
15 happiness. For instance, sunshine can directly increase the level of happiness by impacting on mood (Cunningham,  
16 1979). However, this can be because a sunny day is associated with higher possibilities of outdoor leisure  
17 activities which provide more happiness (Keller et al., 2005). Indeed, weather, well-being and travel patterns are  
18 interrelated. Psychologists tend to explore the role of weather on well-being while treating travel patterns as  
19 mediating effects (see reviews, Kööts, et al., 2011), but travel behaviour analysts tend to explore the role of  
20 weather on travel patterns while treating well-being as control variables. However, to the authors’ knowledge,  
21 only a few travel behaviour studies have included questions regarding the subjective perception of weather (e.g.  
22 “*does today’s weather make you feel cold?*”) and investigated its relationship to travel patterns. Liu et al. (2015c)

1 included one weather perception question “*how did the weather make you feel on the given day?*” and found that  
2 an extreme value of this question (very satisfied/very unsatisfied) was associated with changes in leisure activity  
3 participation, with a larger magnitude for “very unsatisfied” with the weather. Böcker, Dijst, Faber, and Helbich  
4 (2015) included a measure of perceived temperature and showed that weather-exposed cyclists experienced  
5 thermal conditions as significantly colder than the more weather-protected users of motorised transport modes.  
6 Eliasson et al. (2007) included a 5-Likert scale question “*What is your perception of the weather today?*” and  
7 found a clear correlation between the response to the question and the number of attendances at an urban outdoor  
8 environment. Thorsson et al. (2007) included a series of 5-Likert scale subjective weather questions “*How do you*  
9 *experience the current weather today, calm or windy, cold or warm, good or bad for outdoor activity?*” and  
10 showed clear climatic and cultural differences in weather perception between Japan and Sweden.

### 11 ***Travel behaviour dimensions separately or in combination***

12 It has been shown that most studies have focused on only one or two travel behaviour dimensions, mostly mode  
13 choice, number of trips and trip distance (see Table 1). However, the effect of a given weather dimension on one  
14 travel behaviour dimension may have an indirect influence on another travel behaviour dimension, and vice versa.  
15 For instance, travellers may choose a closer destination on rainy days which indirectly increases the likelihood of  
16 walking. Ignoring the indirect effect could potentially lead to a biased interpretation of estimated weather effects  
17 (Liu, Susilo & Karlström, 2015b). Most existing weather-travel behaviour studies used multinomial Logit model  
18 for mode choice, negative binomial model/ordered Probit model for trip frequency and Tobit model for trip  
19 distance (see Table 1). However, multivariate econometric models that are able to capture the indirect effect and  
20 model several joint travel behaviour dimensions (such as joint mode choice and departure time choice (Habib,  
21 Day, & Miller, 2009) and joint car choice and car distance travelled (Fang, 2008)), have the potential to offer  
22 more insights into joint activity-travel behaviour changes under different weather conditions.

1           Moreover, most previous studies analysed travel behaviour changes trip by trip separately and not within  
2 a daily aggregated travel pattern. In studies analysing daily aggregated travel patterns, either daily aggregated  
3 weather information was assigned to each individual, or the average of weather information (measured at each  
4 trip departure/arrival time) was matched to all trips made by a given individual. The advantage of analysing daily  
5 aggregated travel patterns, rather than focusing on each individual trip, is that travellers' daily space-time  
6 constraints can better be incorporated into the analysis than by analysing trip level travel patterns (Liu, Susilo &  
7 Karlström 2015b). For instance, if a traveller has had a long working day, he/she may be too tired to respond to  
8 opportunities offered by "good"/"better weather than usual" and will use a car rather than cycling. Helbich,  
9 Böcker, and Dijst (2014) also argued that daily aggregated weather should be used because transport mode choice  
10 is frequently decided in a longer-term context rather than instantaneously. Moreover, travellers' daily time use  
11 may also be affected by weather conditions. Connolly (2008) found that men spent an extra half an hour working  
12 on rainy days compared to sunny days. However, daily aggregated weather information may not capture the actual  
13 weather conditions experienced by the traveller, given that weather conditions may vary dramatically within a  
14 day. This clearly introduces errors in the analysis. Furthermore, some of the weather effects may not only have  
15 an instantaneous effect but may also affect trips when the given weather condition ends. For instance, snow may  
16 accumulate on the ground, thus hindering cyclists even when the snowfall is over. In this case, daily aggregated  
17 snow depth may capture the effect.

### 18 **Weather impacts on transport system usage dimensions**

19 In studies focusing on traffic volume, pedestrian rate, bicycle counts and transit ridership, weather information is  
20 either measured at the study locations (e.g. Edwards, 1999; Akin, Sisiopiku, & Skabardonis, 2011), or taken from  
21 a nearby weather station (e.g. Keay & Simmonds, 2005; Kim, Mahmassani, & Dong, 2010). Since the study  
22 location is pre-known (fixed) and individual information is not available, it is a common practice to regress a

1 relationship between the recorded weather conditions at the study location at that point of time and the travel  
2 indicator (flow or count).

3 Studies summarised in Table 1 have shown that the number of walking trips is positively associated with  
4 temperature and negatively correlated with snowfall (Aultman-Hall, Lane, & Lambert, 2009; Montigny, Ling, &  
5 Zacharias, 2012). The impact of weather on road traffic has been extensively studied among all travel modes.  
6 Snowfall corresponds to a significant reduction in traffic volume of up to 70% (Hanbali, & Kuemmel, 1993;  
7 American, Maze, Agarwal, & Burchett, 2006; Cools, 2009). Precipitation plays a minor role in weekday traffic  
8 volume (<5% in most studies) and a moderate role in weekend traffic (Chung, Ohtani, Warita, Kuwahara, &  
9 Morita, 2005; Kim, Mahmassani, & Dong, 2010). Road capacity also drops during rainy days (Brilon, Geistefeldt,  
10 & Regler, 2005). Meanwhile, adverse weather conditions, mainly precipitation, also correspond with a mild speed  
11 reduction, ranging from 2%-12% in different studies (Kyte, Khatib, Shannon, & Kitchener, 2001; Oh, Shim, &  
12 Cho, 2002; Maze, Agarwal, & Burchett, 2006). These empirical findings all suggest that different traffic speed-  
13 flow-density relationships should be used for traffic assignment models in normal and adverse weather conditions.  
14 This is particularly important for simulations of peak-hour traffic, as road capacity drop is expected in adverse  
15 weather conditions whereas the demand for commute car trips may not drop.

16 Bicycle flow is more elastic than traffic volume towards adverse weather conditions. Thomas, Jaarsma,  
17 and Tutert (2013) found that almost 80% of the fluctuation in daily bicycle flow can be explained by changes in  
18 weather conditions. Rainfall and temperature have a relatively strong effect on the propensity to cycle to work,  
19 with a similar magnitude to that of the effect of hilliness (Parkin, Wardman, & Page, 2008). Wind speed has a  
20 moderate effect on bicycle flow (Tin, Woodward, Robinson, & Ameratunga, 2012). Relative humidity and cloud  
21 level also have significant effects on hourly bicycle flow but with relatively small marginal effects (Gallop, Tse,  
22 & Zhao, 2012). These effects differ significantly between weekdays and weekends, indicating the different roles

1 of weather in utilitarian cycling and leisure cycling. A moderate pedestrian volume reduction is also found on  
2 rainy days (Montigny et al., 2012). Transit ridership decreases during rainfall and in snowy conditions (Hofmann  
3 & Mahony, 2005; Guo, Wilson, & Rahbee, 2007); this effect is much stronger on weekends (Singhal, Kamga, &  
4 Yazici, 2014). Singhal, Kamga, and Yazici (2014) also found significant differences between weather impacts on  
5 hourly ridership and weather impacts on daily ridership, indicating time-dependent weather impacts.

### 6 ***Understanding weather impacts on transport system usage using transport models***

7 The studies discussed above have adopted direct regression models to investigate the role of weather on transport  
8 systems usage. However, changes in traffic volume/bicycle flow/transit ridership under adverse weather  
9 conditions are the result of travellers' complex travel decision making, such as cancelling the trip, changing travel  
10 mode, changing destination, changing route, rescheduling the trip, etc. A traditional transport four-step model  
11 normally includes trip generation, mode choice, destination choice and route choice (often the shortest path).  
12 Therefore, using the transport model to assess the impacts of weather on traffic volume/bicycle flow/transit  
13 ridership has the advantage of considering some travel behaviour changes (although four-step models are  
14 criticised as not being behavioural models, since they are based on trip based models not activity based) rather  
15 than the empirical relationship between weather and traffic volume/bicycle flow/transit ridership. However, few  
16 transport models currently include weather as an input.

17 Most large-scale transport models build upon the well-known nested-Logit model structure (Ben-Akiva,  
18 1974) due to its ability to accommodate a large number of alternatives. Examples of these large-scale demand  
19 models include: TRB in USA (TRB, 2007), Sampers in Sweden (Algers, Mattsson, Rydergren, & Östlund 2009)  
20 and DNM in Denmark (Larson & Filges, 1997). These large-scale nested-Logit models often involve thousands  
21 of alternatives regarding destination choice, mode choice, departure time choice and trip frequency choice, etc.  
22 The models are often estimated via sampling of alternatives (Ben-Akiva & Lerman, 1985). However, it is difficult

1 in practice to include weather dimensions as attributes in these models because a weather dimension at a given  
2 time often has the same value for traffic zones close to each other, since weather data is often available only at  
3 regional level. This means that the parameter of a given weather dimension must differ between alternatives (since  
4 only the differences in choice attribute values matter). Consider the simplest example when only one weather  
5 dimension, for example, temperature, is included. Then for a nested-Logit model with a large choice set (for  
6 instance destination choice), the generic parameter of that weather attribute may be difficult to estimate since a  
7 large portion of alternatives (zones) may have the same value of temperature. Alternatively, weather measures  
8 can interact with other generic parameters such as the travel time parameter. Such an approach can capture the  
9 heterogenous weather impacts on travel time sensitivity.

10 Since the transport models are calibrated by travel survey data in which good weather and adverse  
11 weather conditions are sampled, the predicted or simulated travel choices are interpreted neither as travel choices  
12 in good weather nor as travel choices in bad weather, but a kind of average of travel choices in good and bad  
13 weather, depending on the proportions of samples under good/bad weather. The corresponding aggregated  
14 measures from the models, such as mode share and origin-destination demand, are also not aggregated measures  
15 in good/bad weather.

16 Although most transport models tend to focus on peak-hour traffic or commute trips which are less  
17 affected by weather (Liu et al., 2015b), many of these models also have detailed model components for leisure  
18 trips (for instance, Sampers in Sweden). However, to what extent the model components of leisure trip demand  
19 are biased due to the absence of weather variables is largely unknown, so are the policy evaluations related to  
20 those modelled leisure trips.

21 Another important question concerns whether route choice should be modelled as a behavioural model.  
22 Although some empirical evidence (e.g. Zhang & Chen, 2009; Sabir, 2011) has revealed potential route choice



1 changes due to adverse weather, current practice mainly adopts non-behavioural roles in route choice (e.g. the  
2 shortest path according to generalised route cost) for the traffic assignment package. Above all, a holistic  
3 framework is needed to incorporate the influence of weather in large-scale transport models, from both demand  
4 and supply perspectives.

### 5 **Considering weather in cost-benefit analyses and transport appraisal**

6 Cost-benefit analysis has long been used to guide project selection and policy evaluation. As climate change is  
7 becoming a serious concern, it is important for transport policies and investments to cope with the climate change.  
8 As discussed above, the absence of weather variables in large-scale transport models hinders the incorporation of  
9 weather in transport appraisal and policy evaluation; almost no CBA considers the influence of weather on social  
10 benefits and cost estimates. Figure 2 illustrates the potential issues of considering weather in different components  
11 of CBAs.

12

13 (Figure 2)

14

15 In Figure 2, two other components: general parameters (e.g. future discount rates and marginal costs of  
16 public funds) and investment costs (e.g. increased construction costs in adverse weather conditions) are not  
17 discussed as they are beyond the scope of this paper. However, it is worth noting that weather may significantly  
18 affect these parameters, e.g. Brekke and Johansson-Stenman (2008) discussed the choice of future discount rates  
19 in climate change policies. As presented in Figure 2, beside the components of “large-scale transport model” and  
20 “data for estimation” which are discussed extensively above, the other two components (scenario assumption and  
21 effect models) also receive attention.

1           As CBA often involves predictions of future scenarios, appropriate assumptions of future climate and  
2 future weather are needed. However, given the fact that future climate and weather are also strongly affected by  
3 human activity, the relationship between weather/climate and human activity (including transportation) is  
4 reciprocal. One approach is to adopt existing knowledge from climate prediction models. However, considerable  
5 uncertainty exists in both the climate prediction and the transport models. The predicted outcome from such a  
6 climate-transport model would need to be interpreted with caution. Nevertheless, scenario analyses are required  
7 to represent several possible projected futures.

8           The results of CBAs are often sensitive to the specification of effect models (including value of time,  
9 emissions, social cost of accidents, value of noise, etc.). Effect models utilise the output of large-scale transport  
10 models and convert this output into monetary values for CBA comparison. Various effect models are believed to  
11 be affected by weather: including value of time (VOT), emission factors, traffic safety and other wider economic  
12 benefits/losses (e.g. health benefits of more cycling in good weather, and losses from road network disruption  
13 due to adverse weather). The impact of weather and climate on VOT is largely unknown, given that most existing  
14 studies evaluated VOT through stated preference data with no assumptions of weather conditions. However,  
15 precipitation can potentially affect VOT through its indirect impact on comfort and waiting times. Studies  
16 regarding VOT have incorporated comfort level and waiting times to further differentiate VOT, mainly for the  
17 public transport mode (Börjesson & Eliasson 2014; Østli, Harkjerr, & Killi, 2015) and bicycle mode (Björklund  
18 & Carlén 2012; Börjesson & Eliasson 2012). The theoretical derivation of VOT, which stems from the time  
19 allocation problem (Becker, 1965), suggests that more comfort and less waiting time lowers VOT. Therefore, it  
20 seems plausible that VOT tends to be higher in adverse weather conditions, although empirical evidence is still  
21 lacking. Recent advances in scheduling models also incorporate travel time variability (see review: Carrion &

1 Levinson, 2012). It is plausible that weather may significantly affect travel time variability (e.g. travel time may  
2 become more uncertain in adverse weather conditions).

3 Weather variables have been shown to affect the emission factors (emission per km drive). By utilizing  
4 vehicle field testing data, Boulter and McCrae (2007) showed that various types of emission factors are affected  
5 by weather variables. Hot exhaust emission normally decreases with increasing temperature for both petrol and  
6 diesel cars; more so for diesel cars. Adverse weather conditions, such as precipitation and snow, trigger the use  
7 of in-vehicle air conditioning, wipers and window defrosters, thus increasing hot exhaust emissions from the  
8 auxiliary system. Cold start emissions are well-known to be larger in lower temperatures (Andree & Joumard,  
9 2005), while evaporative emissions increase with increasing temperature (Hausberger et al., 2005). Liu, Susilo,  
10 and Karlström (2016) showed that passenger transport CO<sub>2</sub> emissions can be underestimated up to 10% in Sweden  
11 in a warmer future climate (mean monthly temperature +1~5°C), when weather impacts on emission factors and  
12 travel patterns are both considered. Consider a scenario where emissions are underestimated in a CBA; a project  
13 with actual high emissions may get a higher rank than it should be since a considerable share of emissions (which  
14 should low the rank of this project) are underestimated. This would increase the probability that projects with  
15 considerable adverse environmental effects are selected.

16 The impact of weather on traffic safety has been studied extensively (see review: Theofilatos & Yannis,  
17 2014). According to Theofilatos and Yannis (2014), it is clear that precipitation increases accident frequency but  
18 has no clear effect on the severity of the accident. Therefore, with the same level of traffic, more traffic accidents  
19 are expected on rainy days than on sunny days. However, there is no consensus on the effects of other weather  
20 parameters. Since the large-scale transport models do not consider weather, the simulated level of traffic from  
21 those models does not represent the level of traffic in good or bad weather. The estimated loss in traffic safety

1 based on the large-scale transport models may differ significantly from the true value depending on the scenario  
2 assumptions (for example, the proportion of rainy days next year).

3 Although weather is absent in policy evaluations based on CBA, local policies from individual studies  
4 (mostly targeting cycling mode), often take weather into account. For instance, Thomas et al. (2013) pointed out  
5 that the effect of policy interventions on cycling demand is difficult to measure, not least because of difficulties  
6 in controlling for changing context variables, such as weather conditions. Ahmed, Rose, and Jakob (2013)  
7 mentioned that investments in developing end of trip facilities would be beneficial if the aim is to increase  
8 commuter cycling, particularly for female cyclists who were found to be more deterred by unfavourable weather  
9 conditions than males. Gebhart and Noland (2014) argued that the design of bike-share systems can benefit from  
10 understanding users' cycling behaviours under various weather conditions. Helbich et al. (2014) suggested that  
11 adjacent, more compact urban morphologies have the potential to alleviate undesirable weather exposures and  
12 could enhance environmentally friendly and more sustainable transport modes. Presumably, bicycle demand  
13 clearly exhibits a variation pattern with weather, which makes bicycle planning more likely to incorporate weather  
14 elements.

## 15 **Discussion and conclusion**

16 There is no doubt that weather significantly influences transport systems in terms of both demand and supply. As  
17 transport policies aim at building up an economically, socially and environmentally sustainable transport systems,  
18 understanding the influence of weather on individual travel is necessary for promoting active transport modes,  
19 such as walking and cycling. With increasing contributions from the fields of travel behaviour, transportation  
20 engineering, psychology, economics and meteorology, a general picture has emerged of how weather affects our  
21 transport system. Given the fact that future weather will become more extreme, understanding how weather  
22 influences travel behaviour is vital for planners and policy makers to achieve a sustainable transport system in a

1 warmer and more extreme future climate. This paper has summarised and assessed these contributions from the  
2 individual behaviour and policy analysis points of view. From an individual behaviour point of view, despite  
3 extensive empirical evidence concerning the correlations between weather variables and travel patterns, there is  
4 still a lack of theoretical understanding on how weather is perceived by travellers and affects their travel decisions,  
5 together with other traditional determinants such as travel time and cost. From a policy analysis point of view,  
6 despite increasing evidence on the impacts of weather on traffic volume, bicycle flow and transit ridership, large-  
7 scale transport models, which serve as the main tool of national policy evaluations, rarely consider weather.

8 From an individual behaviour point of view, researchers seek to improve the accuracy of estimated weather  
9 effects. Spatially, various mapping techniques have been used to connect weather data from sparse weather  
10 stations to each individual trip (Jaroszweski & McNamara, 2014; Chen & Mahmassani, 2015). Spatial dependent  
11 models were used to take into account the spatial heterogeneity of weather effects (Helbichet et al., 2014).  
12 Temporally, continuously measured meteorological variables have become increasingly available to measure the  
13 actual weather at the departure/arrival locations (Chen & Clifton, 2011; Singhal et al., 2014). The impacts of  
14 weather on day-to-day variations in travel patterns have been analysed to consider not only instantaneous weather  
15 effects but also weather effects on dynamic day-to-day travel patterns (Liu et al., 2015c). However, there is still  
16 no consensus on how weather is incorporated into travel decision processes, as travellers may adapt their travel  
17 patterns according to the weather forecast, weather prevailing at departure, or weather at the destination,  
18 depending on the nature of the trip (Cools and Creemers, 2013). More fundamentally, several psychologists  
19 (Thorsson et al., 2011; Thorsson et al., 2013) have pointed out that weather should be evaluated as a perception  
20 because essentially it is a perceived feeling rather than an objective measure. However, so far, relevant empirical  
21 evidence is only available on activity participation (for example, pedestrian density in open squares) (e.g.  
22 Thorsson et al., 2007; Lin, 2009). More relevant empirical evidence on travel behaviour is needed.

1 From a policy analysis point of view, there is a gap between empirical evidence of traffic flow/travel  
2 behaviour studies and current practices of CBA that do not consider the effects of weather. This paper has  
3 summarised several potential issues that can be improved regarding including weather in large-scale transport  
4 models. First, it is difficult to estimate generic weather parameters in large-scale demand models. Second, traffic  
5 assignment packages could use different traffic speed-flow-density relationships according to weather conditions.  
6 Third, there are uncertainties surrounding scenario assumptions regarding future weather and climate (Collins et  
7 al., 2013), making these difficult to represent in transport models.

8 These uncertainties could lead to an over/underestimation of CBA results through complex mechanisms.  
9 Ignoring weather impacts in the CBA process could have several policy implications. Given the fact that the  
10 future climate will be warmer, and future weather will be more extreme, the cost of certain transport projects may  
11 be underestimated, while the benefits may be overestimated. Liu, Susilo and Karlström (2016) showed that, if  
12 weather elements are ignored, transport models' assessments of future passenger transport CO<sub>2</sub> emissions may  
13 be considerably underestimated. External costs of CO<sub>2</sub> emissions, underestimated by CBAs, would lead to  
14 projects with considerable environmental impacts being selected.

15 Several potential research directions may be identified. First, evidence is needed on stated and revealed  
16 preferences regarding how individuals incorporate weather information when making travel decisions. The  
17 decision making mechanism may differ according to various attributes such as trip purpose, suggesting different  
18 criteria for different trip purposes and socio-demographics. Deterministic mapping and probabilistic mapping (for  
19 example, latent class modelling) can both be potential alternatives. Second, understanding the spatial and  
20 temporal variations of the impacts of weather is vital for policy evaluation. Given that local weather and  
21 infrastructure may form a particular micro-meteorological environment which is perceived by individuals living  
22 close to the particular area, spatial variation is expected between urban and rural areas, and coastal and inner land

1 areas. Weather should also be evaluated in a day-to-day travel pattern dynamic context, as weather is known to  
2 strongly affect leisure activity which exhibits a clear dynamic nature. Third, weather perception enables the  
3 “empirical weather-travel pattern relationship” to be enriched by behavioural theory; for example, prospect theory.  
4 Therefore, further studies in this direction can help to explain the spatial and temporal variations of the “empirical  
5 weather-travel pattern relationship”. Fourth, more studies are needed to enable transportation engineers and  
6 economists to consider weather impacts and uncertainty in terms of CBA, given the existence of considerable  
7 empirical evidence of the impacts of weather. Correspondingly, more studies are required in data collection,  
8 scenario assumption, transport models and effect models, and a general framework is needed to guide those  
9 improvements.

10 Finally, it is worth mentioning that weather may affect travel from a much wider perspective. For instance,  
11 various modern technologies, such as autonomous cars, can change the picture of current transport systems, but  
12 autonomous cars must also be able to cope with adverse weather. The travel equity issue also tends to be  
13 influenced by weather, as active transport users are weather-exposed; ageing or disabled travellers may find  
14 themselves less able to cope with adverse weather conditions than young and healthy travellers. Better weather  
15 information provision and infrastructures prepared for adverse weather can better protect pedestrians and cyclists  
16 and reduce accident rates in adverse weather conditions, thus providing wider social and economic benefits.

17

## 18 REFERENCES

- 19 1. Aaheim, H. A., & Hauge, K. E. (2005). *Impacts of climate change on travel habits: A national assessment*  
20 *based on individual choices (CICERO Report 07)*. Oslo: Centre for International Climate and Environmental  
21 Research.
- 22 2. Andree, J. M., & Joumard, R. (2005). *Modelling of cold start excess emissions for passenger cars*. <hal-  
23 00917071>. Retrieved from: <https://hal.archives-ouvertes.fr/hal-00917071/document>
- 24 3. Algers, S. Mattsson, L. G., Rydergren, C., & Östlund, B. (2009). *Sampers erfarenheter och*  
25 *utvecklingsmöjligheter på kort och lång sikt*. [Sampers' experience and development possibility for short  
26 and long run]. Stockholm, Center of Transport Studies, Royal Institute of Technology (KTH). Retrieved

- 1 from: <http://webstaff.itn.liu.se/~clryd/Sampersutveckling2009.pdf>
- 2 4. Aultman-Hall, L., Lane, D., & Lambert, R. R. (2009). Assessing the impact of weather and season on  
3 pedestrian traffic volumes. *Proceedings of the 88th Annual Meeting of the Transportation Research Board*,  
4 Washington, DC.
- 5 5. Akin, D., Sisiopiku, V. P., & Skabardonis, A. (2011). Impacts of weather on traffic flow characteristics of  
6 urban freeways in Istanbul. *6th International Symposium on Highway Capacity and Quality of Service*,  
7 Stockholm, Sweden. DOI:10.1016/j.sbspro.2011.04.432
- 8 6. Ahmed, F., Rose, G., & Jakob, C. (2013). Commuter cyclist travel behavior: examination of the impact of  
9 changes in weather. *Transportation Research Record*, 2387, 76-82. DOI: 10.3141/2387-09
- 10 7. Arana, P., Cabezudo, S., & Peñalba M. (2014). Influence of weather conditions on transit ridership: A  
11 statistical study using data from Smartcards. *Transportation Research Part A*, 59, 1-12. DOI:  
12 10.1016/j.tra.2013.10.019
- 13 8. Anta J., Perez-Lopez J. B., Martinez-Pardo, A., Novales, M., & Orro, A. (2015). Influence of the weather on  
14 mode choice in corridors with time-varying congestion: a mixed data study. *Transportation*. DOI  
15 10.1007/s11116-015-9578-1.
- 16 9. Becker, G. S. (1965). A theory of the allocation of time. *The Economic Journal*, 75(299), 493-517.
- 17 10. Ben-Akiva, M. E. (1974). Structure of passenger travel demand models. *Transportation Research Record*,  
18 526, 26-42.
- 19 11. Ben-Akiva, M. E., & Lerman, S. R. (1985). *Discrete Choice Analysis: Theory and Application to Travel*  
20 *Demand*. MIT Press.
- 21 12. Bergström, A., & Magnusson, R. (2003). Potential of transferring car trips to bicycle during winter.  
22 *Transportation Research Part A*, 37(8), 649-666.
- 23 13. Brilon, W., Geistefeldt, J., & Regler, M. (2005). Reliability of freeway traffic flow: a stochastic concept of  
24 capacity. *Proceedings of the 16th International Symposium on Transportation and Traffic Theory*, New York,  
25 USA.
- 26 14. Boulter, P. G., & McCrae, I. S. (2007). *ARTEMIS: Assessment and Reliability of Transport Emission Models*  
27 *and Inventory Systems – final report*. Wokingham, United Kingdom, TRL Limited.
- 28 15. Brandenburg, C., Matzarakis, A., & Arnberger, A. (2007). Weather and cycling—a first approach to the effects  
29 of weather on cycling. *Meteorological Application*, 14, 61–67.
- 30 16. Brekke, K. A., & Johansson-Stenman, O. (2008). The behavioural economics of climate change. *Oxford*  
31 *Review of Economic Policy*, 24(2), 280-297. DOI: 10.1093/oxrep/grn012
- 32 17. Björklund, G., & Carlén, B. (2012). *Värdering av restidsbesparingar vid cykelresor*. [Valuation of travel  
33 time savings in bicycle trips]. Research Report in Transport Economics. Stockholm: VTI project. Retrieved  
34 from: <http://www.vti.se/en/publications/pdf/valuation-of-travel-time-savings-in-bicycle-trips.pdf>
- 35 18. Börjesson, M., & Eliasson, J. (2012). The value of time and external benefits in bicycle appraisal.  
36 *Transportation Research Part A*, 46, 673-683.
- 37 19. Böcker, L., Dijst, M., & Prillwitz, J. (2013). Impact of everyday weather on individual daily travel behaviours  
38 in perspective: a literature review. *Transport Reviews*, 33(1), 71–91.
- 39 20. Böcker, L., Prillwitz, J., & Dijst, M. (2013). Climate change impacts on mode choices and travelled distances:



- 1 a comparison of present with 2050 weather conditions for the Randstad Holland. *Journal of Transport*  
2 *Geography*, 28, 176–185.
- 3 21. Börjesson, M., & Eliasson, J. (2014). Experiences from the Swedish Value of Time study. *Transportation*  
4 *Research Part A*, 59, 144-158.
- 5 22. Böcker, L., Dijst, M., & Faber, J. (2014). *Weather, transport mode choices and emotional travel experiences*.  
6 In: Böcker, L. (Eds.) *Climate, Weather and Daily Mobility: Transport Mode Choices and Travel Experiences*  
7 in the Randstad Holland. Dissertation. Utrecht University.
- 8 23. Böcker, L., Dijst, M., Faber, J., & Helbich, M. (2015). En-route weather and place valuations for different  
9 transport mode users. *Journal of Transport Geography*, 47, 128-138.
- 10 24. Cunningham, M.R. (1979). Weather, mood, and helping behavior: Quasi experiments with the sunshine  
11 samaritan. *Journal of Personality and Social Psychology*, 37(11), 1974–1956
- 12 25. Chung, E., Ohtani, O., Warita, H., Kuwahara, M., & Morita, H. (2005). Effect of rain on travel demand and  
13 traffic accidents. *Proceedings of the 8th International IEEE Conference on Intelligent Transportation*  
14 *Systems*. Vienna.
- 15 26. Connolly, M. (2008). Here comes the rain again: Weather and the intertemporal substitution of leisure.  
16 *Journal of Labor Economics*, 26(1), 73-100.
- 17 27. Chan, C. B., & Ryan, D. A. (2009). Assessing the effects of weather conditions on physical activity  
18 participation using objective measures. *International Journal of Environmental Research and Public Health*,  
19 6(10), 2639-2654.
- 20 28. Cools, M. (2009). *Inter- and intraday variability of Flemish travel behavior*. Ph.D. Thesis. University of  
21 Hasselt, Hasselt.
- 22 29. Cools, M., Moons, E., Creemers, L., & Wets, G. (2010). Changes in travel behavior in response to weather  
23 conditions: do type of weather and trip purpose matter? *Transportation Research Record*, 2157, 22-28. DOI:  
24 10.3141/2157-03.
- 25 30. Chen, R., & Clifton, K. J. (2011). Traveling in comfort: investigating weather ranges for travel. *Proceedings*  
26 *of the 90th Annual Meeting of the Transportation Research Board*, Washington, DC.
- 27 31. Clifton, K. J., Chen, R. B., & Cutter, A. (2011). Representing weather in travel behaviour models: a case  
28 study From Sydney, Aus. *Australian Transport Research Forum 2011 Proceedings*, Adelaide, Australia.
- 29 32. Carrion, C., & Levinson, D. (2012). Value of travel time reliability: A review of current evidence.  
30 *Transportation Research Part A*, 46, 720-741. DOI:10.1016/j.tra.2012.01.003
- 31 33. Chen, L., & Ng, E. (2012). Outdoor thermal comfort and outdoor activities: A review of research in the past  
32 decade. *Cities*, 29, 118-125.
- 33 34. Cools, M., & Creemers, L. (2013). The dual role of weather forecasts on changes in activity-travel behaviour.  
34 *Journal of Transport Geography*, 28, 167-175.
- 35 35. Connolly, M. (2013). Some like it mild and not too wet: the influence of weather on subjective well-being.  
36 *Journal of Happiness Study*, 14, 457-473. DOI 10.1007/s10902-012-9338-2
- 37 36. Collins, M., Knutti, R., Arblaster, J., Dufresne, J.-L., Fichefet, T., Friedlingstein, P., Gao, X., Gutowski, W.J.,  
38 Johns, T., Krinner, G., Shongwe, M., Tebaldi, C., Weaver, A.J., Wehner, M., 2013. Long-term climat change:  
39 projections, commitments and irreversibility. In: Stocker, T.F., Qin, D., Plattner, G.-K., Tignor, M., Allen,

1 S.K., Boschung, J., Nauels, A., Xia, Y., Bex, V., Midgley, P.M. (Eds.), *Climate Change 2013: The Physical*  
2 *Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental*  
3 *Panel on Climate Change*. Cambridge University Press, Cambridge, United Kingdom and New York, NY,  
4 USA. Report available from: <[https://www.ipcc.ch/pdf/assessment-](https://www.ipcc.ch/pdf/assessment-report/ar5/wg1/WG1AR5_Chapter12_FINAL.pdf)  
5 [report/ar5/wg1/WG1AR5\\_Chapter12\\_FINAL.pdf](https://www.ipcc.ch/pdf/assessment-report/ar5/wg1/WG1AR5_Chapter12_FINAL.pdf)>.


- 6 37. Creemers, L., Wets, G., & Cools, M. (2015). Meteorological variation in daily travel behaviour: evidence  
7 from revealed preference data from The Netherlands. *Theoretical and Applied Climatology*, 120, 183-194.  
8 DOI 10.1007/s00704-014-1169-0
- 9 38. Chen, R. B., & Mahmassani, H. S. (2015). Let it rain: weather effects on activity stress and scheduling  
10 behavior. *Travel Behaviour and Society*, 2, 55-64. DOI: <http://dx.doi.org/10.1016/j.tbs.2014.08.001>
- 11 39. Datla, S., Sharma, S. (2010). Variation of impact of cold temperature and snowfall and their interaction on  
12 traffic volume. *Transportation Research Record*, 2169, 107-115. DOI: 10.3141/2169-12
- 13 40. Dijst, M., Böcker, L., & Kwan, M. P. (2013). Exposure to weather and implications for travel behaviour:  
14 introducing empirical evidence from Europe and Canada. *Journal of Transport Geography*, 28(1), 24–26.
- 15 41. Everitt, B. S. (1984). *An Introduction to Latent Variables Models*. Chapman & Hall. ISBN 978-9401089548.
- 16 42. Edwards, J. B. (1999). Speed adjustment of motorway commuter traffic to inclement weather.  
17 *Transportation Research Part F*, 2, 1-14.
- 18 43. Eliasson, I., Knez, I., Westerberg, U., Thorsson, S., & Lindberg, F. (2007). Climate and behaviour in a Nordic  
19 city. *Landscape and Urban Planning*, 82, 72-84.
- 20 44. Fang, H. A. (2008). A discrete–continuous model of households’ vehicle choice and usage, with an  
21 application to the effects of residential density. *Transportation Research Part B*, 42, 736-758.
- 22 45. Flynn, B. S., Dana, G. S., Sears, J., & Aultman-Hall, L. (2012). Weather factor impacts on commuting to  
23 work by bicycle. *Preventive Medicine*, 54, 122-124.
- 24 46. Fu, X., Lam, W. H. K., & Meng, Q. (2014). Modelling impacts of adverse weather conditions on activity–  
25 travel pattern scheduling in multimodal transit networks. *Transportmetrica B*, 2(2), 151-167. DOI:  
26 10.1080/21680566.2014.924084
- 27 47. Guo, Z., Wilson, N. H. M., & Rahbee, A. (2007). Impact of Weather on Transit Ridership in Chicago, Illinois.  
28 *Transportation Research Record*, 2034, 3-11. DOI: 10.3141/2034-01
- 29 48. Gallop, G., Tse, C., & Zhao, J. (2012). A seasonal autoregressive model of Vancouver bicycle traffic using  
30 weather variables. *Papers presented at the 91st Annual Meeting of the Transportation Research Board*,  
31 Washington, D.C.
- 32 49. Gebhart, K., & Noland, R. B. (2014). The impact of weather conditions on bikeshare trips in Washington,  
33 DC. *Transportation*, 41, 1205-1225. DOI 10.1007/s11116-014-9540-7
- 34 50. Hanbali, R. M., & Kuemmel, D. A. (1993). Traffic volume reductions due to winter storm conditions.  
35 *Transportation Research Record*, 1387, 159–164.
- 36 51. Hassan, Y. A., & Barker, D. J. (1999). The impact of unseasonable or extreme weather on traffic activity  
37 within Lothian region, Scotland. *Journal of Transport Geography*, 7, 209-213.
- 38 52. Hausberger, S., Wiesmayr, J., Bukvarevic, E., Tripold, W., & Brenner, J. (2005). *Evaporative emissions of*  
39 *vehicles – Final Report*. European Commission 5th Framework project ARTEMIS (Assessment and

- 1 Reliability of Transport Emission Models and Inventory Systems). Technical University of Graz, Austria.
- 2 53. Hofmann, M., & Mahony, M. O. (2005). The impact of adverse weather conditions on urban bus performance  
3 measures. *Proceedings of the 8th International IEEE Conference on Intelligent Transportation Systems*.  
4 Vienna, Austria.
- 5 54. Habib, K. M., Day, N., & Miller, E.J. (2009). An investigation of commuting trip timing and mode choice in  
6 the Greater Toronto Area: Application of a joint discrete-continuous model. *Transportation Research Part*  
7 *A*, 43, 639-653.
- 8 55. Heinen, E., Maat, K., & Wee, B.V. (2011). Day-to-day choice to commute or not by bicycle. *Transportation*  
9 *Research Record*, 2230, 9-18. DOI: 10.3141/2230-02
- 10 56. Helbich, M., Böcker, L., & Dijst, M. (2014). Geographic heterogeneity in cycling under various weather  
11 conditions: evidence from Greater Rotterdam. *Journal of Transport Geography*, 38, 38-47.
- 12 57. Jaroszweski, D., & McNamara, T. (2014). The influence of rainfall on road accidents in urban areas: a  
13 weather radar approach. *Travel Behaviour and Society*, 1, 15-21. DOI:  
14 <http://dx.doi.org/10.1016/j.tbs.2013.10.005>
- 15 58. Kahneman, D., & Tversky, A. (1979). Prospect Theory: An Analysis of Decision under Risk. *Econometrica*,  
16 47(2), 263-291.
- 17 59. Khattak, A. J., & Palma, A. D. (1997). The impact of adverse weather conditions on the propensity to change  
18 travel decisions: A survey of Brussels commuters. *Transportation Research Part A*, 31(3), 181-203.
- 19 60. Kyte, M., Khatib, Z., Shannon, P., & Kitchener, F. (2001). Effect of weather on free-flow speed.  
20 *Transportation Research Record*, 1776, 60-68.
- 21 61. Keay, K., & Simmonds, I. (2005). The association of rainfall and other weather variables with road traffic  
22 volume in Melbourne, Australia. *Accident Analysis and Prevention*, 37, 109-124.  
23 D10.1016/j.aap.2004.07.005
- 24 62. Keller, M. C., Fredrickson, B. L., Ybarra, O., Cote, S., Johnson, K., Mikels, J., ... Wager, T. (2005). A warm  
25 heart and a clear head. The contingent effects of weather on mood and cognition. *Psychological Science*,  
26 16(9), 724-731.
- 27 63. Kilpeläinen, M., & Summala, H. (2007). Effects of weather and weather forecasts on driver behaviour.  
28 *Transportation Research Part F*, 10, 288-299.
- 29 64. Koetse, M. J., & Rietveld, P. (2009). The impact of climate change and weather on transport: An overview  
30 of empirical findings. *Transportation Research Part D*, 14(3), 205-221.
- 31 65. Kim, J., Mahmassani, H. S., & Dong, J. (2010). Likelihood and duration of flow breakdown: modeling the  
32 effect of weather. *Transportation Research Record*, 2188, 19-28. DOI: 10.3141/2188-03
- 33 66. Kööts, L., Realo, A., & Allik, J. (2011). The Influence of the weather on affective experience: an experience  
34 sampling study. *Journal of Individual Differences*, 32(2), 74-84.
- 35 67. Larson, T., & Filges, D. (1996). Landstrafikmodel for persontrafik i Danmark. [National traffic model for  
36 passenger traffic in Denmark]. Copenhagen, Denmark. Danish Road administration. Retrieved from,  
37 <http://www.trafikdage.dk/td/papers/papers96/trafik/filges/filges.pdf>
- 38 68. Lam, W. H. K., Shao, H., & Sumalee, A. (2008). Modeling impacts of adverse weather conditions on a road  
39 network with uncertainties in demand and supply. *Transportation Research Part B*, 42, 890-910.
- 40 69. Lin, T. Q. (2009). Thermal perception, adaptation and attendance in a public square in hot and humid regions.


- 1 *Building and Environment*, 44, 2017-2026.
- 2 70. Lu, Q. C., Zhang, J., Peng, Z. R., Rahman, A. S. (2014). Inter-city travel behaviour adaptation to extreme  
3 weather events. *Journal of Transport Geography*, 41, 148-153.
- 4 71. Liu, C., Susilo, Y. O., & Karlström, A. (2014). Examining the impact of weather variability on non-  
5 commuters' daily activity-travel patterns in different regions of Sweden. *Journal of Transport Geography*,  
6 39, 36-48.
- 7 72. Liu, C., Susilo, Y. O., & Karlström, A. (2015a). The influence of weather characteristics variability on  
8 individual's travel mode choice in different seasons and regions in Sweden. *Transport Policy*, 41, 147-158.
- 9 73. Liu, C., Susilo, Y. O., & Karlström, A. (2015b). Investigating the impacts of weather variability on  
10 individual's daily activity-travel patterns: a comparison between commuters and non-commuters in Sweden.  
11 *Transportation Research Part A*, 82, 47-64.
- 12 74. Liu, C., Susilo, Y. O., Termida, N. A. (2015c). Subjective perception towards uncertainty on weather  
13 conditions and its impact on out-of-home leisure activity participation decisions. *Paper presented in 6th*  
14 *International Symposium on Transportation Network Reliability*, Nara, Japan.
- 15 75. Liu, C., Susilo, Y. O., & Karlström, A. (2015d). Measuring the impacts of weather variability on home-based  
16 trip chaining behaviour: a focus on spatial heterogeneity. *Transportation*, 1-25. DOI: 10.1007/s11116-015-  
17 9623-0
- 18 76. Liu, C., Susilo, Y. O., & Karlström, A. (2016). Estimating changes in transport CO2 emissions due to  
19 changes in weather and climate in Sweden. *Transportation Research Part D*, 49, 172-187.
- 20 77. Maze, T. H., Agarwal, M., & Burchett, G. (2006). Whether weather matters to traffic demand, traffic safety,  
21 and traffic operations and flow. *Transportation Research Record*, 1948, 170-176.
- 22 78. Miranda-Moreno, L., & Nosal, T. (2011). Weather or not to cycle; whether or not cyclist ridership has grown:  
23 a look at weather's impact on cycling facilities and temporal trends in an urban environment. *Proceedings*  
24 *of the 91th Annual Meeting of the Transportation Research Board*, Washington, DC.
- 25 79. Montigny, L. D., Ling, R., & Zacharias, J. (2012). The Effects of weather on walking rates in nine cities.  
26 *Environment and Behavior*, 44(6), 821-840.
- 27 80. Nankervis, M. (1999). The effect of weather and climate on bicycle commuting. *Transportation Research*  
28 *Part A*, 33, 417-431.
- 29 81. Nikolopoulou, M., Baker, N., & Steemers, K. (2001). Thermal comfort in outdoor urban spaces:  
30 understanding the human parameter. *Solar Energy*, 70(3), 227-35. DOI: 10.1016/S0038-092X(00)00093-1
- 31 82. Nikolopoulou, M., & Lykoudis, S. (2006). Use of outdoor spaces and microclimate in a Mediterranean urban  
32 area. *Building and Environment*, 42, 3691-3707. DOI: 10.1016/j.buildenv.2006.09.008
- 33 83. Nosal, T., & Miranda-Moreno, L.F. (2014). The effect of weather on the use of North American bicycle  
34 facilities: A multi-city analysis using automatic counts. *Transportation Research Part A*, 66, 213-225.
- 35 84. Oh, J. S., Shim, Y. U., Cho, Y. H. (2002). Effect of weather conditions to traffic flow on freeway. *KSCE*  
36 *Journal of Civil Engineering*, 6(4), 413-420.
- 37 85. Østli, V., Harkjerr, A., Killi, M. (2015). *Valuation of time, reliability and comfort factors adapted to NTM6*.  
38 TØI Report 1389. Oslo, Norway.

- 1 86. Parkin, J., Wardman, M., & Page, M. (2008). Estimation of the determinants of bicycle mode share for the  
2 journey to work using census data. *Transportation*, 35, 93-109.
- 3 87. Phung, J., & Rose, G. (2008). Temporal variations in usage of Melbourne's bike paths. *Proceedings of 30th*  
4 *Australasian Transport Research Forum*. Melbourne, Victoria, Australia: Forum papers, 25-27.
- 5 88. Richardson, A. J. (2000). *Seasonal and weather impacts on urban cycling trips (TUTI Report 1-2000)*.  
6 Victoria: The Urban Transport Institute.
- 7 89. Rakha, H., Farzaneh, M., Arafeh, M., Hranac, R., Sterzin, E., & Krechmer, D. (2007). Empirical studies on  
8 traffic flow in inclement weather. Final Report. Publication No. FHWA-HOP-07-073, Washington, D.C.  
9 <http://ops.fhwa.dot.gov/publications/weatherempirical/weatherempirical.pdf>
- 10 90. Sihvola, N. (2009). Driver assessment of road weather conditions and road weather information. *Proceedings*  
11 *of the European Conference of Transport Research Institutes (ECTRI) Young Researchers Seminar 2009*,  
12 ECTRI, Torino, Italy.
- 13 91. Sumalee, A., Uchida, K., & Lam, W. H. (2011). Stochastic multi-modal transport network under demand  
14 uncertainties and adverse weather condition. *Transportation Research Part C*, 19, 338-350.
- 15 92. Sabir, M., 2011. *Weather and travel behaviour*. Ph.D. Thesis. VU University, Amsterdam.
- 16 93. Saneinejad, S., Roorda, M. J., & Kennedy, C. (2012). Modelling the impact of weather conditions on active  
17 transportation travel behaviour. *Transportation Research Part D*, 17(2), 129-137.
- 18 94. Singhal, A., Kanga, C., & Yazici, A. (2014). Impact of weather on urban transit ridership. *Transportation*  
19 *Research Part A*, 69, 379-391.
- 20 95. Thorsson, S., Lindqvist, M., & Lindqvist, S. (2004). Thermal bioclimatic conditions and patterns of  
21 behaviour in an urban park in Göteborg, Sweden. *International Journal of Biometeorology*, 48, 149-156.
- 22 96. Thorsson, S., Honjo, T., Lindberg, F., Eliasson, I., & Lim, E. M. (2007). Thermal comfort and outdoor  
23 activity in Japanese urban public places. *Environment and Behavior*, 39, 660-684.
- 24 97. TRB, 2007. *Metropolitan travel forecasting- current practice and future direction*. Transportation Research  
25 Board Special Report 288. Retrieved from: <http://onlinepubs.trb.org/onlinepubs/sr/sr288.pdf>
- 26 98. Thorsson, S., Lindberg, F., Björklund, J., Holmer, B., & Rayner, D. (2011). Potential changes in outdoor  
27 thermal comfort conditions in Gothenburg, Sweden due to climate change: the influence of urban geometry.  
28 *International Journal of Climatology*, 33, 324-335. DOI: 10.1002/joc.2231
- 29 99. Tin, S. T., Woodward, A., Robinson, E., & Ameratunga, S. (2012). Temporal, seasonal and weather effects  
30 on cycle volume: an ecological study. *Environmental Health*, 11, 1-9. DOI: 10.1186/1476-069X-11-12
- 31 100. Thomas, T., Jaarsma, R., & Tutert, B. (2013). Exploring temporal fluctuations of daily cycling demand on  
32 Dutch cycle paths: the influence of weather on cycling. *Transportation*, 40, 1-22.
- 33 101. Tian, W., Zheng, Y., Yang, R., Ji, S., & Wang, J. (2014). Research on clustering based meteorological data  
34 mining methods. *Advanced Science and Technology Letters*, 79, 106-112.
- 35 102. Theofilatos, A., & Yannis, G. (2014). A review of the effects of traffic and weather characteristics on road  
36 safety. *Accident Analysis & Prevention*, 72, 244-256. DOI:10.1016/j.aap.2014.06.017
- 37 103. Van Leeuwen, E., Koetse, M., Koomen, E., & Rietveld, P. (2009). Spatial economic research on climate  
38 change and adaptation; Literature review for "Knowledge for Climate." VU University, Amsterdam

- 1 104. Vlahogianni, E. I., & Karlaftis, M. G. (2012). Comparing traffic flow time-series under fine and adverse  
2 weather conditions using recurrence-based complexity measures. *Nonlinear Dynamics*, 69(4), 1949-963.  
3 DOI: 10.1007/s11071-012-0399-x
- 4 105. Winters, M., Friesen, M. C., Koehoorn, M., & Teschke, K. (2007). Utilitarian bicycling: a multilevel analysis  
5 of climate and personal influences. *American Journal of Preventive Medicine*, 32(1), 52-58.
- 6 106. Zhang, X., & Chen, S. (2009). Modeling of user's route choice behavior in adverse weather. *Proceedings of*  
7 *2009 IEEE International Conference on Grey Systems and Intelligent Services*, 1729-1733. Nanjing, China.
- 8 107. Zanni, A. M., & Ryley, T. J. (2015). The impact of extreme weather conditions on long distance travel  
9 behaviour. *Transportation Research Part A*, 77, 305-319. DOI:10.1016/j.tra.2015.04.025.



**Figure 1** The dynamic relationship between weather and transport system



**Figure 2** How can weather be incorporated in different components in CBA



**Table 1** Empirical studies assessed, sorted by travel mode groups, indicators and weather dimensions

	Study location	Travel/Traffic Indicators	Weather effects found	Weather and transport data matching	Modelling technique
<b>Weather impacts on walk mode/pedestrian</b>					
Sabir (2011)	The Netherlands	Mode choice, route choice, trip distance, destination choice, daily trip frequency	Hourly temperature: (-) Wind speed: () Precipitation: (-) Precipitation duration: () Snow: (+) Visibility: ()	Matching closest station data according to time of the day	Multinomial Logit model, Tobit model, Negative binomial model
Böcker et al. (2015)	Greater Rotterdam, The Netherlands	Mode choice with emotion	Hourly air temperature: (+) Precipitation: (+) wind speed: (+) clearness index: ()	Matching closest station data according to time of the day	Structural Equation model
Saneinejad et al. (2012)	Toronto, Canada	Mode choice	Hourly temperature: () Precipitation: (+) Wind speed: ()	Matching a close station data according to time of the day	Multinomial Logit model
Liu et al. (2015a)	Sweden	Mode choice	Daily temperature, normalized: () Precipitation: () Snow: (+)	Matching closest station data according to day	Multinomial Logit model
Clifton et al. (2011)	Sydney, Australia	Mode choice and trip generation rates	Classified weather type via cluster analysis: Summer cool with light rain(+) Autumn very rainy (+)	Matching closest station data according to day	Linear regression
Böcker et al. (2013)	Randstad, Holland	Mode choice and travel distance	Projected 2050 climate: ()	Weather matching to each trip (details not mentioned)	Multinomial Logit model and Tobit model
Montigny et al. (2012)	Nine cities in Europe	Walk rate (walk count)	Hourly temperature: (+) Ground with sunshine: () Precipitation: (-)	Measured locally and verified by nearby station data	Poisson regression
Aultman-Hall et al. (2009)	Downtown Montpelier, Canada	Automated hourly pedestrian counts	Hourly temperature: (bell-shape $\cap$ ) relative humidity: (-) precipitation: (-) wind speed: ()	Matching station data from 3 mi away from counting site according to time of the day	Descriptive on Factor of mean index

	Study location	Travel/Traffic Indicators	Weather effects found	Weather and transport data matching	Modelling technique
Nikolopoulou and Lykoudis (2006)	Athens, Greece	Square attendance	Hourly air temperature: - in summer and + in winter) Sun radiation: (- in summer and + in winter) Wind speed: ( ) Relative humidity: ( )	Matching a close station data according to time of the day	Linear regression
Lin (2009)	Taiwan	Square attendance	Sunshine hours: (+) Physiologically equivalent temperature: (+)	Measured at the spot	Linear regression
Thorsson et al. (2007)	Sweden and Japan	Square attendance	Air temperature (mixed) Various thermal index (mixed)	Record at the study spot	Linear regression
Nikolopoulou and Baker (2001)	Cambridge, UK	Square attendance	Hourly temperature: (+)	Matching a close station data according to time of the day	Descriptive analysis
<b>Weather impacts on bicycle/cyclist counts</b>					
Sabir (2011)	The Netherlands	Mode choice, route choice, trip distance, destination choice, daily trip frequency	Hourly temperature: (+ bell shape) Wind speed: (-) Precipitation: (-) Precipitation duration: (-) Snow: (-) Visibility: (-)	Matching closest station data according to time of the day	Multinomial Logit model, Tobit model, Negative binomial model
Böcker et al. (2015)	Greater Rotterdam, The Netherlands	Mode choice with emotion	Hourly air temperature: (+) Precipitation: (-) Wind speed: ( ) Clearness index: ( )	Matching closest station data according to time of the day	Structural Equation model
Saneinejad et al. (2012)	Toronto, Canada	Mode choice	Hourly temperature: (+) Precipitation: (-) Wind speed: (-)	Matching a close station data according to time of the day	Multinomial Logit model
Liu et al. (2015a)	Sweden	Mode choice	Daily temperature, normalized: (+) Precipitation: (-) Snow: (-)	Matching closest station data according to day	Multinomial Logit model
Clifton et al. (2011)	Sydney, Australia	Mode choice and trip generation rates	Categorised weather types via cluster analysis: Summer cool with light rain: (+)	Matching closest station data according to day	Linear regression

	<b>Study location</b>	<b>Travel/Traffic Indicators</b>	<b>Weather effects found</b>	<b>Weather and transport data matching</b>	<b>Modelling technique</b>
Böcker et al. (2013)	Randstad, Holland	Mode choice and travel distance	Projected 2050 climate: (+)	Weather matching to each trip (details not mentioned)	Multinomial Logit model and Tobit model
Flynn et al. (2012)	Vermont, U.S.A.	Bicycle commuting choice	Daily temperature: (+) Precipitation: (-) Snow: (-) Wind speed: (-) Daylight hour: ( )	Matching closest station data according to time of the day	Logistic regression
Heinen et al. (2011)	Delft and Zwolle, The Netherlands	Longitudinal bicycle mode choice	Daily temperature: (+) Precipitation: (-) Precipitation length: (-) Wind speed: (-) Darkness: (-) Sunshine hours: (+)	Matching closest station data according to day	Multinomial Logit model with generalized estimating equations
Nankervis (1999)	Melbourne, Australia	Students' bicycle commute choice	Daily temperature: (+) Wind speed: (-) Precipitation: (-)	Details not mentioned	Descriptive analysis
Helbich et al. (2014)	Greater Rotterdam, The Netherlands	Binary choice on bicycle considering spatial heterogeneity	Daily temperature: (+) Precipitation: (-) Wind speed: (-)	Matching a close station data according to day	Geographically weighted Multinomial Logit model
Ahmed et al. (2013)	Victoria, Australia	Cycle to commute	Survey question "weather as a factor influencing bicycle to commute": (+)	Not relevant <sup>a</sup>	Binary Logit model
Parkin et al. (2008)	England and Welsh	Share of wards cycling to work	Temperature: (+) Rainfall: (-) Sunshine hours: ( )	Matching weather at regional level	Binary Logit model
Bergström and Magnusson (2003)	Luleå and Linköping, Sweden	Cycling share and cycling distance	Seasons: Summer (+)	Not relevant	Descriptive analysis

<sup>a</sup> The term "not relevant" means that the weather data and travel data are collected at the same time or there is no meteorological weather data used, e.g. weather perception in stated preference survey. Therefore, no weather and travel data matching is needed.

	Study location	Travel/Traffic Indicators	Weather effects found	Weather and transport data matching	Modelling technique
Winters et al. (2007)	Canada	Revealed preference on the cycling frequency	Historical climate data: Historical average temperature: (+) Historical wind speed: ( ) Historical number of rainy days in each season: (-) Historical number of snowy days in each season: (-)	Matching closest station data	Multilevel logistic regression
Brandenburg et al. (2007)	Vienna, Austria	Bicycle counts/volume	Physiologically equivalent temperature: (+)	Matching station data 6 km away from studying site according to time of the day	Descriptive analysis and correlation
Gebhart and Noland (2014)	Washington, DC, U.S.A.	Bikeshare trip counts/volume	Hourly temperature: (+) Precipitation: (-) Snow: (-) Thunderstorm: ( ) Wind speed: (-) Fog: ( ) Relative humidity: (-) Darkness: (-)	Matching closest station data according to time of the day	Negative binomial model
Miranda-Moreno and Nosal (2011)	Montreal, Canada	Hourly bicycle ridership (flow)	Hourly temperature: (+) Precipitation: (-) Humidity: ( )	Matching a close station data according to time of the day	Linear regression
Nosal and Miranda-Moreno (2014)	Four cities in U.S.A	Standardized bicycle count volume at studying spot	Hourly temperature: (+) Relative humidity: (-) Precipitation: (-) Lagged precipitation: (-)	Matching a close station data according to time of the day	Linear regression
Phung and Rose (2008)	Melbourne, Australia	Daily bicycle count volume at studying spot	Temperature: (+ bell shape) Daily rainfall: (-) Wind speed: (-) Sunshine hours: (+) Humidity: ( )	Details not mentioned	Linear regression
Richardson (2000)	Melbourne, Australia	Average daily cycling trips	Daily temperature: (+ bell shape $\cap$ ) Wind speed: ( ) Rainfall: (-)	Matching a close station data according to day	Adjusting factors for different weather conditions

	Study location	Travel/Traffic Indicators	Weather effects found	Weather and transport data matching	Modelling technique
Thomas et al. (2013)	The Netherlands	Daily bicycle volume count at certain bicycle path	Daily temperature: (+) Precipitation: (-) Wind speed: (-) Sunshine hours: (+)	Matching a “not so close” station data (35km) according to day	Linear regression
<b>Weather impacts on private car/traffic flow</b>					
Sabir (2011)	The Netherlands	Mode choice, route choice, trip distance, destination choice, daily trip frequency	Hourly temperature: (-) Wind speed: (-) Precipitation: (+) Precipitation duration: (+) Snow: (-) Visibility: ( )	Matching closest station data according to time of the day	Multinomial Logit model, Tobit model, Negative binomial model
Böcker et al. (2015)	Greater Rotterdam, The Netherlands	Mode choice with emotion	Hourly air temperature: ( ) Precipitation: ( ) Wind speed: ( ) Clearness index: ( )	Matching closest station data according to time of the day	Structural Equation model
Saneinejad et al. (2012)	Toronto, Canada	Mode choice	Hourly temperature: (-) Precipitation: (-) Wind speed: ( )	Matching a close station data according to time of the day	Multinomial Logit model
Liu et al. (2015a)	Sweden	Mode choice	Daily temperature, normalized: (-) Precipitation: ( ) Snow: ( )	Matching closest station data according to day	Multinomial Logit model
Clifton et al. (2011)	Sydney, Australia	Mode choice and trip generation rates	Classified weather type via cluster analysis Summer very rainy & humid and very windy (+) Summer dry & very hot dry (+) Spring very rainy (+)	Matching closest station data according to day	Linear regression
Böcker et al. (2013)	Randstad, Holland	Mode choice and travel distance	Projected 2050 climate: (-)	Weather matching to each trip (details not mentioned)	Multinomial Logit model and Tobit model
Aaheim and Hauge (2005)	Bergen area, Norway	Mode choice	Daily temperature: (-) Precipitation: (+)	Not mentioned	Multinomial Logit model
Anta et al. (2015)	Barcelona, Spain	SP and RP mode choice between private car and public transport	SP options related to weather levels, Regular weather (-)	Not relevant	Combined SP-RP Multinomial Logit model

	Study location	Travel/Traffic Indicators	Weather effects found	Weather and transport data matching	Modelling technique
Cools (2009)	Belgian	Traffic volume	Temperature: (+) Daily precipitation: (-) Snow: (-) Cloudiness: (-) Sunshine duration: ( ) Visibility: ( ) Wind speed: (-)	Matching closest station data according to day	Linear regression
Key and Simmonds (2005)	Melbourne, Australia	Traffic volume	Temperature: (+) 3-hour measured rainfall: (-) Wind speed: (-) Cloud: (-) Poor surface condition: (-)	Matching a close station data according to day	Linear regression
Datla and Sharma (2010)	Alberta, Canada	Traffic volume	Daily temperature: (+) Precipitation: ( ) Snow: (-)	Matching closest station data according to day	Linear regression
Chung et al. (2005)	Tokyo, Japan	Traffic volume	Hourly precipitation (-)	Matching closest station data according to time of the day	Descriptive analysis
Hassana and Barker (1999)	Lothian Region, Scotland	Ratio of traffic count to its historical value	Daily temperature: (+) Rain: (-) Snow: (-) Sunshine hours: (+)	Matching closest station data according to day	Descriptive analysis
Akin et al. (2011)	Istanbul, Turkey	Traffic speed and density	Rain: (-) fog/mist/haze, or snow (-)	Station data	Log-linear regression
Edwards (1999)	Wales	Traffic speed at spot	Manual observed weather type: Wet weather: (-) Misty weather: (-)	Manual observations of the weather at spot	Linear regression
Kyte et al. (2001)	Interstate freeway in U.S.A	Free-flow traffic speed	Snow measured every 5 minutes: (-) Wind speed: (-) Poor visibility: (-)	Details not mentioned	Linear regression
Oh et al. (2002)	Incheon, Korea	Traffic free-flow speed and traffic volume relationship	Rain: (-) Snow: (-)	Details not mentioned	Linear regression

	<b>Study location</b>	<b>Travel/Traffic Indicators</b>	<b>Weather effects found</b>	<b>Weather and transport data matching</b>	<b>Modelling technique</b>
Vlahogianni and Karlaftis (2012)	Athens, Greece	Freeway lane speed at certain spot	Precipitation intensity level on lane speed: (-)	Matching a close station data according to time of the day	Recurrence quantification analysis
Kilpeläinen and Summala (2007)	Finland	Choice of acquiring weather forecast and weather perception on driver behaviour	Weather perception has an insignificant effect on drivers' on-road behaviour	Not relevant	Logistic regression
Sihvola (2009)	Finland	Choice on weather forecast, driver's mode choice, perceived weather condition	Adverse weather leads to longer following distance, avoid overtaking, attention to road surface, driving slower	Not relevant	Descriptive analysis
<b>Weather impacts on public transport</b>					
Sabir (2011)	The Netherlands	Mode choice, route choice, trip distance, destination choice, daily trip frequency	Hourly temperature: (-) Wind speed: ( ) Precipitation: (+) Precipitation duration: ( ) Snow: ( ) Visibility: ( )	Matching closest station data according to time of the day	Multinomial Logit model, Tobit model, Negative binomial model
Böcker et al. (2015)	Greater Rotterdam, The Netherlands	Mode choice with emotion	Hourly air temperature: (+) Precipitation: (+) Wind speed: ( ) Clearness index: ( )	Matching closest station data according to time of the day	Structural Equation model
Saneinejad et al. (2012)	Toronto, Canada	Mode choice	Hourly temperature: ( ) Precipitation ( ) Wind speed: ( )	Matching a close station data according to time of the day	Multinomial Logit model
Liu et al. (2015a)	Sweden	Mode choice	Daily temperature, normalized to its historical mean: ( ) Precipitation: (+) Snow: ( )	Matching closest station data according to day	Multinomial Logit model
Clifton et al. (2011)	Sydney, Australia	Mode choice and trip generation rates	Classified weather type via cluster analysis Autumn very rainy (+)	Matching closest station data according to day	Linear regression
Böcker et al. (2013)	Randstad, Holland	Mode choice and travel distance	Projected 2050 climate: ( )	Weather matching to each trip (details not mentioned)	Multinomial Logit model and Tobit model
Aaheim and Hauge (2005)	Bergen area, Norway	Mode choice	Daily temperature: (-) Precipitation: (+)	Not mentioned	Multinomial Logit model

	Study location	Travel/Traffic Indicators	Weather effects found	Weather and transport data matching	Modelling technique
Anta et al. (2015)	Barcelona, Spain	SP and RP mode choice between private car and public transport	SP options related to weather levels: Regular weather (+)	Not relevant	Combined SP-RP Multinomial Logit model
Arana et al. (2014)	Gipuzkoa, Spain	Transit ridership	Daily mean temperature: (+) Relative humidity: (-) Precipitation: (-) Wind speed: (-)	Matching climate data from one close station according to day	Linear regression
Guo et al. (2007)	Chicago, U.S.A.	Transit ridership	Daily temperature: (+) Rain: (-) Snow: (-) Wind speed: (-) Fog: (+)	Matching closest station data according to time of the day	Linear regression
Hofmann and Mahony (2005)	Ireland	Bus ridership, headway, bunching, travel time	Rain on ridership: (-) Rain on headway: (+ higher headway regularity) Rain on bunching: ( ) Rain on bus travel time reliability: (- travel time variability)	Matching station data 10 km away from boarding station according to time of the day	Descriptive analysis
Singhal et al. (2014)	New York, U.S.A	Daily and hourly subway ridership	Temperature deviation normalized to its historical mean: (- for both too cold and too warm extremes) Rain: (-) Wind speed: (-) Snow: (-) Fog: ( )	Matching a close station data according to time of the day	Linear regression
<b>Weather impacts on activity participation and scheduling</b>					
Cools and Creemers (2013)	Flemish, Belgian	SP on mode, departure time, destination and route choices	SP options related to weather conditions: significant weather effect	Not relevant	Pearson chi-square independence test and Multinomial Logit model with generalized estimating equations
Chen and Mahmassani (2015)	San Francisco Bay Area, U.S.A	Activity stress defined on activity scheduling theory	Interpolated rainfall: insignificant	Matching closest station data according to time of the day	Mixed Logit model



	Study location	Travel/Traffic Indicators	Weather effects found	Weather and transport data matching	Modelling technique
Eliasson et al. (2007)	Gothenburg, Sweden	Activity participation	Subjective weather perception, Clearness index: (+) Temperature (+) Wind speed (-)	Manual observations of the weather at spot	Linear regression
Khattak and Palma (1997)	Brussels, Belgian	Frequencies of change in travel mode, departure time and route choice due to adverse weather	Adverse weather on mode change: (+) Adverse weather on departure time change: (+) Adverse weather on route change: (+)	Not relevant	Ordered Probit model
Liu et al. (2015b)	Sweden	Daily activity duration, number of trips and trip chains, travel time and mode share	3-hour measured temperature, relative humidity, precipitation, wind speed, visibility, snow (different effects on work and non-work activity participations)	Matching closest station data according to time of the day	Structural Equation model
Liu et al. (2014)	Sweden	Daily activity duration, number of trips, travel time and mode share	3-hour measured temperature, relative humidity, precipitation, wind speed, visibility, snow (different effects on routine and leisure activity participations)	Matching closest station data according to time of the day	Simultaneous Tobit model
Liu et al. (2015d)	Sweden	Trip chaining decision	Universal thermal climate index: (-) Precipitation: (-) Wind speed: ( ) Visibility: ( ) Snow: (+)	Matching closest station data according to time of the day	Ordered Probit model

Note: a “-” sign indicates that the given weather variable/effect is negatively correlated with the Travel/Traffic Indicators while a “+” indicates that the given weather variable/effect is positively correlated with the Travel/Traffic Indicators. A blank parenthesis indicates that the given weather variable/effect has an insignificant effect on the Travel/Traffic Indicators.