

Novel Formulation of *Aloe Vera* and Quercetin in the Management of Dermal Disease: Eczema

Vandana Gupta,* Km Sanyogita and Ashish Manigauha

Mittal Institute of Pharmacy, Opposite Bhopal Memorial Hospital & Research Centre, Ayodhya Bypass Road, Navi Bagh, Karond, Bhopal-462038, M.P.

*Corresponding author Email: vandanargpv@gmail.com

Abstract

Eczema, also known as atopic dermatitis is a state that compels your skin inflamed or irritated. Scientific investigations claim that *aloe vera*, an admired natural plant product may aid to manage the eczema. There is not much research evaluating the use of *aloe vera* for eczema. But it is well known to have anti-bacterial and anti-fungal properties, along with anti-inflammatory properties, could be particularly applicable to manage the eczema. Quercetin efficaciously inhibits the secretion of histamine and pro-inflammatory markers along with evident to decrease eczema. Thus amalgamated effect of *aloe vera* and quercetin may synergise the therapeutic efficacy in the management of eczema. Topical treatment is often the first-line remedy for mild to moderate eczema. Dermal formulations (Cream, ointment, gel etc.) are still the main therapeutic approach for the treatment of skin disorders. Present studies emphasize the types, etiology, symptoms, prevention and herbal therapeutic options for the management of eczema.

Keywords: Skin disorders, Eczema, *Aloe vera*, Topical formulation, Quercetin

1. Introduction

Eczema is a dermal disorder wherein blemish of skin begin dry, broken, and rough. Some types can also cause blebs. Eczema is usually, chronic, non-contagious skin disorder. The main indication of this inflammatory disease is a very itchy rash. There is generally no cure for eczema, but it can be managed with consistent medical care and a systematic treatment plan. Some types of eczema can be prevented by avoiding stress, infliction, and belongings that cause allergic response.¹ Eczema may produce potential for complications, such as a secondary bacterial or fungal infection of the eczema rash.

Aloe vera (*A. vera*) evolve wild in tropical, semi-tropical, and arid climates worldwide. It is cultivated for agricultural and medicinal applications. *A. vera* is one of the most paramount plants used in traditional medicine. *A. vera* contains enzymes, minerals, vitamins, acids, amino acids, lipids, lectin, lactates, salicylates, phenolics, polysaccharides, urea. *A. vera* is conventionally applied to relieve itching and inflammation, wound healing as well as antimicrobial properties.^{2,3} Aloenin is an important compound of *A.vera* used in skin allergies, burns and insect bites. Aloenin is efficacious in healing damaged dermal situation.⁴ Quercetin is able to reduce wheal, flare and itching of damaged skin. It may also help to restore skin barrier function and integrity. Quercetin is a natural flavonoid. It is obtained from several plants and foods, such as onions, apples, green tea, Ginkgo biloba, berries, St. John's wort, American elder, and others. It functions as antioxidants and plays an important role to combat free radical damage, which is related to various diseases.^{5,6}

Dermal formulation is the most common and popular approach to manage skin diseases.⁷ *A. vera* herbal formulations available in the form of cream, gel, facial solution, moisturizer etc. Quercetin is formulated in different dermatological preparations as gel, emulgel and microemulsion gel. Combination, sequential and rotational ways are often more promising and better over single-agent remedies in the management of ailments.⁸ There are a variety of novel remedies or topical formulations such as nanoemulsions, microemulsion, multiple emulsion, liposomes, aerosol foams, hydrogel, organogel, nanogel etc. available that are frequently applied in order to target concurrent multiple pathogenic factors.⁹ Therefore, *A. vera* and quercetin combination in novel topical formulation are proposed as viable remedies for effective eczema management.

2. Eczema and Its Management

Eczema is a common incendiary skin amitosis that is increasing in acclaim. The inception of eczema (also known as atopic dermatitis or atopic eczema/dermatitis syndrome) commonly takes place in the first few months of life and generally within the first year of life. The exact rationale of eczema is unknown, but factors that may trigger or aggravate the condition include food and environmental allergens or annoyance, heat or cold, stress, and genetic susceptibility. Severe eczema can give rise to notable morbidity and have crucial social, emotional and financial influences on children and their families.¹⁰ Histologically, Three features of eczema are observed (figure 1): expansion of the stratum corneum is due to disruption to the cornification process, abnormal accumulation of fluid occurs due to destruction of the proteins involved in tight junctions, thereby leading to uncontrolled gesture of fluids in the paracellular space, infiltration of the dermis by immune cells is an indication of the primary immune reaction itself or in response to the ingress of allergens through a cracked dermal barrier.¹¹

Eczema has been an engrossing challenge for it is proficient of remissions and worsening. Evidently, it is tough to circumvent the allergens entangled for the condition, more so in the underprivileged candidate of the disease. Nonetheless, it is valuable to dwell on the therapies available thus far to relieve the symptoms and signs. Although dermal corticosteroids are often used to manage the predominant symptoms of the ailment, the persistency of the situation increases the risk of everlasting unwanted effects. Herbal medicine is as old as civilization. Utilization of traditional herbal medicine is extensive in different province of the world. Herbal remedies are generally distinguished as effective and have fewer side effects. Many herbs are used to treat various dermal diseases including eczema. Among them is *A. vera* which has demonstrated great results in dermal diseases.¹²

3. Glimpse on *Aloe Vera*

The scientific name of *A. vera* is *Aloe barbadensis miller*. It is a member of Asphodelaceae (Liliaceae) family, and is a shrubby or dendriform, perennial, xerophytic, fleshy with serrated edges, green color plant. *A. vera* leaf is comprise of three strata: 1) An inner clear gel; 2) The middle layer of latex, 3) The outer thick layer of 15–20 cells. *A.vera* has antioxidant, anti-inflammatory, antimicrobial, antineoplastic, hypoglycemic and immune enhancing properties. It is applied traditionally to manage many ailments. It is applied topically for wound healing, soothing inflamed skin and various dermal lesions. Many investigations revealed that *A. vera* decreases the manifestations of eczema such as skin dehydration, scaling and refined the skin quality. In addition, its antimicrobial properties prevent further infection.^{13, 14}

4. Medicinal Properties of *Aloe Vera*

The medicinal properties of *A. vera* are based on mostly by incidental data. Though most of these applications are interesting, systematic trials are essential to measure its effectiveness in all the following diseases.

4.1. Properties Based on Scientific Corroboration

These properties have been tested in humans or animals. Safety and efficacy have not always been proven. Medicinal properties based on scientific evidence was observed in the conditions like psoriasis, seborrheic dermatitis, vulgaris, skin burns, genital herpes, Type 2 diabetes, HIV infection, neoplastic lesions, ulcerative colitis, wound healing, mucositis, radiation dermatitis, acne vulgaris, lichen planus, frostbite, constipation, and aphthous stomatitis.¹⁵

4.2. Properties Based on Historical Convention or Theory

These medicinal properties often have not been thoroughly investigated in humans. Safety and effectiveness have not always been proven in traditional and scientific theories for the conditions like alopecia, bacterial and fungal dermal infections, chronic leg wounds, systemic lupus erythematosus, arthritis and parasitic infections.²

5. *Aloe Vera* in Dermal Protection and Disease

A. vera maintains the skin moist and thus it is conventionally used as a moisturizer to cure the dehydrated skin. For example, *A. vera* gel gloves can build up dermal integrity and reduces the appearance of fine lines and erythema¹⁶ and can be used for the treatment of pimples. Among different *A. vera* extracts, aloe mucopolysaccharides aid to combine water with the skin¹⁷, thus providing moisturizing results. The leaf gel materials of *A. vera* was investigated which reveals that it boost skin entropy, uniformity and energy at 30 and 90 min post

application and thus have a greater hydrating effect.¹⁸ *A. vera* also shields the skin from aging and it is thus have lots of scope in cosmeceuticals.¹⁷ In clinical studies of radiation-induced dermatitis, *A. vera* extract can lower the influence of ultraviolet light on the skin, as some of the antioxidants and vitamins found in *A. vera* leaf can counteract the impact of ultraviolet (UV) radiation.¹⁹ *A. vera* gel can alter the release of dermal keratinocytes derived from immunosuppressive cytokines like interleukin-10 (IL-10), thereby minimizing UV-induced delayed hypersensitivity responses.²⁰ Observations have shown that *A. vera* gel accommodates small molecule immunomodulators, such as G1C2F1, which minimizes epidermal Langerhans cells from UV-induced dermal immune responses.²¹ These investigations presumed scientific proof holding up the traditional use of *A. vera* as a topical protective agent. *A. vera* gel has conventionally been considered to be a skin healing flora.²² *A. vera* gel also exhibited beneficial consequence on the epidermal keratinocytes during the wound healing activity. *A. vera* gel plays a crucial part in the management of superficial and partial thickness burns. *A. vera* gel also exhibited beneficial consequence on the epidermal keratinocytes during the wound healing activity. *A. vera* gel plays a crucial part in the management of superficial and partial thickness burns.

Several relevant investigations have showed that *Aloe* and its active components have potent therapeutic effects on several chronic dermal diseases like psoriasis and acne²³, as well as various kinds of dermal inflammations (table 1). Moreover, it has been reported that *A. vera* lotion has a prophylactic action by reducing the impact of radiation-induced dermatitis.¹⁹ Several earlier investigations have revealed that *A. vera* and its active compounds have encouraging potential for the effective management of dermal diseases with lower adverse effects.

6. Quercetin at a Glance

Quercetin is classified as plant derived component, flavonol. It is reported that, quercetin has shown an excellent *in vitro* antioxidant. Within the flavonoid family, quercetin is the most potent scavenger of Reactive oxygen species. Earlier *in vitro* studies have shown that quercetin also possesses anti-microbial, antiinflammatory, anti-proliferative activities, immuno-suppressive, anti-fibrotic, anti-coagulative, anti-atherogenic and antihypertensive. Quercetin also confine great prospective for dermal application, as it shows strong protective influence against UV-induced lipid peroxidation ³² and proved to be efficacious on human skin with anti-ageing activity and skin rejuvenation potentiality.³³

7. Quercetin in Cutaneous Disorders

Quercetin is an encouraging potential compound for dermal diseases as it holds powerful antioxidant ³⁴ and broad anti-inflammatory activities.³⁵ These activities can be executed in the management of dermal inflammatory diseases like psoriasis and in the favour of skin in response to oxidative stress persuaded by UV irradiation.³⁶ As the outermost protective organ of the human body, the skin is vulnerable to oxidative stress caused by environmental imbalance, which leads into various skin damage and diseases, such as aging, cancer, and inflammation (figure 2). In the countenance of ultraviolet radiation, air pollution, and other extrinsic factors on the skin, it is of great importance to use substance that can hinder oxidative stress and inflammatory response to treat inflammatory dermal lesions and delay the skin aging. The antioxidant ability of OH on quercetin is playing a crucial role for anti-inflammatory and anti-oxidative responses. It is investigated that quercetin is applicable in treatment of furunculosis, dermatitis, atopic dermatitis, eczema, and other inflammatory dermal diseases.

8. Novel Topical Formulations in the Management of Eczema

Therapeutics is applied dermally to the skin especially for their local or site specific action. Even though, the dermal delivery of the drug can also be applicable for systemic activity. Over the previous years, dermal delivery of drugs has give rise to more and more attention, of which, systemic side effects can be minimized in comparison to parenteral or oral drug delivery. Dermal delivery of the drug circumvent hepatic first-pass metabolism and extensive fluctuations of drug-plasma levels caused by repeated oral administration of rapidly eliminated drugs. Based on the characteristics of the ingredients and on the condition of the skin to be applied, a dispensing medium to provide a stable physicochemical environment that protects the active compound from chemical and enzymatic degradation should be developed, that can be a liquid or semi-solid, monophasic or multiphasic (dispersed systems). Inflammation of hypertrophic scar on the eczematous lesions forms a strong barrier for the skin permeation of medicaments through dermal route. To overcome this challenge, various novel topical formulations such as hydrogels, microemulsions, solid lipid nanoparticles, liposomes, dendrimers, and microsponges, nanogels, organogels etc.³⁷ have been explored for the penetration enhancement and prolonged release actions. These preparations are depicted to be applied not only as “drug carriers”, but also play a role in “drug depots” for releasing active ingredients over a sustained period of time.

9. Scope of Phyto-Chemical in Novel Topical Formulation

Dermal applications of drugs, herbal or others are applied with a diversity of desired effects, including the targeting of local tissues for dermal consequences, to the targeting of deeper strata, to the seeking out of a broader systemic influence. The history of the dermal application of plant-based medicines is over the prolonged period of time with documentations within traditional medicinal systems.³⁸ Herbal medicines are used in the

management of a wide variety of conditions extending from dermatitis and psoriasis to dermal infections to dermal malignancies. However, the skin does provide a alarming barrier and novel drug delivery systems are being revolve to as a means to enhance dermal absorption. It is the incorporation of herbal medicines into such novel drug delivery systems. The key novel formulations that have been more specifically utilised for the dermatological and transdermal applications of herbal medicines are polymeric nanoparticles, liposomes, ethosomes, nano-emulsions, transferosomes, phytosomes and novel gels (table 2). All these are reserving much interest to aggravate the therapeutic efficacy of phyto-chemicals.³⁹

10. Conclusions

Eczema is characterized by dry, rough and broken topmost layer of the skin known as stratum corneum. Several medicinal plant species applied to treat dermal ailments was investigated and documented since ancient time. Several investigated species are claimed very useful. However, these medicinal floras demanding a phytochemical screening for active moieties, biological properties and clinical studies are of universal significance. Using natural constituents in different novel topical formulations for skin care are very popular today. Moreover, one such type of natural plant; *A. vera* contain a lot of constituents which can be useful for dermal care. It is reported that *A. vera* possesses anti-aging and wrinkles reducing properties, moisturizing and cooling responses on the skin without allergic reaction, and burned wound healing effects on the skin. Their potential is still undefined and need more investigations. Indeed, more research trials and clinical evidences are needed. It was shown that using only one natural constituent is not enough for skin care. Maybe, combination of several different natural components is a right solution. Quercetin along with *A. vera* might be useful in the management of eczema due to its antioxidant and anti-inflammatory activity.

Also, it is necessary to find out in which novel formulation the selected combination is stable and showing the best results.

Conflicts of Interest

The authors declare no conflict of interest.

References

1. Wollenberg, A., Barbarot, S., Bieber, T., Christen-Zaech, S., Deleuran, M., Fink-Wagner, A., and Ring, J. **2018**. Consensus-based European guidelines for treatment of atopic eczema (atopic dermatitis) in adults and children: part I. *Journal of the European Academy of Dermatology and Venereology*, 32(5), pp. 657-682.
2. Maan, A. A., Nazir, A., Khan, M. K. I., Ahmad, T., Zia, R., Murid, M., & Abrar, M. **2018**. The therapeutic properties and applications of *Aloe vera*: A review. *Journal of Herbal Medicine*, 12, pp. 1-10.
3. Kumar, R., Singh, A. K., Gupta, A., Bishayee, A., and Pandey, A. K. **2019**. Therapeutic potential of *Aloe vera*—A miracle gift of nature. *Phytomedicine*, 60, pp.152996.
4. Gao, Y., Kuok, K. I., Jin, Y., and Wang, R. **2019**. Biomedical applications of *Aloe vera*. *Critical reviews in food science and nutrition*, 59(sup1), pp. S244-S256.
5. Ulusoy, H. G., and Sanlier, N. **2020**. A mini review of quercetin: from its metabolism to possible mechanisms of its biological activities. *Critical reviews in food science and nutrition*, 60(19), pp.3290-3303.
6. Polerà, N., Badolato, M., Perri, F., Carullo, G., and Aiello, F. **2019**. Quercetin and its natural sources in wound healing management. *Current medicinal chemistry*, 26(31), pp. 5825-5848.
7. Pivetta, T. P., Silva, L. B., Kawakami, C. M., Araujo, M. M., Del Lama, M. P. F., Naal, R. M. Z., and Marcato, P. D. **2019**. Topical formulation of quercetin encapsulated in natural lipid nanocarriers: Evaluation of biological properties and phototoxic effect. *Journal of Drug Delivery Science and Technology*, 53, pp.101148.
8. Gupta, V., Dhote, V., Paul, B. N., and Trivedi, P. **2014**. Development of novel topical drug delivery system containing cisplatin and imiquimod for dual therapy in cutaneous epithelial malignancy. *Journal of liposome research*, 24(2), pp.150-162.
9. Manasiya M, Sawarkar S, and Bajaj A. *Topical Vitamin A Delivery: Challenges, Overview of Novel Approaches* 2019; 56:7-19.
10. Tizek, L., Schielein, M. C., Seifert, F., Biedermann, T., Böhner, A., and Zink, A. **2019**. Skin diseases are more common than we think: screening results of an unreferral population at the Munich October fest. *Journal of the European Academy of Dermatology and Venereology*, 33(7), pp.1421-1428.
11. Bell, D. C., and Brown, S. J. **2017**. Atopic eczema treatment now and in the future: Targeting the skin barrier and key immune mechanisms in human skin. *World Journal of Dermatology*, 6(3), pp.42-51.
12. Zari, S. T., and Zari, T. A. **2015**. A review of four common medicinal plants used to treat eczema. *Journal of Medicinal Plants Research*, 9(24), pp.702-711.
13. Rahmani, R., Gharanfoli, M., Gholamin, M., Darroudi, M., Chamani, J., Sadri, K., and Hashemzadeh, A. **2020**. Plant-mediated synthesis of superparamagnetic iron oxide

nanoparticles (SPIONs) using *aloe vera* and flaxseed extracts and evaluation of their cellular toxicities. *Ceramics International*, 46(3), pp.3051-3058.

14. Sánchez, M., González-Burgos, E., Iglesias, I., and Gómez-Serranillos, M. P. **2020**. Pharmacological update properties of *Aloe vera* and its major active constituents. *Molecules*, 25(6), pp.1324.
15. Surjushe, A., Vasani, R., and Saple, D. G. **2008**. *Aloe vera*: a short review. *Indian journal of dermatology*, 53(4), pp.163.
16. West, D. P., and Zhu, Y. F. **2003**. Evaluation of *aloe vera* gel gloves in the treatment of dry skin associated with occupational exposure. *American Journal of Infection Control*, 31(1), pp.40-42.
17. Sahu, P. K., Giri, D. D., Singh, R., Pandey, P., Gupta, S., Shrivastava, A. K., and Pandey, K. D. **2013**. Therapeutic and medicinal uses of *Aloe vera*: a review. *Pharmacology and Pharmacy*, 4(08), pp.599.
18. Fox, L. T., Du Plessis, J., Gerber, M., Van Zyl, S., Boneschans, B., and Hamman, J. H. **2014**. In Vivo skin hydration and anti-erythema effects of *Aloe vera*, *Aloe ferox* and *Aloe marlothii* gel materials after single and multiple applications. *Pharmacognosy magazine*, 10(Suppl 2), pp.S392.
19. Haddad, P., Amouzgar-Hashemi, F., Samsami, S., Chinichian, S., and Oghabian, M. A. **2013**. *Aloe vera* for prevention of radiation-induced dermatitis: a self-controlled clinical trial. *Current Oncology*, 20(4), pp.e345.
20. Byeon, S. W., Pelley, R. P., Ullrich, S. E., Waller, T. A., Bucana, C. D., and Strickland, F. M. **1998**. *Aloe barbadensis* extracts reduce the production of interleukin-10 after exposure to ultraviolet radiation. *Journal of investigative dermatology*, 110(5), 811-817.
21. Rudolph, K. L., Chang, S., Lee, H. W., Blasco, M., Gottlieb, G. J., Greider, C., and DePinho, R. A. **1999**. Longevity, stress response, and cancer in aging telomerase-deficient mice. *Cell*, 96(5), pp.701-712.
22. Grace, O. M., Simmonds, M. S. J., Smith, G. F., and Van Wyk, A. E. **2008**. Therapeutic uses of *Aloe L.* (Asphodelaceae) in southern Africa. *Journal of Ethnopharmacology*, 119(3), pp.604-614.
23. Miroddi, M., Navarra, M., Calapai, F., Mancari, F., Giofrè, S. V., Gangemi, S., and Calapai, G. (2015). Review of clinical pharmacology of *Aloe vera L.* in the treatment of psoriasis. *Phytotherapy Research*, 29(5), 648-655.
24. Arunkumar, S., and Muthuselvam, M. **2009**. Analysis of phytochemical constituents and antimicrobial activities of *Aloe vera L.* against clinical pathogens. *World Journal of Agricultural Sciences*, 5(5), pp.572-576.
25. OA, O., OA, O., and LA, A. **2009**. Preliminary study of effectiveness of *Aloe vera* in scabies treatment. *Phytotherapy Research: An International Journal Devoted to Pharmacological and Toxicological Evaluation of Natural Product Derivatives*, 23(10), pp.1482-1484.

26. Visuthikosol, V., Chowchuen, B., Sukwanarat, Y., Sriurairatana, S., and Boonpucknavig, V. **1995**. Effect of *aloe vera* gel to healing of burn wound a clinical and histologic study. *J Med Assoc Thai*, 78(8), pp.403-409.
27. Panahi, Y., Davoudi, S. M., Sahebkar, A., Beiraghdar, F., Dadjo, Y., Feizi, I., and Zamani, A. **2012**. Efficacy of *Aloe vera*/olive oil cream versus betamethasone cream for chronic skin lesions following sulfur mustard exposure: a randomized double-blind clinical trial. *Cutaneous and ocular toxicology*, 31(2), pp.95-103.
28. Bhalang, K., Thunyakitpaisal, P., and Rungsirisatean, N. **2013**. Acemannan, a polysaccharide extracted from *Aloe vera*, is effective in the treatment of oral aphthous ulceration. *The Journal of Alternative and Complementary Medicine*, 19(5), pp.429-434.
29. Krishnaveni, V., and Aparna, B. **2014**. Microencapsulation of copper enriched *Aloe* gel curative garment for atopic dermatitis. *NISCAIR-CSIR, India*, 13 (4), pp. 795-803.
30. Afzal, I., Zia, S., Kausar, S., Hazrat, A., Jan, T., Anwar, M., and Rasool, G. **2020**. Dose Response Relationship of *Aloe vera* to Cure Atopic Dermatitis in Rats. *Dermatologic Therapy*, e13376-e13376.
31. Rondas, A. A. L. M., and Schols, J. M. G. A. **2017**. Application of Medical Moisture Retention Cream (ALHYDRAN®), A New Option in the Treatment of Venous Eczema. *J Gerontol Geriatr Res*, 6(395), pp.2.
32. Saija, A., Tomaino, A., Trombetta, D., Pellegrino, M. L., Tita, B., Messina, C., and Castelli, F. **2003**. 'In vitro'antioxidant and photoprotective properties and interaction with model membranes of three new quercetin esters. *European Journal of Pharmaceutics and Biopharmaceutics*, 56(2), pp.167-174.
33. Chondrogianni, N., Kapeta, S., Chinou, I., Vassilatou, K., Papassideri, I., and Gonos, E. S. **2010**. Anti-ageing and rejuvenating effects of quercetin. *Experimental gerontology*, 45(10), pp.763-771.
34. Vicentini, F. T., Simi, T. R., Del Ciampo, J. O., Wolga, N. O., Pitol, D. L., Iyomasa, M. M., and Fonseca, M. J. **2008**. Quercetin in *w/o* microemulsion: *in vitro* and *in vivo* skin penetration and efficacy against UVB-induced skin damages evaluated *in vivo*. *European Journal of Pharmaceutics and Biopharmaceutics*, 69(3), pp.948-957.
35. Vicentini, F. T., He, T., Shao, Y., Fonseca, M. J., Verri Jr, W. A., Fisher, G. J., and Xu, Y. **2011**. Quercetin inhibits UV irradiation-induced inflammatory cytokine production in primary human keratinocytes by suppressing NF-κB pathway. *Journal of dermatological science*, 61(3), pp. 162-168.
36. Choquenot, B., Couteau, C., Papis, E., and Coiffard, L. J. **2008**. Quercetin and rutin as potential sunscreen agents: determination of efficacy by an *in vitro* method. *Journal of natural products*, 71(6), pp.1117-1118.
37. Silverberg, J. I., Nelson, D. B., and Yosipovitch, G. **2016**. Addressing treatment challenges in atopic dermatitis with novel topical therapies. *Journal of Dermatological Treatment*, 27(6), pp.568-576.

38. Escobar-Chávez, J. J., Díaz-Torres, R., Rodríguez-Cruz, I. M., Domínguez-Delgado, C. L., Morales, R. S., Ángeles-Anguiano, E., and Melgoza-Contreras, L. M. **2012**. Nanocarriers for transdermal drug delivery. *Research and Reports in Transdermal Drug Delivery*, *1*, pp.3-17.
39. Jeevanandam, J., San Chan, Y., and Danquah, M. K. **2016**. Nano-formulations of drugs: recent developments impact and challenges. *Biochimie*, *128*, pp.99-112.
40. Liu, D., Hu, H., Lin, Z., Chen, D., Zhu, Y., Hou, S., and Shi, X. **2013**. Quercetin deformable liposome: preparation and efficacy against ultraviolet B induced skin damages *in vitro* and *in vivo*. *Journal of Photochemistry and Photobiology B: Biology*, *127*, pp.8-17.
41. Di, Marzio, L., Ventura, C.A., Cosco, D., Paolino, D., Di, Stefano, A., Stancanelli, R., and Fresta, M. **2016**. Nanotherapeutics for anti-inflammatory delivery. *Journal of Drug Delivery Science and Technology*, *32*, 174-191.
42. Takahashi, M., Kitamoto, D., Asikin, Y., Takara, K., and Wada, K. **2009**. Liposomes encapsulating *Aloe vera* leaf gel extract significantly enhance proliferation and collagen synthesis in human skin cell lines. *Journal of oleo science*, *58*(12), pp.643-650.
43. Tan, Q., Liu, W., Guo, C., and Zhai, G. **2011**. Preparation and evaluation of quercetin-loaded lecithin-chitosan nanoparticles for topical delivery. *International journal of nanomedicine*, *6*, pp.1621.
44. Krausz, A.E., Adler, B.,L., Cabral, V., Navati, M., Doerner, J., Charafeddine, R.A., and Harper S. **2015**. Curcumin-encapsulated nanoparticles as innovative antimicrobial and wound healing agent. (2015). *Nanomed.: Nanotechnol. Biol. Med*, *11*, pp.195.
45. Satyavani, K., Ramanathan, T., and Gurudeeban, S. (2011). Plant mediated synthesis of biomedical silver nanoparticles by using leaf extract of *Citrullus colocynthis*. *Research journal of nanoscience and nanotechnology*, *1*(2), pp.95-101.
46. Sutthanut, K., Lu, X., Sripanidkulchai, B., Yenjai, C., and Jay, M. **2009**. Solid liquid nanoparticles for transdermal delivery of *Kaempferia parviflora* extracts. *J Biomed Nanotechnol*, *5*(2), pp.224-232.
47. Sandhya, S., Chandra, S. J., Vinod, K. R., Rao, K. N. V., and Banji, D. **2012**. Preclinical studies of a novel polyherbal phyto-complex hair growth promoting cream. *Asian Pacific Journal of Tropical Biomedicine*, *2*(1), pp.S296-S304.
48. Momenkiaei, F., and Raofie, F. **2019**. Preparations of *Curcuma longa L.* extract nanoparticles using supercritical solution expansion. *Journal of pharmaceutical sciences*, *108*(4), pp.1581-1589.
49. Patel, R., Singh, S. K., Singh, S., Sheth, N. R., and Gendle, R. **2009**. Development and characterization of curcumin loaded transfersome for transdermal delivery. *Journal of pharmaceutical sciences and research*, *1*(4), pp.71.
50. Chinembiri, T. N., Gerber, M., Du Plessis, L. H., Du Preez, J. L., Hamman, J. H., and Du Plessis, J. **2017**. Topical delivery of *Withania somnifera* crude extracts in niosomes and solid lipid nanoparticles. *Pharmacognosy magazine*, *13*(Suppl 3), pp.S663.

Table I. Different formulation of *A. vera* in the management of dermal or topical diseases and results obtained from different studies.

S.No.	Disease	Remedies	Outcome	Reported by
1	Various infections including skin transmitted infections	<i>A. vera</i> extracts	Maximum antibacterial activities and antifungal activity were observed in acetone extracts	24
2	Scabies	Crude gel of <i>A. vera</i>	The scabietic lesions virtually disappeared in all patients	25
3	Burne wound	<i>A. vera</i> gel	Early epithelialization in the treated aloe vera gel area.	26
4	Chronic pruritic skin lesions	<i>A. vera</i> /olive oil combination cream	<i>A. vera</i> /olive oil cream was at least as effective as betamethasone 0.1% in the treatment of sulfur mustard-induced chronic skin complications	27
5	Oral aphthous ulceration	Acemannan, a polysaccharide extracted from <i>A. vera</i>	Acemannan can be used for the treatment of oral aphthous ulceration in patients who wish to avoid the use of steroid medication	28
6	Atopic dermatitis	Microencapsulation of copper enriched Aloe gel garment	Control of skin disease through medicated textiles.	29
7	Atopic Eczema	<i>A. vera</i> gel	Dose dependent anti-inflammatory activity <i>A. vera</i> gel	30
8	Venous Eczema	Medical Moisture Retention Cream of <i>A. vera</i> (ALHYDRAN®),	Effective, safe, and feasible in the treatment of venous eczema	31

Table II. Phyto-chemical in different novel topical formulation to manage the various dermal diseases and ailments.

S.No	Formulation	Merits	Therapeutic properties	Reported by
1	Quercetin liposomes	Enhanced skin permeation	Antioxidant and protective against UV β -radiation	40
2	Mixed liposomes of quercetin and curcumin	Enhanced skin penetration	Anti-oxidant	41
3	<i>A. vera</i> liposomes	Enhanced bioavailability of AGE	Increased proliferation and synthesis of collagen in human skin cell line	42
4	Quercetin nanoparticles	Enhanced skin uptake	Antioxidant	43
5	Curcumin nanoparticles	Increased cellular uptake, better <i>in vitro</i> and <i>in vivo</i> bioavailability	Wound healing	44
6	Silver nanoparticles of <i>Citrullus colocynthis</i> extract	Enhanced penetration	wound healing	45
7	Solid lipid nanoparticles of <i>Kaempferia parviflora</i> extract	Enhancement in skin permeability	Anti-inflammatory	46
8	Poly-herbal phytocomplex of <i>Trichosanthes curcumerina</i> extract and <i>Abrus precatorius</i> extract	Enhanced hair growth promoting effect	Anti-alopecia	47
9	Genistein nanoemulsion	Enhancement of skin penetration	Anti-inflammatory	48
10	Curcumin transferosome gel	Improvement in skin penetration	Antipsoriatic	49
11	<i>Withania somnifera</i> niosomes	Improved delivery of withaferin A and withanolide A to the epidermis and dermis	Anti-melanoma	50

Figure captions

Figure 1. Schematic illustration of eczema. This figure comparing normal skin (a) and skin affected by eczema (b).

Figure 2. Quercetin: A natural flavonol with multifunctional therapeutic properties.




Figure 1. Gupta *et al.*





Figure 2. Gupta *et al.*

GRAPHICAL ABSTRACT

Title: Novel Formulation of *Aloe Vera* and Quercetin in the Management of Dermal

Disease: Eczema

Authors: Vandana Gupta, Km Sanyogita, Ashish Manigauha



Management of Eczema

Eczema, also known as atopic dermatitis is a state that compels your skin inflamed or irritated. Scientific investigations claim that *aloe vera*, an admired natural plant product may aid to manage the eczema. There is not much research evaluating the use of *aloe vera* for eczema. But it is well known to have anti-bacterial and anti-fungal properties, along with anti-inflammatory properties, could be particularly applicable to manage the eczema. Quercetin efficaciously inhibits the secretion of histamine and pro-inflammatory markers along with evident to decrease eczema. Topical treatment is often the first-line remedy for mild to moderate eczema. Thus amalgamated effect of *aloe vera* and quercetin may synergise the therapeutic efficacy in the management of eczema. Present studies emphasize the types, etiology, symptoms, prevention and herbal therapeutic options for the management of eczema.