

## Mitochondrial DNA Part B Resources

ISSN: (Print) 2380-2359 (Online) Journal homepage: <http://www.tandfonline.com/loi/tmdn20>

# The complete mitochondrial genome of *Varuna yui* (Decapoda: Brachyura: Varunidae) and its phylogeny

Fan Lin, Zhuofang Xie, Hanafiah Fazhan, Juliana C. Baylon, Xiaolong Yang, Huaqiang Tan, Mengyun Guan, Xi Shi, Mhd Ikhwanuddin & Hongyu Ma

To cite this article: Fan Lin, Zhuofang Xie, Hanafiah Fazhan, Juliana C. Baylon, Xiaolong Yang, Huaqiang Tan, Mengyun Guan, Xi Shi, Mhd Ikhwanuddin & Hongyu Ma (2018) The complete mitochondrial genome of *Varuna yui* (Decapoda: Brachyura: Varunidae) and its phylogeny, *Mitochondrial DNA Part B*, 3:1, 263-264, DOI: [10.1080/23802359.2018.1443043](https://doi.org/10.1080/23802359.2018.1443043)

To link to this article: <https://doi.org/10.1080/23802359.2018.1443043>



© 2018 The Author(s). Published by Informa UK Limited, trading as Taylor & Francis Group.



Published online: 23 Feb 2018.



Submit your article to this journal [↗](#)



Article views: 9





View related articles [↗](#)



View Crossmark data [↗](#)

## The complete mitochondrial genome of *Varuna yui* (Decapoda: Brachyura: Varunidae) and its phylogeny

Fan Lin<sup>a</sup> , Zhuofang Xie<sup>a</sup>, Hanafiah Fazhan<sup>a</sup>, Juliana C. Baylon<sup>b</sup>, Xiaolong Yang<sup>a</sup>, Huaqiang Tan<sup>a</sup>, Mengyun Guan<sup>a</sup>, Xi Shi<sup>a</sup>, Mhd Ikhwanuddin<sup>c</sup> and Hongyu Ma<sup>a</sup> 

<sup>a</sup>Guangdong Provincial Key Laboratory of Marine Biotechnology, Shantou University, Shantou, China; <sup>b</sup>Division of Biological Sciences, College of Arts and Sciences, University of the Philippines Visayas, Miagao, Philippines; <sup>c</sup>Institute of Tropical Aquaculture, Universiti Malaysia Terengganu, Kuala Terengganu, Malaysia

### ABSTRACT

The complete mitochondrial genome plays an important role in the research on phylogenetic relationship. Here, we reported the first complete mitochondrial genome sequence of *Varuna yui* Hwang & Takeda, 1986 (Varunidae). The complete mtDNA (15,915 bp in length) consisted of 13 protein-coding genes, 22 tRNAs, two rRNA genes, and a control region. The gene arrangement was identical to those observed in the Varunidae species. The phylogenetic analysis suggested that *V. yui* had close relationship with other Varunidae species (*Helicetient sinensis*, *Eriocher sinensis*, etc.). The newly described genome may facilitate further comparative mitogenomic analysis within Varunidae species.

### ARTICLE HISTORY

Received 6 February 2018  
Accepted 13 February 2018

### KEYWORDS

*Varuna yui*; mitochondrial genome; phylogenetic analysis





The Sundic paddle crab (*Varuna yui*) was first identified as a new species in Taiwan (Hwang and Takeda 1986). It is mainly distributed in Indo-West Pacific, from continental shelf waters of the Sunda Shelf to southern China and Philippines (Carpenter and Niem 1998). *Varuna yui* is closely related to the river swimming crab *V. litterata*, which also belongs to Varunidae (Hwang and Takeda 1986; Ng et al. 2008). However, as the delimitation of the family is undergoing revision (Schubart et al. 2006), it remains controversial whether it should be placed in Grapsoidea or Ocypodoidea. The complete mitochondrial genome is useful for deeply understanding the phylogenetic relationships among related species (Yang et al. 2017). However, no complete mitogenome data are available for *Varuna* genus currently. Currently, only COI and partial 16S rRNA sequence of *V. litterata* are available in GenBank database. Here, the first complete mitochondrial genome sequence of *V. yui* was determined.

Specimens of *V. yui* were collected from a commercial market in Tuopu Town (23.4071°N, 116.6588°E), Shantou, China and kept in the Marine Biology Institute, Shantou University, China. Universal primers were used to amplify partial of COIII, ND5, ND4, Cytb (Burger et al. 2007), and 12S rRNA (Xin et al. 2017) sequences. Long PCR and a primer-walking sequencing strategy were applied to obtain the complete mitogenome sequence.

The complete mitogenome sequence of *V. yui* was 15,915 bp in length (Genbank accession number: MG756602) and contained 13 protein-coding genes, 22 tRNA genes, two


rRNA genes, and a control region. Of the 37 genes, 23 were encoded by the heavy strand, whereas the others were encoded by the light strand. The gene arrangement was identical to those of the compared Varunidae species, such as *Helicetient sinensis* (Xin et al. 2017) and *Cyclograpsus granulatus* (Tan et al. 2016). The overall nucleotide composition was 35.70% for A, 36.48% for T, 10.22% for G, and 17.59% for C, respectively. Eight protein-coding genes were initiated by ATG. Two genes (ND2 and ND3) were started by ATC. ND1 and ND6 were started by ATA. While, ATP6 was started by ATT. Two kinds of termination codon (TAA and TAG) were identified in eleven coding genes, while two incomplete termination codons (T-) were found in the other two genes (COI and Cytb).

To determine the phylogenetic position of *V. yui*, the phylogenetic tree was constructed using the concatenated sequences of 12 coding genes (except ND6) from 36 crab species in GenBank database. *Haplosquilla harpax* was used as an outgroup for tree rooting (Figure 1). Result showed that *V. yui* was clustered with other Varunidae species (*Helicetient sinensis*, *Eriocher sinensis*, etc.), suggesting it may also be placed in Grapsoidea. Similarly, it is interesting that these Varunidae species seemed to have close relationship with *Macrophthalmus japonicus*, usually placed in Ocypodoidea (Schubart et al. 2006). Therefore, there is still room to reconsideration for the taxonomy of Grapsoidea and Ocypodoidea. In conclusion, the complete mitogenome of *V. yui* can provide more essential phylogenetic information of Varunidae.

**CONTACT** Hongyu Ma  mahy@stu.edu.cn  Guangdong Provincial Key Laboratory of Marine Biotechnology, Shantou University, Shantou, China; Mhd Ikhwanuddin  ikhwanuddin@umt.edu.my  Institute of Tropical Aquaculture, Universiti Malaysia Terengganu, Kuala Terengganu, Malaysia

© 2018 The Author(s). Published by Informa UK Limited, trading as Taylor & Francis Group.

This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.



**Figure 1.** Phylogenetic tree of *V. yui* and related species based on maximum likelihood (ML) method with *Haploquilla harpax* as an outgroup.

## Disclosure statement


The authors report no conflicts of interest. The authors alone are responsible for the content and writing of the paper.

## Funding

This work was supported by the STU Scientific Research Foundation for Talents [No. NTF17006 and NTF17010034], the National Program for Support of Top-Notch Young Professionals, and the 'Sail Plan' Program for the Introduction of Outstanding Talents of Guangdong Province, China [14600702].

## ORCID

Fan Lin  <http://orcid.org/0000-0001-9634-2408>

Hongyu Ma  <http://orcid.org/0000-0003-2299-503X>

## References

Burger G, Lavrov DV, Forget L, Lang BF. 2007. Sequencing complete mitochondrial and plastid genomes. *Nat Protoc.* 2:603–614.

- Carpenter KE, Niem VH, editors. 1998. *FAO species identification guide for fishery purposes: the living marine resources of the Western Central Pacific: cephalopods, crustaceans, holothurians and sharks.* Vol. 2. Rome: FAO; p. 687–1396.
- Hwang J, Takeda M. 1986. A new freshwater crab of the family Grapsidae from Taiwan. *P Jpn Soc Syst Zool.* 33:11–18.
- Ng PKL, Guinot D, Davie PJF. 2008. *Systema Brachyurorum: Part I. An annotated checklist of extant brachyuran crabs of the world.* *Raffles B Zool.* 17:1–286.
- Schubart CD, Cannicci S, Vannini M, Fratini S. 2006. Molecular phylogeny of grapsoid crabs (Decapoda, Brachyura) and allies based on two mitochondrial genes and a proposal for refraining from current superfamily classification. *J Zool Syst Evol Res.* 44:193–199.
- Tan MH, Gan HM, Lee YP, Austin CM. 2016. The complete mitogenome of purple mottled shore crab *Cyclograpsus granulatus* H. Milne-Edwards, 1853 (Crustacea: Decapoda: Grapsoidea). *Mitochondrial DNA Part A.* 27:3981–3982.
- Xin ZZ, Yu L, Zhang DZ, Wang ZF, Zhang HB, Tang BP, Zhou CL, Chai XY, Liu QN. 2017. Mitochondrial genome of *Helice tientsinensis* (Brachyura: Grapsoidea: Varunidae): Gene rearrangements and higher-level phylogeny of the Brachyura. *Gene.* 627:307–314.
- Yang X, Ma H, Waiho K, Fazhan H, Wang S, Wu Q, Shi X, You C, Lu J. 2017. The complete mitochondrial genome of the swimming crab *Chaybdis natator* (Herbst) (Decapoda: Brachyura: Portunidae) and its phylogeny. *Mitochondrial DNA Part B.* 2:530–531.