

SUPPORTING INFORMATION

Synthesis of New Fluorinated Tebufenpyrad Analogs with Acaricidal Activity through Regioselective Pyrazole Formation.

Santos Fustero,^{*,a,b} Raquel Román,^a Juan F. Sanz-Cervera,^{a,b} Antonio Simón-Fuentes,^a Jorge Bueno,^b and Salvador Villanova.^a

^aDepartamento de Química Orgánica, Universidad de Valencia, E-46100 Burjassot, Spain

^bLaboratorio de Moléculas Orgánicas, Centro de Investigación Príncipe Felipe, E-46013 Valencia, Spain

Index

General Methods	S2
3-(1-Fluoroethyl)-1-methyl-1 <i>H</i> -pyrazole-5-carboxylic acid (17).....	S2
3-(2,2,2-Trifluoroethyl)-1-methyl-1 <i>H</i> -pyrazole-5-carboxylic acid (19).....	S2
3-(2,2-Difluoroethyl)-1-methyl-1 <i>H</i> -pyrazole-5-carboxylic acid (20).....	S2
3-(2-Fluoroethyl)-1-methyl-1 <i>H</i> -pyrazole-5-carboxylic acid (21).....	S3
3-Ethoxycarbonyl-1 methyl-1 <i>H</i> -pyrazole-5-carboxylic acid (25)	S3
4-Chloro-3-ethoxycarbonyl-1 methyl-1 <i>H</i> -pyrazole-5-carboxylic acid (26)	S3
<i>N</i> -(4- <i>tert</i> -Butylbenzyl)-4-chloro-3-(2,2,2-trifluoroethyl)-1-methyl-1 <i>H</i> -pyrazole-5-carboxamide (24).	S3
<i>N</i> -(4- <i>tert</i> -Butylbenzyl)-4-chloro-3-ethoxycarbonyl-1-methyl-1 <i>H</i> -pyrazole-5-carboxamide (27).....	S4
<i>N</i> -(4- <i>tert</i> -Butylbenzyl)-4-chloro-3-formyl-1-methyl-1 <i>H</i> -pyrazole-5-carboxamide (28).....	S4
<i>N</i> -(4- <i>tert</i> -Butylbenzyl)-4-chloro-3-(1-hydroxyethyl)-1-methyl-1 <i>H</i> -pyrazole-5-carboxamide (29)	S4
<i>N</i> -(4- <i>tert</i> -Butylbenzyl)-4-chloro-3-(1-fluoroethyl)-1-methyl-1 <i>H</i> -pyrazole-5-carboxamide (30).....	S4
<i>N</i> -(4- <i>tert</i> -Butylbenzyl)-3-(1-fluoroethyl)-1-methyl-1 <i>H</i> -pyrazole-5-carboxamide (30').	S5
<i>N</i> -(4- <i>tert</i> -Butylbenzyl)-3-(2,2-difluoroethyl)-1-methyl-1 <i>H</i> -pyrazole-5-carboxamide (32').	S5
<i>N</i> -(4- <i>tert</i> -Butylbenzyl)-4-chloro-3-(2-oxoethyl)-1-methyl-1 <i>H</i> -pyrazole-5-carboxamide (31).....	S5
<i>N</i> -(4- <i>tert</i> -Butylbenzyl)-4-chloro-3-(2,2-difluoroethyl)-1-methyl-1 <i>H</i> -pyrazole-5-carboxamide (32).....	S6
<i>N</i> -(4- <i>tert</i> -Butylbenzyl)-4-chloro-3-(2-fluoroethyl)-1-methyl-1 <i>H</i> -pyrazole-5-carboxamide (33).....	S6
Spectra for all new compounds.....	S7-S133

General methods.

All reactions were carried out under nitrogen atmosphere. The solvents were purified prior to use: THF was distilled from sodium/benzophenone; CH₂Cl₂ was distilled from calcium hydride. The reactions were monitored with the aid of thin-layer chromatography (TLC) on 0.25-mm precoated silica gel plates. Visualization was carried out with UV light. Flash column chromatography was performed on silica gel 60 (particle size 0.040-0.063 mm) with the solvents indicated in each case. Melting points are uncorrected. Chemical shifts are given in ppm (δ), referenced to the residual proton resonances of the solvents or fluorotrichloromethane in ¹⁹F NMR experiments. Coupling constants (J) are given in Hertz (Hz). The letters m, s, d, t, and q stand for multiplet, singlet, doublet, triplet, and quartet respectively. The letters br indicate that the signal is broad.

3-(1-Fluoroethyl)-1-methyl-1*H*-pyrazole-5-carboxylic acid (17).

Pale yellow solid from *n*-hexane-ethyl acetate (77% yield); mp 136-8 °C. ¹H NMR (300 MHz, CDCl₃): δ 1.65 (dd, $J_1^{\text{HF}}=24.0$ Hz, $J_2^{\text{HF}}=6.5$, 3H; CH₃), 4.13 (s, 3H; CH₃), 5.65 (dq, $J_1^{\text{HF}}=48.3$ Hz, $J_2^{\text{HF}}=6.5$ Hz, 1H; CH), 6.94 (d, $J=1.5$ Hz, 1H; CH) ppm. ¹³C NMR (75.5 MHz, CDCl₃): δ 20.8 (d, $^2J_{\text{CF}}=24.7$ Hz), 39.7, 85.8 (d, $^1J_{\text{CF}}=162.1$ Hz), 109.4 (d, $^3J_{\text{CF}}=2.9$ Hz), 134.2 (d, $^4J_{\text{CF}}=1.1$ Hz), 151.0 (d, $^2J_{\text{CF}}=23.6$ Hz), 160.7 ppm. ¹⁹F NMR (CDCl₃, 282.4 MHz): δ -166.9 (dq, $J_1^{\text{FH}}=48.3$ Hz, $J_2^{\text{FH}}=24.0$ Hz, 1F; CF) ppm. HRMS: calcd for C₇H₉FN₂O₂ (M⁺) 172.0648; found 172.0616.

3-(2,2,2-Trifluoroethyl)-1-methyl-1*H*-pyrazole-5-carboxylic acid (19).

Pale yellow solid from *n*-hexane-ethyl acetate (60% yield); mp 133-5 °C. ¹H NMR (300 MHz, CDCl₃): δ 3.46 (q, $J_{\text{HF}}=11.2$ Hz, 2H; CH₂), 3.98 (s, 3H; CH₃), 6.74 (s, 1H; CH) ppm. ¹³C NMR (75.5 MHz, CDCl₃): δ 32.6 (q, $^2J_{\text{CF}}=30.8$ Hz), 38.7, 111.1, 125.8 (q, $^1J_{\text{CF}}=275.1$ Hz), 133.8, 140.3, 159.9 ppm. ¹⁹F NMR (CDCl₃, 282.4 MHz): δ -69.1 (t, $J_{\text{FH}}=11.2$ Hz, 3F; CF₃) ppm. HRMS: calcd for C₇H₇N₂O₂F₃ (M⁺) 208.0459; found 208.0454.

3-(2,2-Difluoroethyl)-1-methyl-1*H*-pyrazole-5-carboxylic acid (20).

Flash chromatography [*n*-hexane-EtOAc (8:1)] ($R_f=0.40$) afforded **20** as a pale yellow solid (65% yield); mp 198-200 °C. ¹H NMR (300 MHz, CDCl₃): δ 3.22 (td, $J_1^{\text{HF}}=17.7$ Hz, $J_2=4.5$, 2H; CH₂), 4.13 (s, 3H; CH₃), 6.23 (tt, $J_1^{\text{HF}}=56.7$ Hz, $J_2=4.5$ Hz, 1H; CH), 6.85 (s, 1H; CH) ppm. ¹³C NMR (75.5 MHz, CDCl₃): δ 33.6 (t, $^2J_{\text{CF}}=23.0$ Hz), 39.0, 111.3, 116.7 (t, $^1J_{\text{CF}}=239.2$ Hz), 133.8, 142.9, 160.4 ppm. ¹⁹F NMR

(CDCl₃, 282.4 MHz): δ -126.9 (dt, $J_1^{\text{FH}} = 56.7$ Hz, $J_2^{\text{FH}} = 17.7$ Hz, 2F; CF₂) ppm. HRMS: calcd for C₇H₈N₂O₂F₂ (M⁺) 190.0517; found 190.0554.

3-(2-Fluoroethyl)-1-methyl-1*H*-pyrazole-5-carboxylic acid (21).

Pale yellow solid from *n*-hexane-ethyl acetate (75% yield); mp 172-4 °C. ¹H NMR (300 MHz, CDCl₃): δ 3.02 (dt, $J_1^{\text{HF}} = 23.7$ Hz, $J_2 = 6.4$ Hz, 2H; CH₂), 4.11 (s, 3H; CH₃), 4.72 (dt, $J_1^{\text{HF}} = 47.1$ Hz, $J_2 = 6.4$ Hz, 2H; CH₂), 6.80 (s, 1H) ppm. ¹³C NMR (75.5 MHz, CDCl₃): δ 30.0, 38.9, 82.9 (d, $^1J_{\text{CF}} = 166.4$ Hz), 110.5, 133.4, 147.0 (d, $^3J_{\text{CF}} = 6.3$ Hz), 160.5 ppm. ¹⁹F NMR (CDCl₃, 282.4 MHz): δ -217.9 (tt, $J_1^{\text{FH}} = 47.1$ Hz, $J_2^{\text{FH}} = 23.7$ Hz, 1F; CF) ppm. HRMS: calcd for C₇H₉FN₂O₂ (M⁺) 172.0648; found 172.0628.

3-Ethoxycarbonyl-1 methyl-1*H*-pyrazole-5-carboxylic acid (25).

Flash chromatography [*n*-hexane-EtOAc (2:1)] ($R_f = 0.20$) afforded **25** as a white solid (90% yield); mp 198-9 °C. ¹H NMR (300 MHz, CDCl₃): δ 1.21 (t, $J = 7.1$ Hz, 3H; CH₃), 4.07 (s, 3H; CH₃), 4.18 (q, $J = 7.1$ Hz, 2H; CH₂), 7.11 (s, 1H; CH) ppm. ¹³C NMR (75.5 MHz, CDCl₃): δ 13.9, 39.9, 60.5, 113.6, 125.4, 134.4, 141.8, 161.3 ppm. HRMS: calcd for C₈H₁₀N₂O₄ (M⁺) 198.0641; found 198.0628.

4-Chloro-3-ethoxycarbonyl-1 methyl-1*H*-pyrazole-5-carboxylic acid (26).

Flash chromatography [*n*-hexane-EtOAc (2:1)] ($R_f = 0.20$) afforded **26** as a white solid (60% yield); mp 180-2 °C. ¹H NMR (300 MHz, CDCl₃): δ 1.22 (t, $J = 7.2$ Hz, 3H; CH₃), 4.06 (s, 3H, CH₃), 4.21 (q, $J = 7.2$ Hz, 2H; CH₂) ppm. ¹³C NMR (75.5 MHz, CDCl₃): δ 14.9, 41.7, 60'9, 116'6, 132.3, 138.4, 159.6, 160.4 ppm. HRMS: calcd for C₈H₉ClN₂O₄ (M⁺) 232.0251; found 232.0243.

N-(4-*tert*-Butylbenzyl)-4-chloro-3-(2,2,2-trifluoroethyl)-1-methyl-1*H*-pyrazole-5-carboxamide (24).

Flash chromatography [*n*-hexane-EtOAc (8:1)] ($R_f = 0.40$) afforded **24** as a yellow oil (45% yield, two steps). ¹H NMR (300 MHz, CDCl₃): δ 1.25 (s, 9H; (CH₃)₃), 3.37 (q, $J_{\text{HF}} = 10.2$ Hz, 2H; CH₂), 4.12 (s, 3H), 4.54 (d, $J = 5.3$ Hz, 2H; CH₂), 6.88 (broad, 1H; NH), 7.21 (d, $J = 8.3$ Hz, 2H; Ar-H), 7.32 (d, $J = 8.3$ Hz, 2H; Ar-H) ppm. ¹³C NMR (75.5 MHz, CDCl₃): δ 31.5 (q, $^2J_{\text{CF}} = 32.4$ Hz), 31.7, 34.9, 41.6, 43.7, 110.2, 125.3 (q, $^1J_{\text{CF}} = 277'3$ Hz), 126.2, 127.8, 132.3, 134.5, 138.3 (q, $^3J_{\text{CF}} = 3.4$ Hz), 151.3, 158.3 ppm. ¹⁹F NMR (282.4 MHz, CDCl₃): δ -65.6 (t, $J_{\text{FH}} = 10'2$ Hz, 3F; CF₃) ppm. HRMS: calcd for C₁₈H₂₁ClF₃N₃O (M⁺) 387.1325; found 387.1326.

N-(4-*tert*-Butylbenzyl)-4-chloro-3-ethoxycarbonyl-1-methyl-1*H*-pyrazole-5-carboxamide (27).

Flash chromatography [*n*-hexane-EtOAc (6:1)] ($R_f = 0.40$) afforded **27** as a pale yellow oil (92% yield). ^1H NMR (300 MHz, CDCl₃): δ 1.23 (s, 9H; C(CH₃)₃), 1.31 (t, $J = 7.2$ Hz, 3H; CH₃), 4.16 (s, 3H; CH₃), 4.33 (q, $J = 7.2$ Hz, 2H; CH₂), 4.53 (d, $J = 5.4$ Hz, 2H; CH₂), 7.08 (t, $J = 5.4$ Hz, 1H; NH), 7.20 (d, $J = 8.3$ Hz, 2H; Ar-H), 7.30 (d, $J = 8.3$ Hz, 2H; Ar-H) ppm. ^{13}C NMR (75.5 MHz, CDCl₃): δ 14.7, 31.7, 34.9, 42.3, 43.7, 61.8, 112.5, 126.2, 127.8, 133.6, 134.4, 138.0, 151.2, 158.0, 160.7 ppm. HRMS: calcd for C₁₉H₂₄ClN₃O₃(M⁺) 377.1506; found 377.1517.

N-(4-*tert*-Butylbenzyl)-4-chloro-3-formyl-1-methyl-1*H*-pyrazole-5-carboxamide (28).

Flash chromatography [*n*-hexane-EtOAc (6:1)] ($R_f = 0.40$) afforded **28** as a pale yellow oil (86% yield). ^1H NMR (300 MHz, CDCl₃): δ 1.25 (s, 9H; C(CH₃)₃), 4.22 (s, 3H; CH₃), 4.55 (d, $J = 5.6$ Hz, 2H; CH₂), 6.97 (broad, 1H; NH), 7.21 (d, $J = 8.3$ Hz, 2H; Ar-H), 7.32 (d, $J = 8.3$ Hz, 2H; Ar-H), 9.90 (s, 1H; CH) ppm. ^{13}C NMR (75.5 MHz, CDCl₃): δ 31.6, 34.9, 42.6, 43.8, 111.0, 126.2, 127.8, 133.8, 134.2, 144.2, 151.3, 157.8, 184.6 ppm. HRMS: calcd for C₁₇H₂₀ClN₃O₂(M⁺) 333.1244; found 333.1243.

N-(4-*tert*-Butylbenzyl)-4-chloro-3-(1-hydroxyethyl)-1-methyl-1*H*-pyrazole-5-carboxamide (29).

Flash chromatography [*n*-hexane-EtOAc (2:1)] ($R_f = 0.30$) afforded **29** as a pale yellow oil (65% yield). ^1H NMR (300 MHz, CDCl₃): δ 1.24 (s, 9H; C(CH₃)₃), 1.48 (d, $J = 6.2$ Hz, 3H; CH₃), 2.46 (broad, 1H; OH), 4.07 (s, 3H; CH₃), 4.53 (d, $J = 5.7$ Hz, 2H; CH₂), 4.89 (q, $J = 6.2$ Hz, 1H; CH), 6.91 (broad, 1H; NH), 7.20 (d, $J = 8.3$ Hz, 2H; Ar-H), 7.32 (d, $J = 8.3$ Hz, 2H; Ar-H) ppm. ^{13}C NMR (75.5 MHz, CDCl₃): δ 22.8, 31.6, 34.9, 41.2, 43.6, 63.5, 106.7, 126.1, 127.7, 132.2, 134.6, 150.5, 151.1, 158.5 ppm. HRMS: calcd for C₁₈H₂₄ClN₃O₂(M⁺) 349.1557; found 349.1550.

N-(4-*tert*-Butylbenzyl)-4-chloro-3-(1-fluoroethyl)-1-methyl-1*H*-pyrazole-5-carboxamide (30).

Flash chromatography [*n*-hexane-EtOAc (6:1)] ($R_f = 0.30$) afforded **30** as a pale yellow oil (88% yield). ^1H NMR (300 MHz, CDCl₃): δ 1.26 (s, 9H; C(CH₃)₃), 1.69 (dd, $J_1^{\text{HF}} = 23.3$ Hz, $J_2 = 6.8$ Hz, 3H; CH₃), 4.12 (s, 3H; CH₃), 4.56 (d, $J = 5.6$ Hz, 2H; CH₂), 5.65 (dq, $J_1^{\text{HF}} = 48.0$ Hz, $J_2 = 6.8$ Hz, 1H; CH), 6.92 (broad, 1H; NH), 7.23 (d, $J = 8.3$ Hz, 2H; Ar-H), 7.33 (d, $J = 8.3$ Hz, 2H; Ar-H) ppm. ^{13}C NMR (75.5 MHz, CDCl₃): δ 19.5 (d, $^2J_{\text{CF}} = 25.3$ Hz), 31.6, 34.9, 41.5, 43.6, 83.6 (d, $^1J_{\text{CF}} = 164.4$ Hz), 108.6 (d, $^3J_{\text{CF}} = 2.3$ Hz), 126.1, 127.7, 132.4, 134.5, 146.3 (d, $^2J_{\text{CF}} = 22.4$ Hz), 151.1, 158.4 ppm. ^{19}F NMR (282.4 MHz,

CDCl_3): δ -167.9 (dq, $J_1^{\text{FH}}=48.0$ Hz, $J_2^{\text{FH}}=23.3$ Hz, 1F; CF) ppm. HRMS: calcd for $\text{C}_{18}\text{H}_{23}\text{ClFN}_3\text{O} (\text{M}^+)$ 351.1514; found 351.1502.

N-(4-tert-Butylbenzyl)-3-(1-fluoroethyl)-1-methyl-1*H*-pyrazole-5-carboxamide (30').

Flash chromatography [*n*-hexane-EtOAc (8:1)] ($R_f=0.40$) afforded **30'** as a pale yellow oil (83% yield). ^1H NMR (300 MHz, CDCl_3): δ 1.24 (s, 9H; $\text{C}(\text{CH}_3)_3$), 1.57 (dd, $J_1^{\text{HF}}=23.7$ Hz, $J_2=6.6$ Hz, 3H; CH_3), 4.07 (d, $J=1.1$, 3H; CH_3), 4.45 (d, $J=5.6$ Hz, 2H; CH_2), 5.54 (dq, $J_1^{\text{HF}}=47.8$ Hz, $J_2=6.6$ Hz, 1H; CH), 6.33 (broad, 1H; NH), 6.47 (d, $J=0.8$ Hz, 1H; CH), 7.18 (d, $J=8.3$ Hz, 2H; Ar-H), 7.30 (d, $J=8.3$ Hz, 2H; Ar-H) ppm. ^{13}C NMR (75.5 MHz, CDCl_3): δ 21.3 (d, $^2J_{\text{CF}}=24.2$ Hz), 34.9, 31.7, 39.7, 43.7, 85.9 (d, $^1J_{\text{CF}}=162.5$ Hz), 104.1 (d, $^3J_{\text{CF}}=2.8$ Hz), 126.2, 128.1, 134.9, 136.5, 150.1 (d, $^2J_{\text{CF}}=25.3$ Hz), 151.3, 159.9 ppm. ^{19}F NMR (282.4 MHz, CDCl_3): δ -165.2 (dq, $J_1^{\text{FH}}=47.8$ Hz, $J_2^{\text{FH}}=23.7$ Hz, 1F; CF) ppm. HRMS: calcd for $\text{C}_{18}\text{H}_{24}\text{FN}_3\text{O} (\text{M}^+)$ 317.1903; found 317.1911.

N-(4-tert-Butylbenzyl)-3-(2,2-difluoroethyl)-1-methyl-1*H*-pyrazole-5-carboxamide (32').

Flash chromatography [*n*-hexane-EtOAc (8:1)] ($R_f=0.40$) afforded **32'** as a yellow oil (73% yield). ^1H NMR (300 MHz, CDCl_3): δ 1.24 (s, 9H; $\text{C}(\text{CH}_3)_3$), 3.06 (td, $J_1^{\text{HF}}=17.3$ Hz, $J_2^{\text{HF}}=4.5$ Hz, 2H; CH_2), 4.07 (s, 3H; CH_3), 4.46 (d, $J=5.7$ Hz, 2H; CH_2), 5.88 (tt, $J_1^{\text{HF}}=56.5$ Hz, $J_2=4.5$ Hz, 1H; CH), 6.24 (broad, 1H; NH), 7.19 (d, $J=8.3$ Hz, 2H; Ar-H), 7.31 (d, $J=8.3$, 2H; Ar-H) ppm. ^{13}C NMR (75.5 MHz, CDCl_3): δ 31.7, 34.1 (t, $^2J_{\text{CF}}=23.0$ Hz), 34.9, 39.6, 43.7 106.7, 116.1 (t, $^1J_{\text{CF}}=240.9$ Hz), 126.2, 128.1, 134.8, 136.6, 142.6, 151.3, 159.9 ppm. ^{19}F NMR (282.4 MHz, CDCl_3): δ -115.7 (dt, $J_1^{\text{FH}}=56.5$ Hz, $J_2^{\text{FH}}=17.3$ Hz, 2F; CF_2) ppm. HRMS: calcd for $\text{C}_{18}\text{H}_{23}\text{F}_2\text{N}_3\text{O} (\text{M}^+)$ 335.1809; found 335.1804.

N-(4-tert-Butylbenzyl)-4-chloro-3-(2-oxoethyl)-1-methyl-1*H*-pyrazole-5-carboxamide (31).


This compound was not purified, as it decomposed quickly when column chromatography was performed on silica gel. Yellow oil (83% yield). ^1H NMR (300 MHz, CDCl_3): δ 1.25 (s, 9H; $\text{C}(\text{CH}_3)_3$), 3.65 (d, $J=1.5$ Hz, 2H; CH_2), 4.11 (s, 3H; CH_3), 4.54 (d, $J=5.6$ Hz, 2H; CH_2), 6.88 (broad, 1H; NH), 7.21 (d, $J=8.3$ Hz, 2H; Ar-H), 7.32 (d, $J=8.3$ Hz, 2H; Ar-H), 9.67 (t, $J=1.5$ Hz, 1H; CH) ppm. ^{13}C NMR (75.5 MHz, CDCl_3): δ 30.3, 33.5, 39.6, 39.9, 42.3, 108.2, 124.8, 126.4, 130.8, 133.1, 139.1, 149.8, 157.0, 195.8 ppm. HRMS: calcd for $\text{C}_{18}\text{H}_{22}\text{ClN}_3\text{O}_2 (\text{M}^+)$ 347.1401; found 347.1403.


N-(4-*tert*-Butylbenzyl)-4-chloro-3-(2,2-difluoroethyl)-1-methyl-1*H*-pyrazole-5-carboxamide (32).

Flash chromatography [*n*-hexane-EtOAc (8:1)] ($R_f = 0.30$) afforded **32** as a yellow oil (58% yield, two steps). ^1H NMR (300 MHz, CDCl_3): δ 1.26 (s, 9H; $\text{C}(\text{CH}_3)_3$), 3.12 (td, $J_1^{\text{HF}} = 15.8$ Hz, $J_2 = 4.7$ Hz, 2H; CH_2), 4.11 (s, 3H; CH_3), 4.55 (d, $J = 5.6$ Hz, 2H; CH_2), 5.99 (tt, $J_1^{\text{HF}} = 56.0$ Hz, $J_2 = 4.7$ Hz, 1H; CH), 6.89 (broad, 1H; NH), 7.22 (d, $J = 8.2$ Hz, 2H; Ar-*H*), 7.33 (d, $J = 8.2$ Hz, 2H; Ar-*H*) ppm. ^{13}C NMR (75.5 MHz, CDCl_3): δ 31.3, 31.4 (t, $^2J_{\text{CF}} = 24.7$ Hz), 34.6, 41.0, 43.3, 109.2, 115.1 (t, $^1J_{\text{CF}} = 242.2$ Hz), 125.8, 127.4, 131.7, 134.2, 140.1, 150.8, 158.0 ppm. ^{19}F NMR (282.4 MHz, CDCl_3): δ -115.1 (dt, $J_1^{\text{FH}} = 56.0$ Hz, $J_2^{\text{FH}} = 15.8$ Hz, 2F; CF_2). HRMS: calcd for $\text{C}_{18}\text{H}_{22}\text{ClF}_2\text{N}_3\text{O} (\text{M}^+)$ 369.1419; found 369.1416.

N-(4-*tert*-Butylbenzyl)-4-chloro-3-(2-fluoroethyl)-1-methyl-1*H*-pyrazole-5-carboxamide (33).


Flash chromatography [*n*-hexane-EtOAc (2:1)] ($R_f = 0.30$) afforded **33** as a pale yellow oil (65% yield). ^1H NMR (300 MHz, CDCl_3): δ 1.26 (s, 9H; $\text{C}(\text{CH}_3)_3$), 2.97 (dt, $J_1^{\text{HF}} = 21.7$ Hz, $J_2 = 6.6$ Hz, 2H; CH_2), 4.10 (s, 3H; CH_3), 4.55 (d, $J = 5.6$ Hz, 2H; CH_2), 4.65 (dt, $J_1^{\text{HF}} = 56.5$ Hz, $J_2 = 6.6$, 2H; CH_2), 6.91 (broad, 1H; NH), 7.22 (d, $J = 8.2$ Hz, 2H; Ar-*H*), 7.33 (d, $J = 8.2$ Hz, 2H; Ar-*H*) ppm. ^{13}C NMR (75.5 MHz, CDCl_3): δ 27.2 (d, $^2J_{\text{CF}} = 22.5$ Hz), 31.3, 34.6, 40.9, 43.2, 81.7 (d, $^1J_{\text{CF}} = 169.1$ Hz), 108.6, 125.8, 127.4, 131.4, 134.3, 143.6 (d, $^3J_{\text{CF}} = 7.7$ Hz), 150.8, 158.2 ppm. ^{19}F NMR (282.4 MHz, CDCl_3): δ -217.0 (tt, $J_1^{\text{FH}} = 56.5$ Hz, $J_2^{\text{FH}} = 21.7$ Hz, 1F; CF). HRMS: calcd for $\text{C}_{18}\text{H}_{23}\text{ClFN}_3\text{O} (\text{M}^+)$ 351.1514; found 351.1503.







2


File:EI_4_9_3 Ident:17-4_9 Win 200PPM FILT(EXCL,ALL) Acq: 4-SEP-2008 09:51:53 Cal:EI_4_9_3
AutoSpecE EI+ Magnet BpM:137 BpI:1585664 TIC:2863306 Flags:NORM
Sample Text:test File Text:SV0









AutoSpecE EI+ Magnet BpM:175 BpI:814336 TIC:5305444 Flags:NORM







7




7


File:EI_4_9_1 Ident:17-3_7 Win 200PPM FILT(EXCL,ALL) Acq: 4-SEP-2008 08:21:48 Cal:EI_4_9_1
AutoSpecE EI+ Magnet BpM:178 BpI:668672 TIC:2679848 Flags:NORM
Sample Text:test File Text:R908b








AutoSpecE EI+ Magnet BpM:176 BpI:26074 TIC:179871 Flags:NORM





9

— 143.0902

— 111.8212

— 108.9578

— 101.8146


— 65.1539

— 38.8273


— 30.1001

— 23.6803


— 1.4204





9




AutoSpecE EI+ Magnet BpM:177 BpI:16839 TIC:520991 Flags:NORM













AutoSpecE EI+ Magnet BpM:155 BpI:49369 TIC:853261 Flags:NORM













AutoSpecE EI+ Magnet BpM:177 BpI:716032 TIC:3437247 Flags:NORM














AutoSpecE EI+ Magnet BpM:179 BpI:71776 TIC:217577 Flags:NORM







-80.1679
-80.1623






AutoSpecE EI+ Magnet BpM:229 BpI:648704 TIC:1484092 Flags:NORM







-66.1629
-66.2026
-66.2392





13







AutoSpecE EI+ Magnet BpM:161 BpI:7372800 TIC:27049244 Flags:NORM










AutoSpecE EI+ Magnet BpM:49 BpI:978688 TIC:11763232 Flags:NORM










File:EI_9_9_7 Ident:16-5_8 Win 200PPM FILT(EXCL,ALL) Acq: 9-SEP-2008 10:55:57 Cal:EI_9_9_7
AutoSpecE EI+ Magnet BpM:162 BpI:1208832 TIC:5464108 Flags:NORM
Sample Text:test File Text:R913










15




AutoSpecE EI+ Magnet BpM:212 BpI:573440 TIC:5997909 Flags:NORM









AutoSpecE EI+ Magnet BpM:162 BpI:4638720 TIC:24345260 Flags:NORM







-216.1404
-216.5246
-216.6053
-216.6895
-216.7737
-216.8580
-216.9422





16






File:EI_10_9_2 Ident:16_17-6_9 Win 200PPM FILT(EXCL,ALL) Acq:10-SEP-2008 12:48:25 +1:49 Cal:EI_>>
AutoSpecE EI+ Magnet BpM:194 BpI:1091456 TIC:4473207 Flags:NORM
Sample Text:test File Text:R916a







-173.0261
-173.0352
-173.1085
-173.1176
-173.1970
-173.2855
-173.3680
-173.4504





17








AutoSpecE EI+ Magnet BpM:157 BpI:374656 TIC:5733716 Flags:NORM













18

AutoSpecE EI+ Magnet BpM:157 BpI:1324544 TIC:2900089 Flags:NORM












AutoSpecE EI+ Magnet BpM:139 BpI:639147 TIC:2935689 Flags:NORM







-126.7450
-126.8091
-126.8702
-126.9465
-127.0076
-127.0686





20







AutoSpecE EI+ Magnet BpM:139 BpI:1213952 TIC:5120405 Flags:NORM











AutoSpecE EI+ Magnet BpM:139 BpI:695808 TIC:3656655 Flags:NORM






-77.8191
-77.8405
-77.8679
-77.8893

-77.8191
-77.8405
-77.8679
-77.8893

Integral

(ppm)

3.1460



22

-196.3133
-196.3622
-196.4141
-196.4660
-196.5178
-196.5667
-196.6155


Integral


(ppm)

1.0001

-196.3133
-196.3622
-196.4141
-196.4660
-196.5178
-196.5667
-196.6155


1.0001





AutoSpecE EI+ Magnet BpM:191 BpI:3974144 TIC:18839666 Flags:NORM

100%



22

190.9994

4.0E6

3.8E6

3.6E6

3.4E6

3.2E6

3.0E6

2.8E6

2.6E6

2.4E6

2.2E6

2.0E6

1.8E6

1.6E6

1.4E6

1.2E6

9.9E5

7.9E5

6.0E5

4.0E5

2.0E5

0.0E0

95

90

85

80

75

70

65

60

55

50

45

40

35

30

25

20

15

10

5

0

147.0105

240.9969

80

97.1003
109.1003

109.1003

109.1003

175.0287

175.0287

175.0287

175.0287

175.0287

175.0287

175.0287

175.0287


175.0287


175.0287


175.0287

175.0287


m/z







AutoSpecE EI+ Magnet BpM:245 BpI:28968 TIC:266137 Flags:NORM



7.3360
7.3084
7.2280
7.2004


— 6.8816

— 4.5504
— 4.5316


— 4.1161

— 3.4294
— 3.3955
— 3.3616
— 3.3265


— 1.2452




24




-65.5286
-65.5652
-65.6018





24





AutoSpecE EI+ Magnet BpM:372 BpI:1918105 TIC:24088478 Flags:NORM





— 161.2574

— 141.8380

— 134.4358


— 125.4116

— 113.5543


— 60.5357

— 39.9208


— 13.8760




25




AutoSpecE EI+ Magnet BpM:153 BpI:677632 TIC:2113290 Flags:NORM





26




— 160.3864

— 138.4082

— 132.3311

— 116.6357



26


— 60.8679

— 41.6923

— 14.0254

170 160 150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0


AutoSpecE EI+ Magnet BpM:187 BpI:328832 TIC:1359558 Flags:NORM




7.3160
7.2884
7.2131
7.1854
7.1013
7.0838
7.0674


4.5405
4.5217
4.3647
4.3409
4.3170
4.2944
4.1564

1.3382
1.3143
1.2904
1.2264





27







AutoSpecE EI+ Magnet BpM:316 BpI:383360 TIC:2432255 Flags:NORM










28




AutoSpecE EI+ Magnet BpM:318 BpI:690432 TIC:5266669 Flags:NORM









AutoSpecE EI+ Magnet BpM:316 BpI:170112 TIC:1204943 Flags:NORM







-167.6556
-167.7380
-167.7441
-167.8265
-167.9120
-167.9944
-168.0768





30







AutoSpecE EI+ Magnet BpM:351 BpI:186048 TIC:2857427 Flags:NORM













AutoSpecE EI+ Magnet BpM:155 BpI:1893888 TIC:18717220 Flags:NORM









AutoSpecE EI+ Magnet BpM:347 BpI:537088 TIC:5435384 Flags:NORM







-114.9456
-115.0003
-115.0587
-115.1427
-115.2011
-115.2595





32






AutoSpecE EI+ Magnet BpM:207 BpI:1027072 TIC:20495702 Flags:NORM







-115.5618
-115.6228
-115.6839
-115.7633
-115.8243
-115.8823





32'






AutoSpecE EI+ Magnet BpM:320 BpI:2584160 TIC:19574934 Flags:NORM







-216.7625
-216.8391
-216.9158
-216.9268
-217.0034
-217.0801
-217.0911
-217.1677
-217.2444




33




— 158.2432
— 150.7956
— 143.6826
— 143.5808
— 134.2859
— 131.4276
— 127.3766
— 125.7983
— 108.5977
— 82.8221
— 80.5820
— 43.2352
— 40.8714
— 34.5585
— 31.3220
— 27.3146
— 27.0164




33




AutoSpecE EI+ Magnet BpM:336 BpI:1282048 TIC:8570642 Flags:NORM




File:EI_4_9_3 Ident:17-4_9 Win 200PPM FILT(EXCL,ALL) Acq: 4-SEP-2008 09:51:53 Cal:EI_4_9_3
AutoSpecE EI+ Magnet BpM:137 BpI:1585664 TIC:2863306 Flags:NORM
Sample Text:test File Text:SV0




File:EI_4_9_1 Ident:17-3_7 Win 200PPM FILT(EXCL,ALL) Acq: 4-SEP-2008 08:21:48 Cal:EI_4_9_1
AutoSpecE EI+ Magnet BpM:178 BpI:668672 TIC:2679848 Flags:NORM
Sample Text:test File Text:R908b





S131

File:EI_9_9_7 Ident:16-5_8 Win 200PPM FILT(EXCL,ALL) Acq: 9-SEP-2008 10:55:57 Cal:EI_9_9_7
AutoSpecE EI+ Magnet BpM:162 BpI:1208832 TIC:5464108 Flags:NORM
Sample Text:test File Text:R913



File:EI_10_9_2 Ident:16_17-6_9 Win 200PPM FILT(EXCL,ALL) Acq:10-SEP-2008 12:48:25 +1:49 Cal:EI_>>
AutoSpecE EI+ Magnet BpM:194 BpI:1091456 TIC:4473207 Flags:NORM
Sample Text:test File Text:R916a

