

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/279064368>

The shallow water hard corals of Pulau Weh, Aceh Province, Indonesia

Article in *AACL Bioflux* · March 2012

CITATIONS

11

READS

432

5 authors, including:



[Andrew Baird](#)

James Cook University

210 PUBLICATIONS 15,652 CITATIONS

[SEE PROFILE](#)



[Stuart Campbell](#)

105 PUBLICATIONS 4,403 CITATIONS

[SEE PROFILE](#)



[Nur Fadli](#)

Syiah Kuala University

65 PUBLICATIONS 678 CITATIONS

[SEE PROFILE](#)



[Andrew Scott Hoey](#)

James Cook University

207 PUBLICATIONS 8,577 CITATIONS

[SEE PROFILE](#)


Some of the authors of this publication are also working on these related projects:



Reef fish Karimunjawa [View project](#)



NMFS PIFSC BioSampling [View project](#)



Contents

Badillo, R., Banner, W., Morris, J. A. Jr., Schaeffer, S., 2011. A case study of lionfish sting-induced paralysis. *Aquaculture, Aquarium, Conservation & Legislation* 5(1): 1-3.

Ikhwanuddin, M., Azra, M. N., Talpur, M. A. D., Abol-Munafi, A. B., Shabdin, M. L., 2012. Optimal water temperature and salinity for production of blue swimming crab, *Portunus pelagicus* 1st day juvenile crab. *Aquaculture, Aquarium, Conservation & Legislation* 5(1):4-8.

Shei, M. R. P., Rodrigues, R. V., Sampaio, L. A., 2012. Use of commercial live feeds enrichment during first feeding period of the barber goby *Elacatinus figaro*. *Aquaculture, Aquarium, Conservation & Legislation* 5(1):9-12.

Alambra, J. R., Alenton, R. R. R., Gulpeo, C. P. R., Mecenas, C. L., Miranda, A. P., Thomas, R. C., Velando, M. K. S., Vitug, L. D., Maningas, M. B. B., 2012. Immunomodulatory effects of turmeric, *Curcuma longa* (Magnoliophyta, Zingiberaceae) on *Macrobrachium rosenbergii* (Crustacea, Palaemonidae) against *Vibrio alginolyticus* (Proteobacteria, Vibrionaceae). *Aquaculture, Aquarium, Conservation & Legislation* 5(1):13-17.

Farhangi, M., Rostami-Charati, F., 2012. Increasing of survival rate to *Acipenser persicus* by added Clinoptilolite zeolite in acute toxicity test of ammonia. *Aquaculture, Aquarium, Conservation & Legislation* 5(1):18-22.

Baird, A. H., Campbell, S. J., Fadli, N., Hoey, A. S., Rudi, E., 2012. The shallow water hard corals of Pulau Weh, Aceh Province, Indonesia. *Aquaculture, Aquarium, Conservation & Legislation* 5(1):23-28.

Putra, D. F., Abol-Munafi, A. B., Muchlisin, Z. A., Chen, J. C., 2012. Preliminary studies on morphology and digestive tract development of tomato clownfish, *Amphiprion frenatus* under captive condition. *Aquaculture, Aquarium, Conservation & Legislation* 5(1):29-35.

Muzaifa, M., Safriani, N., Fahrizal, Z., 2012. Production of protein hydrolysates from fish by-product prepared by enzymatic hydrolysis. *Aquaculture, Aquarium, Conservation & Legislation* 5(1):36-39.

Nasir, M., Yasin, Z., Shau-Hwai, A. T., Adlim, M., Munira, M. A., 2012. Determination of seasonal skeletal growth layers in *Porites lutea* colonies from Teluk Nyior reefs, Langkawi Island, Malaysia. *Aquaculture, Aquarium, Conservation & Legislation* 5(1):40-43.

Nita, V., Zaharia, T., Nenciu, M., Cristea, M., Tiganov, G., 2012. Current state overview of the Vama Veche - 2 Mai Marine Reserve, Black Sea, Romania. *Aquaculture, Aquarium, Conservation & Legislation* 5(1):44-54.

International Standard Serial Number
Online ISSN 1844–9166; Printed ISSN 1844-8143

Published by Bioflux – five issues/year

The journal includes original papers, short communications, and reviews on Aquaculture (Biology, Technology, Economy, Marketing), Fish Genetics and Improvement, Aquarium Sciences, Fisheries, Ichtiology, Aquatic Ecology, Conservation of Aquatic Resources and Legislation (in connection with aquatic issues) from wide world.

International Editorial Board

39 Countries (5 continents): Romania, USA, Guyana, Canada, Republic of Moldavia, Belgium, Italy, Spain, Peru, Turkey, Venezuela, Poland, Croatia, Germany, Finland, Slovakia, India, Pakistan, Israel, Switzerland, Hungary, Bangladesh, Palestinian Authority, Nigeria, South Korea, Greece, England, China, Japan, France, Thailand, Malaysia, Indonesia, Iran, Philippines, Norway, Republic of Armenia, Brazil and Slovenia.

Editorial Board Expanded

Editors-in-Chief:

Rhyne Andrew: Roger Williams University; New England Aquarium, Boston (USA)
Gavriloaie Ionel-Claudiu (reserve): Technical College "INFOEL" Bistrita (Romania).

Editors:

Arockiaraj A. Jesu: Cheju National University (South Korea)
Caipang Cristopher M.A.: Univ. Nordland, Bodoe (Norway); Indep. res. (Philippines)
Dimaggio Matthew A.: University of Florida (USA)
Mehrad Bahareh: Gorgan University of Agricultural Sciences and Nat. Res. (Iran)
Muchlisin Zainal Abidin: Universiti Sains (Malaysia), Syiah Kuala University (Indonesia)
Muscalu Radu: Sterlet SRL, Timisoara (Romania)
Olivotto Ike: Universita Politecnica delle Marche, Ancona (Italy)
Petrescu-Mag I. Valentin: USAMV Iasi, Iasi; USAMV Cluj, Cluj-Napoca (Romania)
Parvulescu Lucian: West University of Timisoara (Romania)
Petrescu-Mag Ruxandra Malina: UBB Cluj-Napoca, Bioflux SRL (Romania)
Petrovici Milca: West University of Timisoara (Romania)
Tlusty Michael F.: New England Aquarium, Boston (USA)
Wittenrich Matthew L.: University of Florida (USA)

Journal Secretary:

Nowak Michal: University of Agriculture in Krakow (Poland)

Honorary Editors:

Appelbaum Samuel: University of the Negev (Israel)
Bourne Godfrey Roderick: Univ. Missouri-St Louis (USA), CEIBA (Guyana)
Breden Felix: Simon Fraser University (Canada)
Bud Ioan: USAMV Cluj (Romania)
Bura Marian: USAMVB Timisoara (Romania)
Burny Philippe: Universite de Liege (Belgium)
Creanga Steofil: USAMV Iasi, Iasi (Romania)
Cristea Victor: Dunarea de Jos University of Galati (Romania)
Dragos Nicolae: UBB Cluj-Napoca (Romania)
Grozea Adrian: USAMVB Timisoara (Romania)
Miclaus Viorel: USAMV Cluj (Romania)
Molnar Kalman: Hungarian Academy of Sciences, Budapest (Hungary)
Naghiu Alexandru: USAMV Cj(Ro), Nat.Acad.Agric.Sci.(It), Univ.Leon(Sp)
Oroian Ioan: USAMV Cluj, Cluj-Napoca (Romania)
Pasarin Benone: USAMV Iasi, Iasi (Romania)
Usturoi Marius Giorgi: USAMV Iasi, Iasi (Romania)

Editorial councillor:

Velter Victor: UEFISCDI, Bucharest (Romania)

Scientific Reviewers:

Abdullah Khalid: Agricultural Research Institute Ratta Kulachi (Pakistan)
Abraham T. Jawahar: West Bengal Univ. of Animal & Fishery Sciences (India)
Adewolu Morenike A.: Lagos State University, Ojo (Nigeria)
Aftabuddin Sheikh: University of Chittagong (Bangladesh)
Al-Qutob Mutaz: Al-Quds University (Palestinian Authority)
Banaduc Doru Stelian: Lucian Blaga University of Sibiu (Romania)
Banatean-Dunea Ioan: USAMVB Timisoara (Romania)
Berkesy Corina: ICPE Bistrita (Romania)
Blas Raul Humberto Sevillano: Univ. Nacional Agraria La Molina (Peru)
Boaru Anca: USAMV Cluj, 3M AGC SRL, Cluj-Napoca (Romania)
Brunner Andreas: Swiss Federal Institute of Technology (Switzerland)

Brunio Erwin O.: Tokyo University of Marine Science & Technology (Japan)
 Celik Meryem Yesim: University of Sinop (Turkey)
 Cocan Daniel: USAMV Cluj, Cluj-Napoca (Romania)
 Cosier Viorica: USAMV Cluj (Romania)
 Costa Daniel Ribeiro: Federal Rural University of Amazon, Belem (Brazil)
 Costea Ramona Ioana: USAMV Cluj (Romania)
 Cotutiu Mihaela Ioana: Technical College INFOEL, Bistrita (Romania)
 Covaciu-Marcov Severus D.: University of Oradea (Romania)
 Csep Laszlo: Bioflux, Cluj-Napoca (Romania)
 Dediu Lorena: Dunarea de Jos University of Galati (Romania)
 Docan Angela: Dunarea de Jos University of Galati (Romania)
 Gal Denes: Research Inst. for Fisheries, Aquaculture & Irrigation, Szarvas (Hungary)
 Galca Valerica: USAMV Iasi, Iasi (Romania)
 Galca Ioan: USAMV Iasi, Iasi (Romania)
 Gavrilovic Ana: University of Dubrovnik, Dubrovnik (Croatia)
 Gospic Daniel: G2O d.o.o. (Slovenia)
 Gorgan Lucian Dragos: UAIC Iasi (Romania)
 Hajirezaee Saeed: University of Teheran, Karaj (Iran)
 Hoha Gabriel: USAMV Iasi, Iasi (Romania)
 Iorga Eugen: Institutul de Tehnologii Alimentare (Rep. Moldavia)
 Islam Kazi Shakila: Xiamen University, Xiamen (China)
 Jakab Endre: UBB Cluj-Napoca (Romania)
 Kabir Milad: Gorgan University of Agricultural Sciences and Nat. Res. (Iran)
 Karayucel Ismihan: University of Sinop (Turkey)
 Kempkes Michael: Deutschen Guppyföderation (Germany)
 Kosco Jan: Presov University, Presov (Slovakia)
 Luangpirom Ampa: Khon Kaen University, Khon Kaen (Thailand)
 Malos Cristian: UBB Cluj-Napoca (Romania)
 Manko Peter: Presov University, Presov (Slovakia)
 Montana Carmen: UNELLEZ, Barinas (Venezuela), University of Texas (USA)
 Muntean Octavian Liviu: UBB Cluj-Napoca (Romania)
 Muscalu-Nagy Cristina: Sterlet SRL, Timisoara (Romania)
 Ndimele Prince Emeka: Lagos State University, Ojo, Lagos (Nigeria)
 Nita Victor: Nat. Inst. Marine Research & Dev. Gr. Antipa, Constanta (Romania)
 Odagiu Antonia: USAMV Cluj, Cluj-Napoca (Romania)
 Oprea Lucian: Dunarea de Jos University, Galati (Romania)
 Oroian Teofil: USAMV Cluj, Cluj-Napoca (Romania)
 Pacioglu Octavian: Roehampton University, London (England)
 Parsaeimehr Ali: National Academy of Science, Yerevan (Republic of Armenia)
 Perdikaris Costas: Technological Educational Institute of Epirus (Greece)
 Perkovic Anica: University of Josip Juraj Strossmayer, Osijek (Croatia)
 Petrescu Dacinia Crina: UBB Cluj-Napoca (Romania)
 Raghavan Rajeev: St. Albert's College, Kochi (India)
 Rahman Mohammed Mahabubur: Kochi University, Kochi (Japan)
 Rahmati-holasoo Hooman: University of Tehran, Tehran (Iran)
 Rosioru Corina: UBB Cluj-Napoca (Romania)
 Rus Vasile: USAMV Cluj, Cluj-Napoca (Romania)
 Sakkaravarthi Karupiah: Annamalai University, Tamil Nadu (India)
 Sahlean Tiberiu: University of Bucharest (Romania)
 Sas Istvan: University of Oradea, Oradea (Romania)
 Savin Anatol: ASM Institute of Zoology (Rep. Moldavia)
 Taati M. Mehdi: Gorgan University of Agricultural Sciences and Nat. Res. (Iran)
 Tugui Olimpia Ramona: Univ. Lyon II Lumiere (France)
 Turcu Mihaela Claudia: University of Turku, Turku (Finland)
 Udoh James P.: University of Uyo, Uyo (Nigeria)
 Vesa Stefan Cristian: Iuliu Hatieganu UMF, Cluj-Napoca (Romania)
 Vintila Iuliana: "Dunarea de Jos" University Galati (Romania)
 Zamfirescu Stefan: UAIC Iasi, Iasi (Romania)

Contact Publisher

SC Bioflux SRL, 54 Ceahlău Street, Cluj-Napoca, 400488, Romania, European Union.
 Ioan Valentin Petrescu-Mag, e-mail: zoobiomag2004@yahoo.com

Note that there is also an electronic version of the journal. You may download the fulltext version of AACL Bioflux – Volume 5/2012 from <http://www.bioflux.com.ro/aac/> -open access.

All articles included in AACL Bioflux are peer reviewed. Each published article was seen before by two reviewers and at least one specialist in foreign languages. The two peer-reviews are made independently. Single blind peer review is used.


AACL Bioflux has a publishing agreement, or is indexed, abstracted or fulltext reproduced by/in the following scholar/scientific databases, search engines, libraries, publishers (over 100):

Thomson Reuters Scientific - ISI Web of Knowledge (not yet WoS)
 Thomson Reuters Scientific - Master Journal List (via Zoological Record)
 Thomson Reuters Scientific - Zoological Record (direct submission/coverage)
 Scopus - Elsevier; Sciverse (SNIP= 0.943)
 Scimago - Journal Rank (SJR= 0.031)
 CAB International - CAB Abstracts
 Index Copernicus International – I.C. Journals Master List (ICV= 9.00)
 China Educational Publications Import & Export Corporation - SOCOLAR
 Ulrich's Periodicals Directory
 EBSCO – EBSCOhost Online Research Databases
 CAB Direct (as part of CABI)
 Wolters Kluwer - Ovid LinkSolver
 CNCSIS Romania (Rank: B+)
 Polish Ministry of Science and Higher Education – 2.00 pts/article
 The National Science Digital Library - NSDL
 The University of Hong Kong Libraries – HKUL Database
 Deutsche Nationalbibliothek - ZDB Database
 State Library of Ohio - OhioLINK Database
 Smithsonian Institution Libraries
 Biblioteka Główna Uniwersytetu Medycznego w Poznaniu
 Google Scholar, Academic (search engine)
 Google (search engine)
 Scirus - for scientific information only (Elsevier BV)
 Athabasca University - ICAAP Database
 University of Southampton - ROAR
 Georgetown University Library - NewJour
 Università degli Studi di Modena e Reggio Emilia – SBA, Risorse Elettroniche
 Simon Fraser University - PKP
 University of Tsukuba - Tulips Database
 Teikyo Scientific University- NTU Database
 LIS Links: Link Library of Open Access English Language Journals
 Fayetteville State University - Charles W. Chesnutt Library
 Vrije Universiteit Brussel - VUB e-journal list
 Russian CJDB
 Universität Giessen - Digitale Bibliothek
 Pace University Library
 Tel Aviv University. Gitter-Smolard Library of Life Sciences and Medicine
 MALMAD – Israel Center for Digital Information Services
 California State University – Monterey Bay Library
 Réseau des Bibliothèques de l'Université Joseph Fourier et de l'Institut National Polytechnique de Grenoble
 University of Saskatchewan – University Library (Electronic Journals)
 YanXue Resource – YXRES
 Feng Chia University – Electronic Library
 Main Library of the University of Agriculture in Krakow
 SUMMON Database
 uOttawa Library
 Università di Roma Tor Vergata - Digital Library
 UTC Lupton Library
 University of Notre Dame - Hesburgh Libraries
 Guilford College - Hege Library
 Eastern Michigan University Library - Periodicals locator
 Universiteitsbibliotheek Gent - Tijdschriften
 Chung Yuan Christian University Library
 ArgosBiotech
 Ecole Polytechnique Fédérale de Lausanne - Library
 Rowan University – Library Services
 James Cook University Library – Australia
 Ministerstwo Nauki i Szkolnictwa Wyższego Warszawa
 Kun Shan University Library
 CCG-IBT Biblioteca
 Reference Zone – Nigeria
 Dayang Journal System
 Riley-Hickingbotham Library
 Politechnika Wroclawska
 Université Paris Diderot – Revues Electroniques
 ERSA – Chinese Library
 ISSN International Center – ISSN Portal
 and many others.



THOMSON REUTERS

Index to Organism Names (ION)




AACL Bioflux is currently included in "Source Titles – Top 25% SNIP" by:



<http://www.researchbenchmarking.org/web/question/coverage>

Our collaborators



SciVerse Scopus is the world's largest abstract and citation database of peer-reviewed literature and quality web sources. Contains 41 million records, 70% with abstracts; Nearly 18,000 titles from 5,000 publishers worldwide; 70% of content is pulled from international sources; Includes over 3 million conference papers; Provides 100% Medline coverage; Offers sophisticated tools to track, analyze and visualize research.

SCIMAGO
L A B

Powered by
SCOPUS™

Socolar

The free scholastic search engine is established by China Educational Publications Import and Export Corporation (CEPIEC). Under the leadership of China Ministry of Education, CEPIEC is the only company dealing with publication ex-im business in the education field. CEPIEC has been serving colleges and universities, research institutions and public libraries in China for more than 20 years, providing them with excellent academic resources from all over the world. Contact: No 41 Zhong Guan Cun Street, Haidian District, Beijing, P.R.China 100080. Tel: +86 (0)10 6251 4068; e-mail: li_yanxia@cepiec.com.cn Fax: +86 (0)10 6251 4068 www.cepiec.com.cn



CABI is a not-for-profit international organization that improves people's lives by providing information and applying scientific expertise to solve problems in agriculture and the environment. Their mission and direction is influenced by their member countries who help guide the activities they undertake. These include scientific publishing, development projects and research, and microbial services. 2010 marked 100 years of CABI. Since its beginnings as an entomological committee in 1910, it then developed into a Commonwealth organization before becoming a truly international service in agricultural information, pest identification and biological control in the mid 1980s.

INDEX COPERNICUS
INTERNATIONAL

Index Copernicus (IC) is a world-wide gateway to complex scientific information. This system is aimed at: academic-level researchers, clinical practitioners, information and reprint providers, librarians, journal editors, government agencies. Contact: Al. Jerozolimskie 146 C, 02-305 Warsaw, Poland. Tel: +48 22 347 50 77 e-mail: office@IndexCopernicus.com

EBSCOhost® databases are the most-used, premium online information resources for tens of thousands of institutions worldwide, representing millions of end-users. Address: 10 Estes Street Ipswich, MA 01938 USA Phone: (978) 356-6500 Toll Free: (800) 653-2726 (USA & Canada) Fax: (978) 356-6565 E-mail: information@ebSCOhost.com

EBSCO
PUBLISHING



The shallow water hard corals of Pulau Weh, Aceh Province, Indonesia

¹Andrew H. Baird, ²Stuart J. Campbell, ³Nur Fadli, ^{1,4}Andrew S. Hoey, ³Edi Rudi

¹ARC Centre of Excellence for Coral Reef Studies, James Cook University, Townsville, Queensland, Australia; ²Wildlife Conservation Society, Bogor, Indonesia; ³Centre for Marine and Fisheries Studies, Syiah Kuala University, Banda Aceh, Aceh, Indonesia; ⁴Red Sea Research Center, King Abdullah University of Science and Technology, Thuwal, Kingdom of Saudi Arabia.

Abstract. The corals reefs of Aceh, Indonesia, are one of the few areas of the world where the fauna, in particular the scleractinian corals, have yet to be described. The area is likely to be of high biogeographical significance due to its position at the northern tip of Sumatra on the boundary of three major water bodies, the Indian Ocean, the Andaman Sea and the Straits of Malacca. Here, we present the quantitative description of the assemblage structure of the shallow water scleractinian corals of Pulau Weh. Carbonate reefs are rare on the island, the exception being some fringing reef development in shallow water in at least two locations. Most colonies are attached to granite boulders which make up the ocean floor at most sites on the north and west coast, or rest in the sandy substrates that dominate the ocean floor on the east coast. Coral cover in February 2009 was over 40% at most sites, ranging from $21\% \pm 3.0$ SE to $80\% \pm 2.4$. Coral assemblage structure varied widely around Pulau Weh with assemblages from the western and northern sites being dominated by *Acropora* spp. in particular, species with digitate, encrusting-arborescent and tabular morphologies. In contrast, coral assemblages on the west coast were dominated by massive *Porites* spp. and *Heliopora*. The *Acropora* fauna is dominated by species with digitate and encrusting arborescent morphologies, very different from many other regions in Indonesia. This unusual species composition plus the presence of a high proportion of endemics indicates that the region should be a high priority for conservation efforts. Further taxonomic studies at depth and further afield are required to fully describe this unique fauna that supports a small diving industry and a number of fisheries.

Key Words: biodiversity, conservation, coral reefs, coral triangle, Andaman Sea.

Copyright: This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Corresponding Author: A. Baird, andrew.baird@jcu.edu.au

Introduction

The province of Aceh occupies the northern third of the island of Sumatra, Indonesia. The province supports three main reefs areas: fringing reefs lining the eastern and western coast of the Sumatra mainland; the island groups of Simeuleu and Pulau Banyak in the south west of the province and the islands of Pulau Weh and Pulau Aceh forming the northern most part of Indonesia approximately 16 km off the tip of Sumatra (Figure 1). The region is likely to be of high biogeographical significance due to its position on the border of three large bodies of water: the Andaman Sea, The Indian Ocean and the Straits of Malacca (Brown 2007).

The reefs of Aceh remain one of the last areas in the world where the marine flora and fauna have yet to be documented (Brown 2007), largely as a results of a turbulent history. Aceh was the last region of modern Indonesia to be incorporated into the Dutch East Indies after 30 years of war (Reid 2005). In 1948, Aceh joined the Republic of Indonesia, however, the province was soon in rebellion, which has flared sporadically until a memorandum of understanding was signed in 2006 (Aspinall 2009). Consequently, the area has been off limits to foreigners for much

of its recent history (Brown 2007). Furthermore, the rebellion and the distance from the national capital, Jakarta, discouraged Indonesian scientists from visiting the region. Local capacity has also been limited; the Marine Science Department at Syiah Kuala University was only established in 2003. To the best of our knowledge the reefs of Aceh have not been visited by a coral taxonomist since Buitendijk collected at least four fungiids on Pulau Weh between 1905 and 1927; specimens now housed at the Zoological Museum of Amsterdam (Hoeksema pers. comm.). Veron *et al* (2009) list 339 species in the Andaman Sea including 69 *Acropora* species. Based on records from the two nearest sites in Wallace (1999) (Thailand and West Sumatra) we estimate that 52-58 *Acropora* species are likely to occur on Pulau Weh. However, neither Veron (2000) nor Wallace (1999) examined any material from Aceh, indeed, Veron (2000) did not examine any material from Sumatra. Allen & Adrim (2003) describe the reef fish fauna of northern and western Sumatra as one of eight local centers of diversity within Indonesia and list six species as endemic to Pulau Weh. The only other internationally published research on the reefs of Aceh describes the effects of the Indian Ocean Tsunami on these reefs (Baird *et al* 2005; Campbell *et al*




Figure 1. Map of Pulau Weh, northern Aceh, Indonesia showing the location of the ten sites used to quantify the shallow hard coral assemblages in February 2009.

2007; Hagan *et al* 2007) and limited information on reproductive seasonality in the *Acropora* (Baird *et al* 2009).

The scleractinian fauna of Pulau Weh is also of interest for economic reasons. The reefs support a small but growing dive industry and a number of fisheries. The aim of this study was to provide a quantitative description of the hard coral assemblages surrounding Pulau Weh.

Material and Method

Total coral cover and the assemblage structure of coral assemblages were determined at 10 sites spread around Pulau Weh in February 2009 (Figure 1) using 8 replicate 10 m line intercept transects (LIT) at between 0.5 and 2 m depths. The cover in cm of each hard coral colony (i.e. all scleractinians plus *Heliopora* and *Millepora*) was recorded. *Acropora* colonies were categorized into one of five morphological groups following Wallace (1999). Remaining scleractinian colonies were categorized as *Isopora*, *Montipora*, Pocilloporidae, Poritidae or “other scleractinia”. Cover was then expressed as the percentage of 10 m covered by each group on each transect. Principal component analysis (PCA) was used to investigate the differences in the

assemblage structure among sites using these 12 taxa. All data were collected on snorkel, restricting the surveys to depths generally less than 4 m. Taxonomic references used were Wallace (1999), Veron (2000) and Veron (2004).

Results and Discussion

Carbonate reefs are rare on the island, the exception being some fringing reef development in very shallow water in at least two locations, Benteng (Figure 1; Figure 2a) and Rubiah Sea Garden (Figure 1; Figure 2b). Most colonies are attached to granite boulders which make up the ocean floor at most sites on the north and west coast (Figure 2d), or rest in the sandy substrates that form the ocean floor on the east coast (Figure 2e). Total hard coral cover ranged from $21\% \pm 3.0$ at Batee Meuronon to $80\% \pm 2.4$ at Benteng and was greater than 40% at all but four sites (Batee Meuronon, Ujung Seurawan, Ba Kopra and Lhong Angin; Figure 3). Coral cover was consistently high at sites on the western side of Pulau Weh, ranging from $41\% \pm 3.7$ at Anoi Itam to $80\% \pm 2.5$ at Benteng (Figure 3). Coral cover was variable among the north western sites, all situated within a government gazetted marine reserve centred on the village of Ipoih, ranging from $21\% \pm 3.0$ at Batee Meuronon to $57\% \pm 5.4$ at Rubiah




Figure 2. Representative coral assemblages from various sites on Pulau Weh. (a) Fringing reef dominated by tabular *Acropora* and foliose *Montipora* at Benteng on the eastern side of P. Weh; (b) Fringing reef dominated by tabular and digitate *Acropora* at Rubiah Sea Garden; (c) Tabular and encrusting-arborescent *Acropora* dominate coral assemblages at Ujung Seurawan on the north coast of P. Weh; (d) Diverse hard coral assemblages growing on granitic boulders at Lhong Angin on the west coast of P. Weh; (e) Coral assemblages on the east coast of P. Weh are typically dominated by massive *Porites* and *Heliopora* resting on sandy substrates, such as this assemblage at Jaboi.

Sea Garden (Figure 3). Coral cover was lower on the eastern side of the island ranging from $24\% \pm 2.5$ at Lhong Angen to $34\% \pm 2.6$ (Figure 3).

The principal component analysis showed clear variation in the coral assemblages among sites, with two main clusters forming along the first principal component (Figure 4). Eastern and northern sites were dominated by *Acropora* spp. colonies with digitate, encrusting-arborescent and tabular morphologies (Figure 4; Figure 2b-d). Assemblages on the west coast, were generally dominated by massive *Porites* spp. and *Heliopora* (Figure 4; Figure 2e). Within each of these clusters, sites were distinguished by differences in the relative abundance of arborescent *Acropora*, *Montipora* and Pocilloporidae (Figure 4). For example, *Montipora* and arborescent *Acropora* were abundant at Benteng (Figure 4; Figure 2a) and Pocilloporidae were relatively abundant at Lhong Angin (Figure 4).

The reefs of Pulau Weh were in good condition in February 2009 with coral cover typically over 40% (Figure 2). Indeed, two of the sites with lower than 40% cover, Ujung Seurawan and Batee Meuronron, both had cover over 40% in surveys conducted in 2005 (Baird *et al* 2005). Recent *Acanthaster planci* activity

was evident at both sites and outbreak densities of the starfish were recorded at Batee Meuronron in February 2008 (A. Baird per obs; Figure 5a). Other sources of recent coral mortality include isolated cases of Black Band Disease (Figure 5b) and the




Figure 3. Variation in the cover of live hard coral (mean % \pm SE) among ten sites on Pulau Weh, northern Aceh. Each mean is based on eight 10-m line intercept transects. Locations of the ten sites are given in Figure 1.




Figure 4. Principal component analysis showing the relationships among hard coral assemblages on Pulau Weh. (a) Ordination plot showing the relationship between the ten sites. Each site is based on eight 10-m line-intercept transects. (b) Coral taxa loadings indicating the relative contributions of each of the hard coral taxa to the observed differences in assemblage structure.

corallivorous snail *Drupella* sp. (Figure 5c) and a moderate incidence of disease affecting *Pocillopora* spp. (Figure 5d) at sites on the west coast, which has potentially contributed to a decline in coral cover at Lhong Angen since 2005 (Baird *et al* 2005). Nonetheless, the high coral cover at most of these sites suggests local management has been relatively effective at controlling destructive fishing practices that have damaged nearby reefs in the region (Baird *et al* 2005; Campbell *et al* 2007; Campbell *et al* in press). Unfortunately, this success in managing reef biodiversity was abruptly halted by a rapid rise in sea temperatures that caused dramatic decline in coral cover at all sites around Pulau Weh with up to 100 % mortality of some sensitive species, such as *Isopora palifera* in May 2010 (unpublished data).

This event highlights the challenges associated with conserving coral reefs and local habitats in the face of global threats, such as climate change (Hughes *et al* 2003; Bellwood *et al* 2004, Rodder 2009, Fadli *et al* 2012).

The scleractinian fauna of Pulau Weh is unique, being a composite of Indian Ocean species, widespread Indo-Pacific species, Pacific Ocean species plus locally abundant species found mainly in Indonesia (Rudi *et al*, in press). In addition, the abundance of species with digitate morphologies (e.g. *A. digitifera* and *A. gemmifera*), and encrusting arborescent morphologies (e.g. *A. pinguis* and *A. roseni*) distinguishes this fauna from most other sites surveyed by Wallace in Indonesia (Wallace &




Figure 5. Agents of coral mortality on Pulau Weh. (a) *Acanthaster planci* at Batee Meuronon; (b) Black Band Disease on a *Montastrea colemani* colony at Ujung Seurawan; (c) *Drupella* sp. on *Acropora robusta* at Rubiah Sea Garden; (d) unidentified disease on *Pocillopora verrucosa* at Lhong Angin.




Figure 6. Possible new species of scleractinian coral from Pulau Weh. (a) *Astreopora* sp. nov. (b) *Acropora* sp. nov.1 (c) *Montipora* sp. nov. (d) *Acropora* sp. nov.2 (e) *Acropora dodenti* (f) *Acropora* sp. nov.

Wolstenholme 1998). The diversity of the scleractinian fauna is comparable with regions in the Coral Triangle (Rudi *et al*, in press), which is typically regarded as the centre of diversity for scleractinian corals (Briggs 2005). For example, surveys with a larger geographical scale but similar sampling intensity in the Kayoa Islands, Halmahera in the heart of the Coral Triangle (Veron *et al* 2009) recorded 130 scleractinian species (Ardiwijaya *et al* 2008) compared to the 133 recorded on Pulau Weh (Rudi *et al*, in press). Levels of endemism are also high. Rudi *et al* (in press) suggest at least five of the 133 species recorded in their surveys were new to science (Figure 6), a level of endemism (4%) double that of most of the 135 coral eco-regions identified by Veron *et al* (2009).

Conclusions

The shallow water coral reefs of Pulau Weh were in good condition in February 2009. Low incidences of disease and predation were evident, however, only at two sites was there any suggestion that these threats were affecting coral cover. The composition of the scleractinian fauna of Pulau Weh is distinct from other regions in Indonesia. In addition, the number of potentially new species discovered with relatively little effort suggests the reef of Aceh should be given a high conservation priority in order to protect this unique fauna and the industries, such as dive tourism and fishing that these reefs support.

Acknowledgements

We thank Fauna & Flora International for logistical support while on Pulau Weh. We dedicate this paper to the late Pak Dodent

who worked tirelessly to protect the reefs of Pulau Weh and raise awareness of coral reef conservation in Aceh.

References

- Allen, G. R., Adrim, M., 2003. Coral reef fishes of Indonesia. *Zoological Studies* 42:1-72.
- Ardiwijaya, R. L., Kartawijaya, T., Setiawan, F., Prasetia, R., Yulianto, I., Herdiana, Y., Baird, A. H., Campbell, S. J., 2008. An assessment of the coral reefs of Kayoa Islands, Halmahera Seascape, Coral Triangle, Indonesia Wildlife Conservation Society-Marine Program Indonesia, Bogor, Indonesia.
- Aspinall, E., 2009. *Islam and Nation: Separatist rebellion in Aceh, Indonesia*. Stanford University Press, Stanford.
- Baird, A. H., Campbell, S. J., Anggoro, A. W., Ardiwijaya, R. L., Fadli, N., Herdiana, Y., Kartawijaya, T., Mahyiddin, D., Mukminin, A., Pardede, S. T., Pratchett, M. S., Rudi, E., Siregar, A. M., 2005. Acehnese reefs in the wake of the Asian tsunami. *Current Biology* 15:1926-1930.
- Baird, A. H., Guest, J. R., Willis, B. L., 2009. Systematic and biogeographical patterns in the reproductive biology of scleractinian corals. *Annual Review of Ecology, Evolution and Systematics* 40:531-571.
- Bellwood, D. R., Hughes, T. P., Folke, C. & Nystrom, M., 2004. Confronting the coral reef crisis. *Nature* 429(6994):827-833.
- Briggs, J. C., 2005. The marine East Indies: Diversity and speciation. *Journal of Biogeography* 32:1517-1522.
- Brown, B. E., 2007. Coral Reefs of the Andaman Sea - and integrated perspective. *Oceanography and Marine Biology Annual Review* 45:173-194.
- Campbell, S. J., Baird, A. H., Cinner, J., Ardiwijaya, R. L., Herdiana, Y., Kartawijaya, T., Mukminin, A., 2012. Avoiding conflicts and protecting coral reefs: Customary management of fishing gear protects habitat and fish biomass in Aceh, Indonesia *Oryx*: in press

- Campbell, S. J., Pratchett, M. S., Anggoro, A. W., Ardiwijaya, R. L., Fadli, N., Herdiana, Y., Kartawijaya, T., Mahyiddin, D., Mukminin, A., Pardede, S. T., Rudi, E., Siregar, A. M., Baird, A. H., 2007. Disturbance to coral reefs in Aceh, Northern Sumatra: impacts of the Sumatra-Andaman tsunami and pre-tsunami degradation. *Atoll Research Bulletin* 544:55-78.
- Fadli, N., Campbell, S. J., Ferguson, K., Keyse, J., Rudi, E., Baird, A. H., 2012. Quantifying change in the community structure of an artificial reef. *Oryx*: in press.
- Hagan, A. B., Foster, R., Perera, N., Gunawan, C. A., Silaban, I., Yaha, Y., Manuputty, Y., Hazam, I., 2007. Tsunami impacts in Aceh Province and North Sumatra, Indonesia. *Atoll Research Bulletin* 544:37-54.
- Hughes, T. P., Baird, A. H., Bellwood, D. R., Card, M., Connolly, S. R., Folke, C., Grosberg, R., Hoegh-Guldberg, O., Jackson, J. B. C., Kleypas, J., Lough, J. M., Marshall, P., Nystrom, M., Palumbi, S. R., Pandolfi, J. M., Rosen, B., Roughgarden, J., 2003. Climate change, human impacts, and the resilience of coral reefs. *Science* 301(5635): 929-933.
- Reid, A., 2005. *An Indonesia Frontier: Acehnese and other histories of Sumatra*. Singapore University Press, Singapore.
- Rodder, D., 2009. Sleepless in Hawaii – does anthropogenic climate change enhance ecological and socioeconomic impacts of the alien invasive *Eleutherodactylus coqui* Thomas 1966 (Anura: Eleutherodactylidae)? *North-Western Journal of Zoology* 5(1):16-25.
- Rudi, E., Hoey, A. S., Campbell, S. J., Fadli, N., Linkie, M., Baird, A. H., 2012. The Coral Triangle Initiative: What are we missing? A case study from Aceh, Indonesia. *Oryx*: in press.
- Veron, J. E. N., 2000. *Corals of the World*. AIMS, Townsville.
- Veron, J. E. N., 2004. New species described in *Corals of the World*. AIMS, Townsville.
- Veron, J. E. N., DeVantier, L., Turak, E., Green, D. H., Kinnmonth, S., Stafford-Smith, M., Peterson, N., 2009. Delineating the Coral Triangle. *Galaxea* 11:91-100.
- Wallace, C. C., 1999. *Staghorn Corals of the World*. CSIRO, Collingwood.
- Wallace, C. C., Wolstenholme J., 1998. Revision of the coral genus *Acropora* (Scleractinia: Astrocoeniina : Acroporidae) in Indonesia. *Zoological Journal of the Linnean Society* 123:199-384.

Authors

- Andrew H. Baird, ARC Centre of Excellence for Coral Reef Studies, James Cook University, Townsville, Queensland 4811, Australia, e-mail: andrew.baird@jcu.edu.au
- Stuart J. Campbell, Wildlife Conservation Society, Jl. Pangrango No. 8, Bogor 16151, Indonesia.
- Nur Fadli; Department of Marine Sciences, Faculty of Marine and Fisheries, Syiah Kuala University, Banda Aceh, Aceh, Indonesia, e-mail: ivad29@yahoo.com
- Andrew S. Hoey, Red Sea Research Center, King Abdullah University of Science and Technology, Thuwal, Kingdom of Saudi Arabia.
- Edi Rudi, Department of Biology, Faculty of Sciences, Syiah Kuala University, Banda Aceh 23111, Aceh, Indonesia, e-mail: edirudi@yahoo.com

Citation Baird, A.H., Campbell, S.J., Fadli, N., Hoey, A.S., Rudi E., 2012. The shallow water hard corals of Pulau Weh, Aceh Province, Indonesia. *Aquaculture, Aquarium, Conservation & Legislation* 5(1):23-28.

Editor Andrew L. Rhyne, I. Valentin Petrescu-Mag

Received 23 December 2011

Accepted 02 February 2012

Published Online 12 March 2012

Funding The research was supported by an International Collaborative Grant for International Publication Batch II from the Director General of Higher Education, Department of National Education Indonesia (Contract number: 656/SP2H/PP/DP2M/ VII/2009, Date: 30 July 2009). WCS was supported by the Kezler Foundation.

Conflicts / Competing Interests No disclosures