

*The processing of German word stress: evidence for the prosodic hierarchy**

Ulrike Domahs

Richard Wiese

University of Marburg

Ina Bornkessel-Schlesewsky

Max Planck Institute for Human Cognitive and Brain Sciences,
Leipzig

Matthias Schlewsky

University of Marburg

The present paper explores whether the metrical foot is necessary for the description of prosodic systems. To this end, we present empirical findings on the perception of German word stress using event-related brain potentials as the dependent measure. A manipulation of the main stress position within three-syllable words revealed differential brain responses, which (a) correlated with the reorganisation of syllables into feet in stress violations, and (b) differed in strength depending on syllable weight. The experiments therefore provide evidence that the processing of word stress not only involves lexical information about stress positions, but also (quantity-sensitive) information about metrical structures, in particular feet and syllables.


1 Introduction

In the metrical description of phonological words, an intermediate foot level has been adopted between syllables and words in order to account for the tendency of strong and weak syllables to alternate. This concept of the foot involves maximally two syllables, the first one of which is strong.

* The research presented here was funded by the German Science Foundation grant ‘Word stress: rules and representations’ to Wiese, Domahs and Schlewsky. We are grateful to Rebecca Carroll, Tim Faust, Franziska Kretzschmar and Inga Petter for conducting the experiments. We would also like to thank the editors of *Phonology*, three anonymous reviewers, Birgit Alber, Petra Augurzky, Petra Burkhardt, Frank Domahs, Wolfgang Kehrein and Johannes Knaus for their very valuable comments.

It is the grouping of syllables into feet and of feet into prosodic words that determines the potential position of primary stress in a word, i.e. the strong syllable of a strong foot bears the main stress.

According to metrical stress theories (Lieberman 1975, Liberman & Prince 1977, Selkirk 1980, Giegerich 1985, Hayes 1985, 1995, Nespor & Vogel 1986, Kager 1995, Alber 1997, 2005, Trommelen & Zonneveld 1999), one function of stress is the hierarchical organisation of rhythmic units. In this respect, stress is a relation between prominent and weak syllables that is realised via phonetic parameters such as fundamental frequency (F0), duration and intensity. The relational property of stress can be expressed by means of metrical feet, which assign strong and weak syllables to metrical patterns. In this way, different foot-types can be derived on the basis of the number of syllables, syllable quantity and the direction in which feet are constructed (right- or leftwards). For example, Hayes (1995) assumes a strictly binary foot structure, involving either trochees (initial stress) or iambs (final stress). Binary feet consist either of two light syllables (monomoraic) or of one heavy syllable (bimoraic).¹ Exceptions are degenerate feet, which consist of one syllable only, and extrametrical syllables, which fall outside the rhythmic pattern. In this approach, the prosodic structure of words consists of a two-level hierarchy: (i) strong and weak syllables are parsed into feet, and (ii) strong and weak feet are parsed into prosodic words. An example of the resulting metrical structure is given for final-stressed *Vita'min* 'vitamin' in (1).



Although such a prosodic hierarchy has proved useful in describing prosodic structure from a theoretical perspective, there is still a strong tradition in the description of stress patterns in which the foot as a prosodic category is not used, as in the IPA stress classification, which provides for up to three degrees of inherent prominence (*IPA Handbook* 1999: 15). Grid-only approaches, as proposed by Liberman & Prince (1977), do not make use of the foot or a similar category.

In the present paper, we explore whether the metrical foot is indeed a structural unit within prosodic systems, presenting empirical findings from language-comprehension studies on German word stress.

¹ In contrast, some phonologists (e.g. Halle & Vergnaud 1987, Burzio 1994) have proposed ternary foot structures to capture languages with ternary rhythms. Whether the postulation of ternary foot structures is necessary to describe such languages has not yet been resolved. In the light of the experiments presented here, it will be discussed whether ternary feet are also able to explain our results.

1.1 The German word-stress system

In the model of metrical theory adopted by Hayes (1995), the crucial prosodic parameter of a language is its foot type (trochee or iamb), according to which syllables are grouped within a prosodic word. It is generally accepted (e.g. Jessen 1999) that Modern Standard German is a trochaic language, meaning that a foot consists of two moras or syllables. Thus, the minimal German word consists of a bimoraic syllable (e.g. *Wort* 'word') or of two monomoraic syllables (e.g. *Mama* 'mummy').

Despite the fact that there seems to be a preference for specific stress patterns in Modern Standard German, the position of main stress in monomorphemic words is variable, as it can be assigned to one of the last three full syllables of a prosodic word. Although there are a few exceptions to this THREE-SYLLABLE RULE (Vennemann 1990; e.g. grammatical terms such as '*Nominativ* 'nominative', '*Akkusativ* 'accusative'), this rule is the most reliable one within the description of the German stress system. Though proposals trying to account for the variability of main stress within the three-syllable window are somewhat controversial, we will introduce several of them in the following.

Within his comprehensive theory of the prosodic phonology of Standard German, Wiese (1996) assumes that stress is exclusively defined through the definition of a strong–weak relationship between syllables and feet within a prosodic hierarchy. Wiese argues that stress assignment in German requires (i) default rules according to which binary trochaic feet are constructed and the final foot within a prosodic word is strong (resulting in penultimate stress, as in *Ve'randa* 'veranda'), and (ii) a number of lexical specifications (resulting in final stress, as in *Samu'rai* 'samurai', or antepenultimate stress, as in *'Kimono* 'kimono'). Alternatively, other phonologists have proposed that most stress positions in German words can be derived on the basis of the structure of the final and prefinal syllable (e.g. Giegerich 1985, Féry 1998). According to these approaches, words with a heavy final syllable have final stress, and those with a light final syllable are stressed on the penultimate syllable. Furthermore, stress cannot be retracted beyond a heavy penult.

Alber (1997) proposes a metrical analysis of German polysyllabic words that also involved principles of foot construction. In her analysis, constraint interactions demand that feet be binary and left-headed. Main stress has to be realised as far to the right as possible, whereas in words with at least two feet secondary stress is aligned with the left edge of a prosodic word. Furthermore, exhaustive parsing of syllables into feet is influenced by the avoidance of stress clash and, where possible, by heavy syllables attracting stress.

In some other accounts it is argued that the default stress pattern in German is mainly determined by the statistical distribution of the three possible stress patterns (e.g. Levelt 1999, Levelt *et al.* 1999). The observation that penultimate stress is the most frequent stress pattern has led to the assumption that penultimate stress is the only unmarked stress

pattern, whereas the other patterns have to be specified lexically. However, a closer look reveals that the overwhelming occurrence of penultimate stress results from the fact that the German vocabulary largely consists of bisyllabic words ending in a reduced syllable. Consequently, Levelt (1999) and Levelt *et al.* (1999) propose that main stress on the first stressable syllable of a word can be assigned by default without lexical specification, whereas all other stress patterns are irregular and have to be stored as part of the idiosyncratic phonological representation of a word. A CELEX-based (Baayen *et al.* 1995) corpus analysis performed by Féry (1998) revealed that 73 % of bisyllabic German words are indeed stressed on the first syllable. However, considering only words with two full vowels, the frequency distribution of initial and final stress changed. Of 1495 words with two stressable syllables, 61 % were stressed on the final syllable. For trisyllabic words, a similar distribution of stress patterns holds (Féry 1998): in a corpus of 1312 words including both reduced and full final syllables, the penult was stressed in 51 % of cases, whereas within a corpus of words with stressable final syllables, primary stress was realised on the penult in 18 % of cases, on the antepenult in 29 % of cases and on the final syllable in the remaining 53 %. These proportions show that the type of stress pattern depends on the structure of the final syllable rather than on the frequency of a specific stress pattern alone, since only words with a reduced final syllable are generally stressed on the penult, while this is not necessarily the case for words with a full final syllable. This observation was confirmed by a corpus analysis of trisyllabic German nouns reported in Janßen (2003), in which words with super-heavy syllables (-VVC, -VCC) received final stress in 88 % of all cases.

A further crucial question relates to the concept of syllable weight and quantity-sensitivity of German more generally. Phonologists who support the quantity-sensitive account of German word stress provide different definitions of syllable weight. For instance, Giegerich (1985) adopts the traditional notion of syllable quantity, assuming that bi- and trimoraic syllables are heavy (i.e. -VV, -VC, -VVC, -VCC).² In contrast, Féry (1998) only considers syllables with the structure -VVC and -VCC (classified as superheavies by e.g. Giegerich 1985 and Kager 1989) to be heavy and to attract primary stress. In another proposal, that of Vennemann (1990, 1991), only closed syllables are heavy, i.e. -VV syllables are light. Given the distribution of stress in German words, the large number of lexical exceptions arising within each theory makes it difficult to decide which syllables are heavy and which are not. These controversies have led other phonologists to propose that German is not

² Note that, in Giegerich's account, the structure of final heavy syllables (-VV, -VVC, -VCC) differs from the structure of penultimate heavy syllables (-VV, -VC), due to extrametrical final segments in monomorphemic words. In suffixation, the final segment might build a new syllable together with the attached material. In this case, such segments are resyllabified as onset segments, and therefore no longer contribute to the weight of the preceding syllable. This analysis was adopted from an analysis of English syllable weight proposed by Hayes (1982).

quantity-sensitive at all (e.g. Kaltenbacher 1994, Wiese 1996). By contrast, Janßen (2003) shows that concepts of weight that were originally posited for Dutch (e.g. Kager 1989, Trommelen & Zonneveld 1999) can also account for empirical findings (in a pseudo-word experiment and a corpus study) in German. According to these proposals, only closed syllables are heavy, since open syllables are obligatorily long. In German, Janßen observes that pseudo-words with a closed final syllable were mainly stressed on the final or antepenultimate syllable, while pseudo-words with an open final syllable were mainly stressed on the penultimate syllable.

To summarise, accounts of German word stress differ as to whether they refer to foot structure and how feet are constructed. In the present paper, we explore whether metrical foot effects can be detected in language comprehension. Are stress-violation effects sensitive to prosodic structures or rather to the relative frequency of different stress positions? If prosodic structure does matter, then we must still establish which kind of foot structure can best explain the results.

1.2 Prosodic structure: empirical data

While the role of prosody in general is well established in psycholinguistic studies of word processing, it is unclear whether feet are psychologically real concepts. Most experimental studies on prosody have attempted to elucidate the importance of prosody in the identification and segmentation of linguistic units such as words or phrases. For instance, it has been shown that prosodic information plays a crucial role in word segmentation in early language acquisition (e.g. Mehler *et al.* 1988, Nazzi *et al.* 1998) and in spoken word recognition in adults (the Metrical Segmentation Strategy: Cutler & Clifton 1984, Cutler & Norris 1988, Cutler & van Donselaar 2001). Likewise, Grosjean & Gee (1987) propose that the recognition of a word is guided by its particular stress pattern. A word is accessed when a stressed syllable is encountered. Furthermore, it has been observed that every strong syllable, whether it bears primary or secondary stress, has an impact on word recognition (Cutler & Norris 1988, Norris *et al.* 1995, Mattys 2000).

Previous empirical evidence for foot structures has been mainly derived from a few observations of phonological or morphophonological phenomena. For instance, Wiese (1996) claims that the foot can be determined by the occurrence and distribution of the glottal stop in German words: syllable-initial vowels are avoided by the insertion of a glottal stop, but only in foot-initial position (e.g. [tri.o] *Trio* 'trio' *vs.* [di.ʔo.də] *Diode* 'diode'). McCarthy & Prince (1998) and others investigate prosodic constraints on morphological processes and show that, in a variety of languages, certain morphological output forms are constrained by the minimal word, which consists of at least one bimoraic foot. In language acquisition, Gerken (1994, 1996) observes that the vulnerability of a syllable in child language depends on the integration of that syllable

within the prosodic structure of a word. For instance, weak syllables embedded in a foot structure $(\sigma_s \sigma_w)_{Ft}$ are less prone to omission than unparsed weak syllables $(\sigma_w (\sigma_s \sigma_w)_{Ft})$. Further empirical evidence for the psychological reality of foot structures stems from a production task using trisyllabic pseudo-words that was performed with speakers of German (Janßen 2003). Pseudo-words varying in syllable structure were stressed predominantly on the penultimate syllable only if words ended with an open final syllable, while words with a closed final syllable were realised either with antepenultimate or final stress (see Table I). Thus the distribution of stress patterns suggests that the former case involves a single foot (final trochee), whereas the latter involves two feet (final monosyllabic foot preceded by a trochee), both of which may attract main stress. With respect to words with penultimate stress and an open final syllable, it is assumed that the final syllable does not build a non-branching foot (even if it consists of a long vowel), because such a structure would lead to a stress clash.

	ante- penultimate	penultimate	final
Fekomot	42.3	19.7	38.0
Rugabo	16.6	71.5	11.9
Rulkomenk	42.9	10.1	47.0

Table I

Distribution of stress patterns (in %) in a production task with pseudo-words that varied according to syllable structure (Janßen 2003).

The present experiments provide further empirical support for the assumption of an intervening foot level between syllables and prosodic words. We used the event-related potential (ERP) technique, an online method which has been successfully applied in the investigation of language processing. ERPs (EVENT-RELATED POTENTIALS) are small changes in the spontaneous electrical activity of the brain occurring in response to sensory or cognitive stimuli, which may be measured non-invasively by means of electrodes applied to the scalp. ERPs provide a very high temporal resolution, which is particularly useful in tracking real-time language processing. Furthermore, ERP patterns ('components') can be characterised along a number of different dimensions, thus providing a qualitative measure of the different processes involved in language comprehension. These dimensions are polarity (negative *vs.* positive), topography (at which electrode sites an effect is visible), latency (the time at which the effect is visible relative to the onset of a critical stimulus) and amplitude (the 'strength' of an effect). ERP components are typically named according to their polarity (N for negativity *vs.* P for positivity) and latency (an N400, for example, is a negativity with a peak latency of approximately 400 ms relative to the critical stimulus onset).

For instance, violations of phrase structure (e.g. Friederici 2002, Hahne & Friederici 2002) or morphosyntactic structure (e.g. Penke *et al.* 1997, Gross *et al.* 1998, Gunter *et al.* 2000) yield left anterior negativity with latencies between 150 and 250 ms (early left anterior negativity) and 300 and 500 ms (left anterior negativity) post stimulus onset respectively. By contrast, problems in lexical or semantic integration typically elicit a centro-parietal negativity (N400) within the same time window (see Kutas & Federmeier 2000 for a review).³

With respect to prosodic processing, most ERP-based research has been concerned with sentence prosody (e.g. Steinhauer *et al.* 1999), where the processing of intonational phrase boundaries evoked a positivity effect (Closure Positive Shift; CPS) and violations of intonational phrase contours led to an N400 followed by a late positive deflection (P600).

To date, only a few ERP studies have investigated the role of metrical properties of words. Some of these were performed to examine how prosodic information contributes to word retrieval, whereas others investigated the influence of frequency distributions on the processing of different stress patterns.

In an ERP study using cross-modal word fragment priming, Friedrich *et al.* (2004) found a reduction of a P350 effect whenever an auditory word fragment prime like [re] matched a target like [re'ga:l] *Regal* 'shelf' in terms of suprasegmental information. These findings were taken as evidence that lexical identification benefits from suprasegmental information such as pitch contours. However, in contrast to a segmental mismatch, a prosodic mismatch did not lead to an N400 effect, indicating an increase in lexical integration costs. The main finding of this experiment was that stress information contributes to the lexical retrieval of words. This assumption has been confirmed by a recent study reported by Knaus *et al.* (2007), in which incorrect stress patterns in auditorily presented words yielded an N400 effect as a reflex of difficulties in lexical access.

Previous ERP studies investigating the processing of words with frequent or infrequent stress patterns (e.g. Böcker *et al.* 1999, Friedrich *et al.* 2001) revealed that different stress patterns in bisyllabic words (penultimate *vs.* final stress) correlated with different ERP components. Using a stress-discrimination task, Böcker *et al.* (1999) reported a fronto-central negativity effect (N325) for stress shifts from strong-initial words to weak-initial words. In contrast, Friedrich *et al.* (2001) recorded ERPs during the processing of correctly and incorrectly stressed bisyllabic words (*'Amboss vs. *Am'boss* 'anvil' and *Ab'tei vs. *'Abtei* 'abbey') with artificially

³ For a more detailed description of ERP methodology and how it has been applied to psycholinguistic domains of investigation, see the overviews provided by Coles & Rugg (1995) and Kutas *et al.* (2006). A schematic depiction of an ERP experiment is given in Appendix A.

8 U. Domahs, R. Wiese, I. Bornkessel-Schlesewsky and M. Schlesewsky
manipulated pitch contours. These authors did not observe any ERP differences between correct and incorrect stress patterns, but an overall comparison between initially stressed and unstressed words revealed a parietal P200 effect for initially unstressed words.

The two effects related to the processing of different prosodic templates, the N325 (Böcker *et al.* 1999) and the P200 (Friedrich *et al.* 2001), were interpreted as effects indicating a mismatch between the expected (highly frequent) trochee and the encountered (infrequent) iamb. However, neither of the studies controlled properties such as the structure of the final syllable and the stressability of syllables containing either a full vowel or schwa.

The present studies therefore attempted to provide a more comprehensive investigation of effects of stress position by manipulating the structure of the final syllable, while controlling for other relevant parameters. Moreover, experiments were performed using trisyllabic words, which allow for an investigation of the entire prosodic system with a larger range of possible stress patterns. Specifically, we compared stress violations that involved different consequences for foot structure, i.e. violations requiring a change of foot structure ($(\sigma\sigma)(\sigma)$ changed into $\sigma(\sigma\sigma)$) *vs.* violations allowing for the foot structure to be upheld ($(\sigma\sigma)(\sigma)$ changed into $(\sigma\sigma)(\sigma)$). In Experiment 1, we examined all possible violations of the three different stress patterns, while Experiment 2 employed a single stress manipulation for words differing in syllable structure. The aim of the ERP studies was to identify neurocognitive correlates of specific prosodic structures at work during word processing.

2 Experiment 1

To examine electrophysiological effects induced by different stress types, we recorded brain responses to correctly and incorrectly stressed words with final stress (e.g. *Vita'min* 'vitamin'), prefinal stress (e.g. *Bi'kini* 'bikini') and antepenultimate stress (e.g. '*Ananas* 'pineapple').

For the aims of the present study, it is crucial to compare words differing in foot structure. In metrical theory, it has been proposed that words with distinct main stress positions vary in terms of their underlying metrical structure. For instance, Table II illustrates how the syllables of words with final, penultimate or antepenultimate stress can be parsed into feet. Accordingly, it is suggested here that German words with final or antepenultimate stress consist of two prosodic feet: the final syllable forms a non-branching foot (σ) and the first two syllables build a trochee ($(\sigma\sigma)$). In words with final stress, word stress falls on the final foot; in words with antepenultimate stress it falls on the first foot. In contrast to words with final and antepenultimate stress, we assume that words with penultimate stress consist of only one final trochee. It is an unresolved issue whether the leftmost syllable in these words builds a foot on its own or whether it is unfooted.

stress pattern		metrical structure
antepenultimate	'Ananas	($\sigma\sigma$)(σ)
penultimate	Bi'kini	σ ($\sigma\sigma$)
final	Diri'gent	($\sigma\sigma$)(σ)

Table II

Metrical structure of words with different stress patterns.

An alternative analysis of trisyllabic words with antepenultimate stress makes use of the notion of extrametricality, first proposed by Liberman & Prince (1977) for the stress system of English. For instance, in her analysis of German word stress, Féry (1998) suggests that the final syllable of a word like *'Sellerie* 'celery' is not parsed into a foot structure. For Féry, feet are strictly binary, consisting of two light syllables or one heavy syllable (either -VVC or -VCC). Since she regards syllables of the type CVV as light, the final syllable of *Sellerie* /'zɛlɛʁi:/ cannot form a foot on its own and is left unparsed. According to Féry, extrametricality of the final syllable is not a general principle in German, but can be derived from the interaction and ranking of the FOOTBINARITY and WEIGHT-TO-STRESS PRINCIPLE constraints (both first proposed by Prince & Smolensky 1993) and ALIGNFT-R (McCarthy & Prince 1993). A heavy final syllable forms a monosyllabic foot and receives main stress, thus satisfying ALIGNFT-R. A light final syllable either forms the weak part of a trochaic foot, if the penultimate syllables bears main stress, or is left unparsed, if the antepenultimate syllable is stressed. The latter case is unmarked only in words with a schwa-syllable in penultimate position.

Thus, in Féry's OT account of German word stress, the final syllable of the word *'Ananas* is extrametrical and does not build a foot on its own. In the analysis presented in Table II, words with final stress and antepenultimate stress consist of identical foot structures, which poses problems with respect to the word parameter and the question which foot within a word is strong and bears main stress (or in Optimality Theory terms, the ranking of the constraints ALIGNFT-R and ALIGNFT-L). However, the observation that a number of words can have either antepenultimate or final stress (e.g. *'Marzipan* or *Marzi'pan* 'marzipan') speaks in favour of their having identical metrical structures. This matter will be raised again in the discussion in §2.3.

We should also mention in relation to the metrical analysis in Table II that we consider words with antepenultimate stress to consist of two metrical feet, irrespective of the structure of the final syllable. This might seem to be inconsistent with the observation that in the pseudo-word study of Janßen (2003) antepenultimate stress occurs mainly in words with final closed syllables. We believe that antepenultimate stress in words like *'Lexikon* 'lexicon' is less marked than in words like *'Alibi* 'alibi' (the corpus analysis (Janßen 2003) revealed that 68% of words with

10 *U. Domahs, R. Wiese, I. Bornkessel-Schlesewsky and M. Schlesewsky*
antepenultimate stress are of the first type). However, we assume that the underlying metrical structure is identical. In Experiment 2 we will discuss this aspect in more detail.

We hypothesise that prosodic structures higher than the syllabic level had an effect on the online processing of words as reflected in ERPs. Our objective is to examine whether different types of violations of stress and foot structure produced different electrophysiological effects.

2.1 Method

2.1.1 *Participants.* Twenty-four right-handed native speakers of German (twelve women, twelve men) with normal or corrected-to-normal vision and without hearing deficits participated in our experiment. Their mean age was 25 (ranging from 19 to 28). Each participant was paid for participation.

2.1.2 *Material.* Important criteria for the selection of words were firstly that each word contained three stressable syllables (i.e. those containing a full vowel) and secondly that each group of words with a specific stress pattern was controlled for the structure of the final and penultimate syllable. In accordance with the findings reported in Janßen (2003), we selected particular syllable-structure templates for each stress pattern: words stressed on the final position contain predominantly a super-heavy syllable with either a short vowel followed by a consonant cluster (e.g. *Diri'gent* 'conductor') or a long vowel followed by one consonant (e.g. *Kroko'dil* 'crocodile'). Words with stress on the penult have an open final syllable and either an open or a closed penultimate syllable, and words stressed on the antepenultimate syllable contain an open penultimate syllable and either a closed or an open final syllable (see Table II).⁴ The words were further controlled for frequency, according to the CELEX database (Baayen *et al.* 1995). All frequencies were kept below 30 occurrences per million (see Appendix B).

For each of the three possible stress patterns (final, penultimate and antepenultimate), we chose 30 items (listed in Appendix B). Each word was recorded with every stress pattern, i.e. once with the correct and twice with an incorrect stress pattern (e.g. correct *Bi'kini*; incorrect **'Bikini* and **Biki'ni*). Overall, we recorded 270 critical items (3 types of correct stress pattern \times 30 words \times 3 types of presented stress pattern). In order to balance the number of correct and incorrect stimuli, 90 filler items with correct stress patterns were added (30 filler items per stress pattern). The filler items were trisyllabic and comparable to the critical items in terms of frequency. Each word was embedded in the same carrier sentence

⁴ In the first experiment we grouped these two types of words together, to compare words with different stress patterns only. In the second experiment, we investigated whether the difference in syllable structure in words with antepenultimate stress plays a role in the processing of stress.

(*Er soll nun ... sagen* 'He is supposed to say ... now') to avoid any interference effect of phrasal intonation with word stress.

Sentences were recorded by a female, linguistically trained speaker of German.⁵ An analysis of the critical phonetic parameters (see Appendix C) showed that stress was realised with comparable parameter values irrespective of the correctness of the stress position. In particular, the phonetic parameters of words with antepenultimate and penultimate stress did not differ significantly between correctly and incorrectly stressed realisations. The same holds for unstressed syllables; for example, incorrectly unstressed initial syllables (e.g. **A'nanas*) had the same mean phonetic values as correctly unstressed initial syllables (e.g. *B'i'kini*). However, words with final stress differed significantly between correct and incorrect conditions, mainly with respect to the parameter duration. This difference was due to the fact that the items with correct final stress consisted of a superheavy final syllable, which means that final syllables in words with final stress contained more segments than final syllables in words with antepenultimate or penultimate stress. Thus the observed significant difference results from the inherent property of words with final stress to contain final syllables with complex rhymes.

Stimuli were recorded digitally with 44 kHz and 16 bit (mono), using the CoolEditPro (version 1.2) sound recording and analysis programme (Syntrillium Software Corporation) and an 'Elektret' microphone (Sennheiser K6, ME 66). Each stimulus word was recorded embedded in the carrier sentence. After recording, each stimulus was spliced into the identical realisation of the carrier sentence with a pause 50 ms before and 40 ms after the critical item. This was done in order to determine the onsets of the critical items and to avoid different context inferences to the critical items. Moreover, it ensured that the combinations of carrier sentence and critical item sounded natural, and did not violate the pitch contour of the carrier sentences.

2.1.3 Procedure. Participants were comfortably seated in front of a computer screen in a dimly illuminated room. The experimental stimuli were presented auditorily via loudspeakers and the participants' task was to decide as accurately as possible whether the critical word within each

⁵ One possible alternative to this procedure would have been to construct the stimuli synthetically by means of sound-generation software. Synthetically generated speech sounds can be controlled for phonetic properties like fundamental frequency (F0), intensity, vowel quality and vowel duration, which are the most relevant parameters for the perception of prominence relations between syllables. However, since the intention in the present study was to explore the processing of natural speech, we decided to record naturally spoken items. In a magnet-encephalogram study that was designed to investigate early brain responses to voice information, Lattner *et al.* (2003) observed that synthetically manipulated or synthetically generated speech evoked stronger brain potentials in comparison to unmanipulated human speech. These authors concluded that synthesised voices violate prototypical representations of an average human voice. In our recording of unmanipulated speech, we aimed to keep the parameters F0, intensity and duration constant for each stressed and unstressed syllable in each position.

sentence was stressed correctly or not. To enable a matching of an expected stress pattern with a correct or incorrect presented stress pattern, we presented the critical items visually prior to auditory presentation.

Each trial started with a fixation cross that appeared for 500 ms. A critical item was then presented visually for 500 ms, followed by a blank screen of 250 ms before the auditory presentation of the stimulus embedded in a carrier sentence started. The mean duration of the sentences was 2800 ms. After the offset of each sentence (*Er soll nun ... sagen*), a question mark appeared and remained on the screen for 2000 ms. Participants were instructed to press a yes or no button with their thumbs as soon as the question mark appeared. Responses were given with a delay of 846 ms after offset of the critical items to avoid movement artefacts. The assignment of thumbs to the yes and no buttons was counter-balanced across participants. The appearance of the question mark further indicated that participants were allowed to blink and rest their eyes. The next trial was initiated after an intertrial interval of 2000 ms.

The stimuli appeared in six experimental blocks, preceded by a short practice phase. Experimental and filler items were presented in a pseudo-randomised order, each word appearing only once within each block. In order to avoid sequence effects, the order of the blocks was varied for each participant. The entire duration of an experimental session was approximately 45 minutes.

2.1.4 EEG recording and data analysis. An electroencephalogram (EEG) was recorded by means of 22 AgAgCl electrodes via a *Brainvision* amplifier, with the C2 electrode serving as ground electrode. The reference electrode during recording was placed at the left mastoid. EEGs were re-referenced offline to both mastoids. To control for eye-movement artefacts, vertical eye movements were recorded by electrodes above and below the participant's left eye, and horizontal eye movements by two electrodes fixed to the outer canthus of both eyes (electrooculogram (EOG)). Electrode impedances were kept below 5 k Ω . EEGs and EOGs were recorded continuously, with a digitisation rate of 250 Hz, and filtered offline with a bandpass filter from 0.3 to 20 Hz.

ERPs were computed for each participant, condition and electrode. Trials with eye-movement artefacts and incorrect responses were removed from the data (approximately 20% of trials, due to the long timespan of each stimulus). Averages were calculated starting at the onset of the critical word and extending to 1500 ms thereafter. ERP comparisons are always relative, i.e. negativities or positivities in a critical condition can only be interpreted relative to a control condition and not in absolute terms. We therefore compared each incorrect condition with the respective correct condition. For measurements of mean voltage, two time windows were chosen for each word-type separately, on the basis of a visual inspection of the grand average curves. The reason for this is that the position of violation effects depends on the position of incorrect word stress – compare violations like **A'nanas* or **Ana'nas*, with main stress

	antepenultimate	penultimate	final
Experiment 1			
'Ananas		420–800 (neg)* 800–1150 (pos)**	400–950 (neg)* 800–1150 (pos) ^{ns}
Bi'kini	600–1100 (pos)** 900–1400 (neg)***		600–1000 (neg)** 900–1400 (pos)***
Vita'min	500–760 (pos)*	500–760 (neg)* 900–1200 (pos)***	
Experiment 2			
closed final syllable		500–800 (neg)* 840–1250 (pos)**	400–1050 (neg)** 840–1250 (pos) ^{ns}
open final syllable		500–800 (neg) ^{ns} 840–1250 (pos) ^{ns}	400–1050 (neg)** 840–1250 (pos) ^{ns}

Table III

ERP effects induced by stress violations in different time windows (in ms) selected in Experiments 1 and 2. The type of ERP effect found (either negativity or positivity) is indicated by (neg) or (pos). Contrasts between correct and incorrect conditions are indicated by * ($p < 0.05$), ** ($p < 0.01$), *** ($p < 0.001$) or ns (not significant).

on the second or third syllable, to violations like *'Bikini or *Biki'ni, where it falls on the first or third syllable. For words with antepenultimate stress we chose (i) two early time windows, from 400 to 950 ms and from 420 to 800 ms, and (ii) a later one, from 800 to 1150 ms; for those with penultimate stress (i) from 600 to 1100 ms and (ii) from 900 to 1400 ms; and for those with final stress (i) from 500 to 760 ms and (ii) from 900 to 1200 ms (for an overview, see Table III).

In a repeated measurements design, the factor Stress Position (antepenultimate, penultimate, final) was considered. An ANOVA was calculated for electrodes of particular regions (Region) separately. Regions were defined as frontal (electrodes F3, FZ, F4), central (electrodes C3, CZ, C4) and parietal (electrodes P3, PZ, P4).

2.2 Results

2.2.1 Behavioural data. Error rates were collected in order to control for the accuracy of stress perception. As was mentioned in the method section, the participants were instructed to give responses after the offset of the carrier sentence, i.e. 846 ms after the offset of the critical items. Due to the delay in response measurement, reaction-time data are not meaningful and will not be reported here.

Error rates for the three word types differed significantly (see scores in Table IV). A 3×3 ANOVA revealed main effects for the factors Word Type (words stressed correctly either on antepenultimate syllable, penultimate or final syllable) and Stress Position (all three presented stress positions) (Word Type: $F(2, 46) = 7.019$, $p < 0.003$; Stress Position: $F(2, 46) = 4.812$, $p < 0.036$), as well as an interaction of the two factors ($F(4, 92) = 13.863$, $p < 0.001$). A post hoc analysis revealed that responses for words correctly stressed on the antepenult (*'Ananas*) were less accurate in conditions with final stress and, *vice versa*, words correctly stressed on the final syllable were more error-prone when initially stressed (*'Ananas vs. *Ana'nas*: $F(1, 23) = 7.529$, $p < 0.013$; *Vita'min vs. *'Vitamin*: ($F(1, 23) = 10.996$, $p < 0.004$). However, no such difference was found for *'Ananas vs. *A'nanas* ($F(1, 17) = 1.867$, $p > 0.185$) and *Vita'min vs. *'Vitamin* ($F(1, 23) < 1$). For violations of words with correct penultimate stress, no decrease in accuracy was detected for incorrect conditions (*Bi'kini vs. *'Bikini*: $F(1, 23) = 1.778$, $p > 0.195$; *Bi'kini vs. *Biki'ni*: $F(1, 23) = 1.540$, $p > 0.227$; see also accuracy scores in Table IV). Overall, the decrease in accuracy in ill-stressed words like **Ana'nas* and **'Vitamin* suggests that those forms were preferred by the participants over words such as **A'nanas* or **'Vitamin*.

	ante- penultimate	penultimate	final
'Ananas	97	92	86
Bi'kini	91	98	94
Vita'min	81	95	98

Table IV

Accuracy scores obtained from Experiment 1. For each word group, mean accuracy scores (in %) are illustrated for correct (shaded) and incorrect conditions.

2.2.2 ERP data. Figures 1–3 depict grand average ERPs for the three word categories with different correct stress pattern. Each figure is limited to nine out of 22 electrodes (F3, FZ, F4, C3, CZ, C4, P3, PZ, P4) and illustrates EEG plots for the one correct and two incorrect conditions per stress type. Grand averages start with the onset of the critical word and end after 1500 ms, with a pre-stimulus baseline of 200 ms. As mentioned above, the time of the appearance of violation effects depends on the position of incorrect word stress. We therefore calculated the effect sizes in terms of mean voltage in different time windows (see §2.1.4). It should be mentioned that ERPs were measured from the onset of the stimulus and not from the onset of each incorrectly stressed syllable, because we wanted to compare the time courses of ERP components




Figure 1

Experiment 1: grand averages of event-related brain potentials (ERPs) obtained for words with antepenultimate stress. The correct condition (*/Ananas*; solid line) is plotted against the incorrect conditions with penultimate stress (**An'ananas*; dashed line) and final stress (**Ana'nanas*; dotted line). The boxes indicate the time windows that were used for statistical comparisons between correct and incorrect conditions: the darker shaded box illustrates the time window in which a negativity effect for both violation types was obtained and the lighter box the time window in which a positivity effect for violations with penultimate stress was found. By convention, negativity is plotted upwards. The x-axis depicts time from critical stimulus onset (indicated by the vertical bar), while the y-axis depicts amplitude in microvolts.

obtained in the same words with different stress patterns. Since stress is a relational property, stress shifts affect the whole phonological word and not only the incorrectly stressed syllable. We therefore assume that a stress mismatch can only be judged on the basis of a sequence of at least two syllables, where, for instance, a strong-weak sequence is expected and a weak-strong sequence encountered.

In global statistical analyses, the factor Stress Position was significant for each word type, indicating that the processing of incorrect conditions differs from the processing of the correct condition. Since it is the




Figure 2

Experiment 1: grand averages of event-related brain potentials (ERPs) obtained for words with penultimate stress. The correct condition (*Bikini*; solid line) is plotted against the incorrect conditions with antepenultimate stress (*'Bikini*; dashed line) and final stress (**Biki'ni*; dotted line). The darker shaded box indicates the time window in which violations with antepenultimate stress yielded a positivity effect and violations with final stress a negativity effect, and the lighter box the time window in which a positivity effect induced by violations with final stress occurred.

comparisons of each incorrect form with the respective correct form that are relevant for our question, the following results focus on such comparisons.

2.2.2.1 Words with correct antepenultimate stress. For words such as *'Ananas*, we found two effects related to stress violations: a negativity effect which was more pronounced for violations with final stress than for violations with penultimate stress, and a positivity effect for violations with penultimate stress (see Fig. 1). Statistical analyses of mean voltage changes in the time window from 400 to 950 ms revealed a significant negativity effect for violations with final stress ($F(1, 23) = 8.276$, $p < 0.01$), and in the time window from 420 to 800 ms a negativity effect for violations with penultimate stress ($F(1, 23) = 5.875$, $p < 0.025$). A further




Figure 3

Experiment 1: grand averages of event-related brain potentials (ERPs) obtained for words with final stress. The correct condition (*Vita'min*; solid line) is plotted against the incorrect conditions with antepenultimate stress (*'*Vitamin*; dashed line) and penultimate stress (**Vi'tamin*; dotted line). The darker shaded box illustrates the latency of the positivity effect evoked by violations with antepenultimate stress and the negativity effect by violations with penultimate stress, and the lighter box shows the latency of the positivity effect evoked by penultimate stress.

comparison of mean voltage differences of correct and incorrect conditions occurring between 800 and 1150 ms post onset showed that errors with penultimate stress (**A'nanas*) produced a pronounced positivity effect ($F(1, 23) = 8.303$, $p < 0.009$). Incorrect forms with final stress (**And'nas*), in contrast, did not differ from the correct condition ($F(1, 23) < 1$).

2.2.2.2 *Words with correct penultimate stress.* In words with correct penultimate stress (*Bi'kini*), the effects induced by the incorrect conditions split up into two subsequent time windows (see Fig. 2): (i) a positivity effect for incorrect forms with initial stress (**'Bikini*) occurred between 600 and 1000 ms ($F(1, 23) = 9.790$, $p < 0.006$), (ii) a positivity effect for finally stressed incorrect forms (**Biki'ni*) between 900 and 1400 ms ($F(1, 23) = 31.266$, $p < 0.001$). Note that we observed not only a positivity

18 U. Domahs, R. Wiese, I. Bornkessel-Schlesewsky and M. Schlesewsky
effect, but also a negativity effect in each time window, which appeared to be complementary to the positivity effect: violations with final stress produced a negativity effect within the early time window ($F(1, 23) = 12.068$, $p < 0.003$), and violations with antepenultimate stress within the second time window ($F(1, 23) = 33.925$, $p < 0.001$).

2.2.2.3 *Words with correct final stress.* In words with correct final stress (*Vita'min*), both violation types induced ERP effects (see Fig. 3): violations with antepenultimate stress caused a reduced positivity effect ($F(1, 23) = 7.912$, $p < 0.011$) between 500 and 760 ms post onset and violations with penultimate stress a reduced negativity effect ($F(1, 23) = 6.239$, $p < 0.021$) between 500 and 760 ms and a pronounced positive deflection ($F(1, 23) = 35.310$, $p < 0.001$) between 900 and 1200 ms. Thus violations with penultimate stress evoked an enhanced amplitude difference compared to violations with antepenultimate stress.

2.3 Discussion

The main finding of the present experiment is that the matching of an expected stress pattern with a deviant stress pattern evokes an enhanced late positivity effect. Since this effect occurred in nearly all instances of incorrect stress assignment, we argue that it reflects a brain response to the detection of a prosodic mismatch. Recall that the participants' task was to compare a mentally activated stress pattern with the stress pattern actually heard (see the literature on silent reading, e.g. Bader 1996, Steinhauer & Friederici 2001, Fodor 2002, Stolterfoht *et al.* 2007).

We interpret the late positivity effects as instances of P300 effects, which have been reported from other cognitive domains and which are known to reflect stimulus probability, saliency and task relevance (e.g. Picton 1992, Coulson *et al.* 1998a, b). According to Coulson *et al.* (1998a), the P300 is an appropriate dependent variable to test the saliency and/or the complexity of a given manipulation, because the amplitude and the latency of the effect increase with the degree of anomaly. Thus, the distribution of the P300 effects observed here is informative with respect to the underlying cognitive process involved. As Figs 1–3 and the statistical analyses show, we did not obtain an enhanced positivity effect for each violation. In words that are correctly stressed on the antepenultimate syllable, a positivity effect was found only for violations with penultimate stress (e.g. **A'nanas*), but not for violations with final stress (e.g. **And'nas*). Similarly, words with correct final stress show this effect for violations induced by penultimate stress (e.g. **V'i'tamin*), whereas violations with antepenultimate stress (e.g. **Vitam'in*) produced no such pronounced positivity effect. In contrast, violations for words with correct penultimate stress produced a pronounced positivity effect in each violation condition (e.g. **Bikini* and **Biki'ni*). These different results do not occur randomly, but depend on the type of target stress pattern and the respective underlying prosodic structure. Crucially, we interpret the strength of the P300 effect as a function of the degree of deviation from

the target pattern. In cases in which the stress shift involves a restructuring of feet, we find stronger effects than in cases where the stress shift does not require a change in foot structure.

In the introductory section we outlined the assumption that different stress patterns correspond to distinct foot structures (see Table II). For instance, trisyllabic words with penultimate stress end in a final trochee ($(Bi_w)(ki_sni_w)$), whereas words with antepenultimate or final stress end in a monosyllabic foot which is preceded by a trochee ($(A_sna_w)(nas_s)$ or $(Vi_s ta_w)(min_s)$). In the latter case, there are two feet with a strong syllable in each foot. Hence, words with antepenultimate and final stress share a similar prosodic structure, whereas words with penultimate stress have different structural properties (see also Table I). This brings us back to the controversies in the metrical analysis of prosodic structures in German outlined in §§ 1.1–2. The patterning of effects is in line with the structure proposed in Table II. Note that we would expect to find violation effects for final stress in words with canonical antepenultimate stress if the final syllable was extrametrical. In such a case, the foot structure would have changed from $(\sigma_s\sigma)<\sigma>$ to $(\sigma\sigma)(\sigma_s)$. Ternary structures of words with canonical antepenultimate stress can be excluded as well. In a ternary structure, the weak syllable of a foot would become the strong syllable of a non-branching foot (e.g. $(\sigma_s\sigma\sigma)$ would change to $(\sigma\sigma)(\sigma_s)$). Therefore, we interpret our findings as a first piece of evidence against the assumption of extrametricality (e.g. Féry 1998) or ternary feet (e.g. Halle & Vergnaud 1987, Burzio 1994).

Since the foot structures of words with antepenultimate and final stress are identical, the shift from antepenultimate stress to final stress or *vice versa* does not require a restructuring of prosodic units. However, a shift from penultimate stress to final or antepenultimate stress or *vice versa* generally requires a reorganisation of the mapping between syllables and feet. We take this structural difference to be the explanation for the patterning of EEG effects. According to this interpretation, only violations demanding a restructuring of the foot structure produce a P300.

An alternative explanation for the patterning of ERP effects would be to assume that incorrect forms, which do not require a restructuring of metrical entities, are not perceived as violations at all. If this were true, there should have been higher error rates for such incorrect forms in the behavioural data, which was clearly not the case. Rather, our participants correctly rejected most of the violations, even those that did not produce a positivity effect (see Table IV). In summary, although stimuli like **Ana'nas* and **Vitamin* were rejected as lexical forms, the electrophysiological responses did not deviate from those for correct forms. With respect to metrical structure, our findings strongly suggest that the prosodic representation of a word includes a hierarchical structure of strong and weak syllables and strong and weak feet within a prosodic word (e.g. $(vi_{\sigma_s}.ta_{\sigma_w})_{Ftw}(min_{\sigma_s})_{Fts}$).

With respect to the negative deflection observed for violations of words correctly stressed on the antepenultimate or penultimate syllable, we

argue that this effect belongs to the CNV family (contingent negative variation; Walter *et al.* 1964, Rugg 1984, Grossi *et al.* 2001), which is elicited before the appearance of an expected stimulus, in our case a strong syllable. In earlier studies, CNV was found in the contexts requiring an increased memory load, for instance when phonological information had to be retained in working memory to perform a specific task. Assuming that participants internally activated the phonological form of a visually presented stimulus to match the expected prosodic pattern with the presented one, they possibly kept the prosodic information – activated by the visual input – in working memory while they encountered a stressed syllable in the auditory input. Since such a negativity effect was observed mainly in instances where an initial strong syllable was replaced by a weak one, we suggest that the absence of an initial strong syllable causes the respective phonological information to be retained in working memory until a strong syllable is encountered. In cases with incorrect initial stress (e.g. **Vitamin*), no negativity effect was observed. Thus we hypothesise that a negativity effect of this sort indirectly mirrors the detection of pitch contour deviations in cases where a de-stressed initial syllable does not provide sufficient information to reject a wrongly stressed word. This is in accordance with the stress-based model proposed by Grosjean & Gee (1987), which predicts that a word is accessed through the perception of a stressed syllable.

In a second experiment, we tested whether the observed positivity effect of target mismatch is also sensitive to the influence of syllable structure on the construction of prosodic structure. To this end, brain responses to stress violations in words with varying structure of the final syllable were analysed.

3 Experiment 2

In order to test whether target-related effects observed for stress violations also vary according to the type of rhyme structure of the final syllable, we contrasted words of the form (*'A.na*)(*nas*) ($((\sigma_s\sigma_w)(\sigma_s))$) with words of the type (*'A.li*)(*bi*) ($((\sigma_s\sigma_w)(\sigma_s))$). Pseudo-word experiments with German native speakers and a corpus analysis of existing trisyllabic German nouns (Janßen 2003) showed that in words with a closed final syllable initial stress was produced in 47% (pseudo-word experiment)/68% (corpus analysis) of cases and in words with an open final syllable only in 17%/32%. From this observation we hypothesise that the violation effects are different for these two types of words. We tested whether participants perceive stress violations not only in relation to the target stress position, but also in relation to the stress position predicted by the syllable structure of a word. Although a word like **A'libi* is perceived as an incorrect form, it is structurally similar to the frequent correct form *Bi'kini*. Such a structural similarity may have an influence on the reanalysis of incorrect prosodic structures. For violations with final stress we predict the opposite

influence of syllable structure on stress assignment: violation effects for **Ali'bi* should be more pronounced than for **Ana'nas* if the language-processor is sensitive to the structural preferences for words with final stress. While final stress is rather exceptional in words with an open final syllable, this is not the case if the final syllable is closed. Again, electrophysiological effects may be sensitive to a preferred or dispreferred correlation between syllable structure and stress position. Alternatively, both types of final syllables are heavy and have identical structures, as proposed in Table II. Some authors have argued (e.g. Giegerich 1985) that open syllables in German consist of long vowels, which would support the assumption that open syllables are heavy. The problem with this suggestion is that open syllables seem to be long only if they are stressed (Wiese 1996, Jessen 1999). Thus it is hard to decide whether a syllable is stressed due to vowel length or whether a vowel is lengthened because of stress. Generally, the length contrast between vowels is confounded with the distinction between tense and lax vowels, which are by and large in complementary distribution: tense vowels occur in open and lax vowels in closed syllables. It is beyond the scope of the present paper to solve this long-standing debate; however, our data might be able to provide an answer to the question of whether open final syllables are heavy and form non-branching feet.

3.1 Method

3.1.1 *Participants.* Twenty-four right-handed native speakers of German (thirteen women, eleven men) with normal or corrected-to-normal vision and without hearing deficits participated in our experiment. Their mean age was 23 (ranging from 19 to 34). None of the participants took part in the preceding experiment.

3.1.2 *Material.* The correct stimuli with antepenultimate stress and the incorrect stimuli with penultimate and final stress were identical to the stimuli used in Experiment 1. However, stimuli were divided into two groups of words according to the structure of the final syllable: (i) fifteen words with a closed final syllable ('*Ananas*, **A'nanas*, **Ana'nas*) and (ii) fifteen words with an open final syllable ('*Alibi*, **A'libi*, **Ali'bi*). Each word was presented twice in order to increase the number of critical items. Both word groups were controlled for mean word frequency according to CELEX (closed final syllable: 4.5 per million; open final syllable: 5.2 per million), F₀, intensity and syllable duration (for statistical comparisons see Appendix D).⁶

To balance the occurrence of correct and incorrect stress patterns, 30 filler items were added: fifteen words that were correctly stressed either

⁶ The two word groups differ only with respect to the duration of the final syllable in correctly stressed words, which is due to the presence or absence of a coda consonant.

22 U. Domahs, R. Wiese, I. Bornkessel-Schlesewsky and M. Schlesewsky
on the penultimate or final syllable and a further fifteen which were incorrectly stressed on the antepenultimate syllable. As with the experimental items, each filler item was presented twice.

3.1.3 *Procedure.* The procedure was identical to the one outlined in the method section of Experiment 1.

3.1.4 *EEG-recording and data analysis.* The technical set-up was identical to the one used in Experiment 1. Trials with eye-movement artefacts and incorrect responses were removed prior to data averaging (approximately 5.8% of trials).

The two violation types were analysed separately for a negativity and a positivity effect. A visual inspection revealed a negativity effect for both violation types and a positivity effect only for violations with penultimate stress. For measurements of mean voltage, three time windows were chosen: (i) from 400 to 1050 ms for the negativity effect observed for violations with final stress, (ii) from 500 to 800 ms for the negativity in words with penultimate stress and (iii) from 840 to 1250 ms for the analysis of the positivity effect (see Table III for an overview of statistical analyses).

3.2 Results

3.2.1 *Behavioural data.* Accuracy scores revealed that responses to violations with penultimate stress were more accurate for words with a closed final syllable (97%) compared to words with an open final syllable (93%), whereas the accuracy for violations with final stress were less error-prone in words with an open final syllable (84%) than in words with a closed final syllable (68%). Accuracy for correctly stressed words with a closed final syllable was 98% and for words with an open final syllable 97%.

As the present study aimed to find differences for each violation type as a function of the structure of the final syllable, error rates were compared between the correct conditions and each violation type in a 2×2 design (Word Type: words with closed and open final syllables, and Correctness: correct and incorrect stress).

For a comparison of error rates of correctly stressed antepenultimate words and ill-stressed words with penultimate stress, an ANOVA revealed a main effect for the factor Word Type ($F(1, 23) = 6.086$, $p < 0.023$), but not for the factor Correctness ($F(1, 23) = 2.857$, $p > 0.104$), and no interaction of the two factors ($F(1, 23) = 2.338$, $p > 0.14$). Thus words with an open final syllable were judged less accurately than words with a closed final syllable, irrespective of the correctness of the words. This difference indicates that '*Alibi*-words are more marked than '*Ananas*-words.

In a comparison of error rates of correctly stressed antepenultimate words and incorrect words with final stress, we obtained main effects for the factors Word Type ($F(1, 23) = 26.341$, $p < 0.001$) and Correctness ($F(1, 23) = 24.368$, $p < 0.001$), and for an interaction of the two factors ($F(1, 23) = 46.672$, $p < 0.001$). The obtained effects are due to higher error




Figure 4

Experiment 2: grand averages of event-related brain potentials (ERPs) obtained for words with antepenultimate stress. The correct conditions (*'Ananas*; solid black line) and (*'Alibi*; solid grey line) are plotted against the incorrect condition with penultimate stress (**'Ananas*; dotted black line, and **'Alibi*; dotted grey line). The darker shaded box indicates the time window for analysis of the negativity effects of both violation types, and the lighter box the time window for analysis of the positivity effects.

rates for incorrectly stressed words like **Ana'nas* (32%) compared to words like **Ali'bi* (16%) and correctly stressed words (2% and 3%). This difference reflects the observation that words with a final heavy syllable are frequently stressed on the final syllable, in contrast to words with an open final syllable. Obviously, a frequent ('unmarked') pattern is harder to reject if it appears as stress violation than an infrequent ('marked') pattern.

3.2.2 ERP data. Figures 4 and 5 depict grand average ERPs for the two word groups with antepenultimate stress (*'Ananas* and *'Alibi*) with either a penultimate violation or final stress violation. Since the aim of our analysis was to investigate the influence of syllable structure on the processing of stress violations, we examined differences in effect size for each type of violation separately.




Figure 5

Experiment 2: Grand averages of event-related brain potentials (ERPs) obtained for words with antepenultimate stress. The correct conditions ('*Ananas*; solid black line) and ('*Alibi*; solid grey line) are plotted against the incorrect condition with final stress (**Ananas*; dotted black line, and **Alibi*; dotted grey line). The darker shaded box indicates the time window for analysis of the negativity effects of both violation types, and the lighter box the time window for analysis of the positivity effects.

Figure 4 illustrates changes in mean voltage for violations with penultimate stress in words with either closed or open final syllables, and Fig. 5 the same contrast for violations with final stress. Statistical analyses of the negative deflections were applied to the 500 to 800 ms time window for violations with penultimate stress and to the 400 to 1050 ms window for violations with final stress. For the positive deflection, a time window from 840 to 1250 ms was chosen for both violation conditions. The factor Correctness (correct *vs.* incorrect stress pattern) was analysed for each violation pattern and word type separately.

3.2.2.1 *Violations with penultimate stress.* Figure 4 shows that violations with penultimate stress produced a biphasic component of the type already observed in Experiment 1: a negativity effect between 500 and

800 ms and a positivity effect between 840 and 1250 ms. However, the amplitude size was different in the two groups of words with antepenultimate target stress. The effects observed in words like *Ananas* were more pronounced than the effects observed in words like *Alibi*. A statistical analysis of the time window from 500 to 800 ms revealed a significant negativity effect for the factor Correctness in words with a closed final syllable ($F(1, 23) = 6.548, p < 0.019$), but not in words with an open final syllable ($F(1, 23) < 1$). With regard to the positivity effect, violations with penultimate stress produced a main effect for the factor Correctness in words with a closed final syllable ($F(1, 23) = 12.079, p < 0.003$), but not in words with an open final syllable ($F(1, 23) = 1.782, p > 0.194$).

3.2.2.2 Violations with final stress. Figure 5 demonstrates that violations with final stress produced an extended negativity effect between 400 and 1050 ms, but no positivity effect. Analyses according to the factor Correctness for each word type revealed that violations of words containing a closed final syllable evoked a significant broad negative deflection ($F(1, 23) = 10.912, p < 0.004$), whereas violations for words with an open final syllable displayed this effect only over frontal regions (across all electrode sites: Correctness: $F(1, 23) = 2.253, p > 0.147$ ns; interaction of the factors Correctness \times Region: $F(2, 46) = 7.249, p < 0.011$; Correctness over frontal electrode sites: $F(1, 23) = 6.982, p < 0.0016$). As with the positivity effect found for violations with penultimate stress, we calculated statistics within a time window from 840 to 1250 ms and did not obtain a significant result either for words with a closed final syllable (Correctness: $F(1, 23) = 1.97, p > 0.17$) or for words with an open final syllable (Correctness: $F(1, 23) < 1$). Thus, Experiment 2 replicated the findings of Experiment 1: violations with final stress evoked a negative component, but no positivity effect in the context of words correctly stressed on the antepenultimate position.

3.3 Discussion

In the second experiment, the perception of violations of words with correct antepenultimate stress was examined. Violations of words with a closed final syllable were compared to violations of words with an open final syllable. We obtained different results for violations realised with penultimate stress compared to final stress.

Violations with penultimate stress produced stronger electrophysiological effects in words with a closed final syllable (**A'nanas*) than in words with an open final syllable (**A'libi*). Only in the former case were negative and positive shifts deviating significantly from the correct condition found. The violation with penultimate stress in words with an open final syllable evoked no significant ERP effect. These gradual effects are in accordance with the observation that existing trisyllabic words ending in -VC(C) (V = full vowel) are less frequently stressed on the penultimate syllable in comparison to words ending in -V, which predominantly occur with penultimate stress in the corpus analysis reported in Janßen (2003).

Thus the ERP effects found correlate with the distribution of stress patterns in actual words with different syllable structure. Obviously, the occurrence of ERP components reflects the probability of a particular stress pattern in a word with a specific segmental make-up.

As far as violations with final stress are concerned, we found a broadly distributed negativity effect for words with a closed final syllable and a frontal negativity for words with an open final syllable – both are possibly instances of contingent negative variation. As stated in the discussion section of Experiment 1, such a component seems to correlate with a delay in the evaluation process due to the detection of a de-stressed initial syllable.

Interestingly, final stress did not induce a P300, indicating a reanalysis of metrical structure. The lack of a positivity effect does not support the prediction that final stress in words with an open final syllable is dis-preferred in contrast to final stress in words with a closed final syllable. If this were the case, we should have observed a P300 for the first type of words, but not for the latter one. One explanation for the absence of a positive component is that both types of words exhibit the structure $(\sigma_s\sigma_w)(\sigma_s)$. Thus final stressed syllables are in the strong position of a foot, irrespective of whether the syllable is open or closed. It seems as though the language processor is not sensitive to detecting differences between stressed final syllables containing closed and open rhymes. Interestingly, violations with final stress in words with penultimate stress like *Bi'kini*, with a syllable structure comparable to *'Alibi*, evoked a much stronger electrophysiological effect than in words with antepenultimate stress (compare Figs 2 and 5). We take this difference as evidence not only for the assumption that the structural make-up of a word is decisive for the processing of stress, but also for the postulated prominence relation between the correct and incorrect stress positions: stress shift to a non-head syllable requires a restructuring of feet, whereas stress shift to a head syllable does not.

Alternatively, according to the traditional concept of quantity-sensitivity (e.g. Hayes 1995), -VC and -VV are equally heavy (bimoraic in terms of a mora-counting system). However, it was argued above that open syllables in German are not heavy. The lack of a violation effect thus indicates that the final syllable of words with antepenultimate stress forms a non-branching foot, i.e. is strong/heavy by position. We suggest that in contrast to closed syllables, open syllables with long vowels are not heavy *per se*, but that their parsing as non-branching feet depends on the main stress position. Thus, we argue that words of the type (A.li.)(bi) are somehow specified for a final non-branching foot.⁷ In this respect it is instructive that in the behavioural data words like **Ali'bi* were rejected as incorrect more accurately than words like **Ana'nas*, reflecting the different status of the two word types (see §3.2.1).

⁷ It should be mentioned here that a phonetic analysis of open final syllables in *'Alibi* and *Bi'kini* does not distinguish between the two types of open syllables.

We interpret the dissociation found for violations with penultimate stress as indicating that the language processor makes use of knowledge about prosodic structure, which is determined by the type of syllable structure relevant for the parsing of syllables into feet. It should be emphasised here that the graded ERP effects observed cannot be attributed to differences in phonetic parameters, since the phonetic values appeared to be highly similar in both words groups. Instead, the activation patterns observed are in accordance with our hypothesis that prosodic structures depend on structural properties of the final syllable.

4 General discussion

In the present paper, we have reported results from two ERP experiments on the processing of main stress in German words. The aim of the studies was to investigate whether there are electrophysiological correlates to hierarchies among syllables or feet. Furthermore, the results are capable of shedding further light on the question of how the language processor uses information about the prosodic structure of words, at least for German.

Stress violations generally induced a centro-parietal positivity effect, the latency of which depended mainly on the position of the incorrectly stressed syllable: violations with antepenultimate stress evoked earlier effects than violations with penultimate or final stress. It is the position of an incorrectly stressed syllable rather than the position of a de-stressed syllable that determines the point at which participants detect a stress violation. The patterning of ERP effects suggests that initial de-stressing leads to a CNV, whereas initial incorrect stress engenders a positivity that is earlier in latency than positivities occurring with incorrect stress on later positions. However, the positivity appearing with incorrect initial stress is time-locked not just to the perception of the first syllable, but also to the processing of information from the second syllable. The time course of effects therefore emphasises the relational property of stress.

The positivity effect observed for incorrect conditions was interpreted as reflecting the evaluation of a prosodic mismatch between expected and encountered stress patterns. However, the positivity effect did not occur for each stress violation (see Figs 1 and 3): incorrect final stress in words correctly stressed on the antepenultimate position and *vice versa* did not produce such an effect.

As already noted in the discussion of Experiment 1, we interpret the observed patterns as demonstrating that the type of prosodic hierarchy plays an important role in stress-error detection. Assuming that trisyllabic words with penultimate stress consist of one metrical foot (a final trochee), while words with antepenultimate and final stress consist of two feet (a trochee and a monosyllabic foot), we suggest that a positivity effect occurs in those cases in which the metrical structure of a violation condition

leads to a re-parsing of syllables into feet (e.g. when *(vi.ta)('min)* turns into **vi.(ta.min)* and *bi.(ki.ni)* turns into **(bi.ki)('ni)*). Thus, the observed positivity effect reflects a reanalysis process rather than a mere evaluation process concerning the correctness of the presented stress patterns. Overall, the patterning of effects confirms the foot-structure analysis proposed in Table II. The most controversial structure was the one suggested for words with antepenultimate stress, as an alternative analysis assumes an extrametrical final syllable (e.g. by rule (Féry 1998) or by introducing an extrametricality marker (Wiese 1996)). We can rule out another analysis, one involving ternary foot structures in words with antepenultimate stress, as in this analysis violation effects for incorrect words with final stress (e.g. **Lexi'kon*) should have been found as well.

In the second experiment, we found even more fine-grained violation effects, depending on internal syllable structure. Violations with penultimate stress produced an enhanced positivity effect in words with a closed final syllable, compared to words with an open final syllable. This dissociation confirms the assumption that the distribution of word stress is determined by the structure of the final syllable (Janßen 2003). Violations with final stress, however, did not produce any differential effects in correlation with the structure of the final syllable. We take this result as evidence for the assumption that a final syllable is strong in words with antepenultimate stress irrespective of its structure.

A crucial question concerning our findings is whether the positivity effect reflects a cognitive process that is specific to prosodic processing, or whether it is an expression of a more general reanalysis process of complex structures. As mentioned in §2.3, we assume that it is an instance of the P300 family (e.g. Verleger 1988, Picton 1992), which reflects general task relevant match–mismatch processing. Accordingly, the occurrence of the P300 component is correlated with a target mismatch that occurs if the stress pattern of the present item does not fit the previously generated expectation. Moreover, this component reflects the saliency of the target mismatch as a function of structural deviation. Stress shifts involving a restructuring of prosodic structure are more salient than stress shifts from one prosodic head to another. Hence, the P300 seems to be a reliable dependent variable to test the complexity of prosodic manipulations. Furthermore, the peak latencies of P300 effects for different stress violations suggest that this response is related to the perception of a wrongly stressed strong syllable: effects for incorrect antepenultimate stress occur earlier than for incorrect penultimate or final stress. However, in the case of initial wrongly stressed forms the evaluation process seems to require suprasegmental information of at least two syllables reflecting the relational property of stress.

The results from the two experiments support linguistic accounts of metrical representations which assume a hierarchical layering of syllables and feet within prosodic words, as described in prosodic phonology. In particular, it has been shown that the position of a syllable within a word determines its stressability.


5 Conclusion

From the perspective of language processing, our findings suggest that German word stress relies not only on the distinction between default stress and lexically specified stress, but also on the structural properties of a word determining its foot structure. This in turn leads to a particular stress pattern. Thus different stress positions in German derive from the way in which syllables are parsed into feet: words with an open final syllable tend to be stressed on the penultimate syllable, while words with a closed final syllable are stressed either on the antepenultimate or final syllable.

The findings contribute to the question of how prosodic information is processed in the brain, and what type of information is used for the prosodic analysis of speech. Stress violations in stress-evaluation experiments produce a positivity effect indicating a target-mismatch process, which reflects different degrees of prosodic reanalysis. However, stress errors do not induce positivity effects *per se*. Rather, such effects are only observed for those stress errors that require a restructuring of syllables into feet. Additionally, the language-processing system is sensitive to the prosodic structure not only in terms of metrical feet, but also in terms of syllable structure. This could be demonstrated at least for the structure of the final syllable, which seems to play a decisive role in the formation of metrical structure. In this respect, our results shed further light on the correct metrical analysis of German words. Thus our experiments provide evidence that the processing of word stress depends not only on word-specific lexical information about stress position, but also on more abstract (quantity-sensitive) information about metrical structure, such as the hierarchical ordering of syllables and feet.

Appendix A

Schematic depiction of the set-up of an ERP experiment on language processing (adapted from Coles & Rugg 1995). The ongoing EEG is recorded while participants read or listen to linguistic stimuli. Critical stimulus-related activity is isolated from the background electrical activity of the brain by means of an averaging procedure, which applies to a set of stimuli of the same type. The resulting event-related brain potential, which is shown in the bottom right-hand corner of the figure, consists of a series of negative and positive potential changes. By convention, negativity is plotted upwards. The x-axis depicts time from critical stimulus onset (which occurs at the vertical bar), while the y-axis depicts voltage. ERP components are typically named according to their polarity (N for negativity *vs.* P for positivity) and latency (an N400, for example, is a negativity with a peak latency of approximately 400 ms relative to critical stimulus onset). ERP comparisons are always relative, meaning that negativities or positivities in a critical condition can only be interpreted relative to a control condition and not in absolute terms (i.e. relative to the zero line).



Appendix B

List of items and mean frequency (number of occurrences per million words, according to the CELEX database).

<i>antepenultimate stress</i>		<i>penultimate stress</i>		<i>final stress</i>	
Albatros	'albatross'	Alaska	'Alaska'	Abitur	'final exam'
Alibi	'alibi'	Albino	'albino'	Alphabet	'alphabet'
Alkohol	'alcohol'	Angina	'angina'	Architekt	'architect'
Almanach	'almanac'	Arena	'arena'	Dirigent	'conductor'
Ananas	'pineapple'	Armada	'armada'	Dissonanz	'dissonance'
Anorak	'anorak'	Aroma	'aroma'	Evidenz	'evidence'
Defizit	'deficit'	Bikini	'bikini'	Exponent	'exponent'
Eskimo	'Eskimo'	Dementi	'denial'	Formular	'form'
Exodus	'exodus'	Dilemma	'dilemma'	Garnitur	'set'
Festival	'festival'	Embargo	'embargo'	Halogen	'halogen'
Figaro	'figaro'	Fiasco	'fiasco'	Hospital	'hospital'
Kakadu	'cockatoo'	Flamingo	'flamingo'	Isotop	'isotope'
Kanada	'Canada'	Gorilla	'gorilla'	Katapult	'catapult'
Kimono	'kimono'	Inferno	'inferno'	Kompliment	'compliment'
Kolibri	'colibri'	Kasino	'casino'	Krokodil	'crocodile'
Korridor	'corridor'	Konfetti	'confetti'	Labyrinth	'labyrinth'
Kumulus	'cumulus'	Korona	'corona'	Magazin	'magazine'
Lexikon	'lexicon'	Madonna	'madonna'	Manifest	'manifesto'
Manitu	'manitou'	Mikado	'spillikins'	Mikrophon	'microphone'
Marathon	'marathon'	Moskito	'mosquito'	Militär	'military'
Monitor	'monitor'	Nirwana	'nirvana'	Monolog	'monologue'
Panama	'Panama'	Placebo	'placebo'	Monument	'monument'
Paprika	'paprika'	Plazenta	'placenta'	Paradies	'paradise'
Patina	'patina'	Polenta	'polenta'	Paradox	'paradox'
Pelikan	'pelican'	Regatta	'regatta'	Parasit	'parasite'
Risiko	'risk'	Safari	'safari'	Pergament	'parchment'
Scharlatan	'charlatan'	Salami	'salami'	Residenz	'residence'
Tombola	'tombola'	Toronto	'Toronto'	Testament	'will'
Tunika	'tunic'	Torpedo	'torpedo'	Vagabund	'vagabond'
Ultimo	'ultimo'	Veranda	'veranda'	Vitamin	'vitamin'
<i>mean frequency</i>					
5 per million		2.1 per million		5.7 per million	

Appendix C

Mean values of the phonetic parameters fundamental frequency (F0; range over syllables in Hz), intensity (in db) and syllable duration (in ms) for each stress pattern in one correct (shaded) and two incorrect conditions. For example, in the first row mean values are given for words stressed on the antepenultimate syllable, e.g. *'Ananas*, **'Bikini* and **'Vitamin*. The rightmost column gives results of a statistical comparison for the three conditions of this row.

realised stress pattern		target stress context			statistics
		ante-penult	penult	final	
ante-penultimate	F0	201.7	197.0	201.7	F (2,58) = 2.411, p > 0.099
	intensity	67.9	68.5	67.9	F (2,58) < 1
	duration	255	289	255	F (2,58) = 2.723, p > 0.074
penultimate	F0	194.4	191.1	194.7	F (2,58) = 1.980, p > 0.147
	intensity	68.2	67.6	67.7	F (2,58) < 1
	duration	343	317	323	F (2,58) = 1.429, p > 0.248
final	F0	206.1	207.8	206.2	F (2,58) = 1.068, p > 0.346
	intensity	64.6	65.2	66.0	F (2,58) = 4.281, p < 0.025
	duration	429	483	483	F (2,58) = 33.017, p < 0.001

Appendix D

Mean values of the phonetic parameters fundamental frequency, intensity and syllable duration for the two word groups with either closed ('Ananas) or open final syllable ('Alibi). Correct conditions are shaded. Statistical analyses compared values of phonetic parameters of both word groups.

	antepenultimate		penultimate		final	
	-VC#	-V#	-VC#	-V#	-VC#	-V#
1st syllable	199 Hz 67 db 251 ms	204 Hz 68 db 260 ms	188 Hz 69 db 242 ms	187 Hz 67 db 256 ms	191 Hz 66 db 173 ms	192 Hz 66 db 199 ms
2nd syllable	188 Hz 65 db 241 ms	189 Hz 66 db 233 ms	195 Hz 68 db 354 ms	194 Hz 68 db 333 ms	191 Hz 66 db 245 ms	190 Hz 66 db 246 ms
3rd syllable	162 Hz 62 db 416 ms	159 Hz 61 db 340 ms	164 Hz 64 db 454 ms	163 Hz 62 db 403 ms	208 Hz 65 db 454 ms	208 Hz 65 db 454 ms
statistics	Hz: F (1,14) < 1 db: F (1,14) < 1 ms: F (1,14) = 9.16, p < 0.01		Hz: F (1,14) < 1 db: F (1,14) = 2.68, p > 0.12 ms: F (1,14) = 3.11, p > 0.10		Hz: F (1,14) < 1 db: F (1,14) < 1 ms: F (1,14) < 1	
	post hoc statistics for duration 1st syllable: F (1,14) < 1 2nd syllable: F (1,14) < 1 3rd syllable: F (1,14) = 29.02, p < 0.001					

REFERENCES

Alber, Birgit (1997). Quantity sensitivity as the result of constraint interaction. In Geert Booij & Jeroen van de Weijer (eds.) *Phonology in progress: progress in phonology*. The Hague: Holland Academic Graphics. 1–45.

Alber, Birgit (2005). Clash, Lapse and Directionality. *NLLT* 23. 485–542.

Baayen, R. H., R. Piepenbrock & L. Gulikers (1995). *The CELEX lexical database. Release 2* [CD-ROM]. Philadelphia: Linguistic Data Consortium, University of Pennsylvania.

Bader, Markus (1996). *Sprachverstehen: Syntax und Prosodie beim Lesen*. Opladen: Westdeutscher Verlag.

Böcker, Koen B. E., Marcel C. M. Bastiaansen, Jean Vroomen, Cornelis H. M. Brunia & Beatrice de Gelder (1999). An ERP correlate of metrical stress in spoken word recognition. *Psychophysiology* 36. 706–720.

Burzio, Luigi (1994). *Principles of English stress*. Cambridge: Cambridge University Press.

- Coles, Michael G. H. & Michael D. Rugg (1995). Event-related brain potentials: An introduction. In Michael D. Rugg & Michael G. H. Coles (eds.) *Electrophysiology of mind: event-related brain potentials and cognition*. Oxford: Oxford University Press. 1–26.
- Coulson, Seana, Jonathan W. King & Marta Kutas (1998a). Expect the unexpected: event-related brain response to morphosyntactic violations. *Language and Cognitive Processes* **13**. 21–58.
- Coulson, Seana, Jonathan W. King & Marta Kutas (1998b). ERPs and domain specificity: beating a straw horse. *Language and Cognitive Processes* **13**. 653–672.
- Cutler, Anne & Charles Clifton (1984). The use of prosodic information in word recognition. In Herman Bouma & Don G. Bouwhuis (eds.) *Attention and performance X: control of language processes*. Hillsdale: Erlbaum. 183–196.
- Cutler, Anne & Wilma van Donselaar (2001). *Voor naam* is not (really) a homophone: lexical prosody and lexical access in Dutch. *Language and Speech* **44**. 171–195.
- Cutler, Anne & Dennis Norris (1988). The role of strong syllables in segmentation for lexical access. *Journal of Experimental Psychology: Human Perception and Performance* **14**. 113–121.
- Féry, Caroline (1998). German word stress in Optimality Theory. *Journal of Comparative Germanic Linguistics* **2**. 101–142.
- Fodor, Janet Dean (2002). Prosodic disambiguation in silent reading. *NELS* **32**. 113–132.
- Friederici, Angela D. (2002). Towards a neural basis of auditory sentence processing. *Trends in Cognitive Sciences* **6**. 78–84.
- Friedrich, Claudia K., Kai Alter & Sonja A. Kotz (2001). An electrophysiological response to different pitch contours in words. *Neuroreport* **12**. 3189–3191.
- Friedrich, Claudia K., Sonja A. Kotz, Angela D. Friederici & Kai Alter (2004). Pitch modulates lexical identification in spoken word recognition: ERP and behavioral evidence. *Cognitive Brain Research* **20**. 300–308.
- Gerken, LouAnn (1994). A metrical template account of children's weak syllable omissions from multisyllabic words. *Journal of Child Language* **21**. 565–584.
- Gerken, LouAnn (1996). Prosodic structure in young children's language production. *Lg* **72**. 683–712.
- Giegerich, Heinz (1985). *Metrical phonology and phonological structure: German and English*. Cambridge: Cambridge University Press.
- Grosjean, François & James Paul Gee (1987). Prosodic structure and spoken word recognition. *Cognition* **25**. 135–155.
- Gross, Matthias, Tessa Say, Michael Kleingers, Harald Clahsen & Thomas F. Münte (1998). Human brain potentials to violations in morphologically complex Italian words. *Neuroscience Letters* **241**. 83–86.
- Grossi, Giordana, Donna Coch, Sharon Coffey-Corina, Phillip J. Holcomb & Helen J. Neville (2001). Phonological processing in visual rhyming: a developmental ERP study. *Journal of Cognitive Neuroscience* **13**. 610–625.
- Gunter, Thomas C., Angela D. Friederici & Herbert Schriefers (2000). Syntactic gender and semantic expectancy: ERPs reveal early autonomy and late interaction. *Journal of Cognitive Neuroscience* **12**. 556–568.
- Hahne, Anja & Angela D. Friederici (2002). Differential task effects on semantic and syntactic processes as revealed by ERPs. *Cognitive Brain Research* **13**. 339–356.
- Halle, Morris & Jean-Roger Vergnaud (1987). *An essay on stress*. Cambridge, Mass.: MIT Press.
- Hayes, Bruce (1982). Extrametricality and English stress. *LI* **13**. 227–276.
- Hayes, Bruce (1985). *A metrical theory of stress rules*. New York: Garland.
- Hayes, Bruce (1995). *Metrical stress theory: principles and case studies*. Chicago: University of Chicago Press.

- Hulst, Harry van der (ed.) (1999). *Word prosodic systems in the languages of Europe*. Berlin & New York: Mouton de Gruyter.
- IPA Handbook (1999). *Handbook of the International Phonetic Association: a guide to the use of the International Phonetic Alphabet*. Cambridge: Cambridge University Press.
- Janßen [Domahs], Ulrike (2003). *Untersuchungen zum Wortakzent im Deutschen und Niederländischen*. PhD thesis, University of Düsseldorf. Available (March 2008) at <http://deposit.d-nb.de/cgi-bin/dokserv?idn=972217770>.
- Jessen, Michael (1999). German. In van der Hulst (1999). 515–545.
- Kager, René (1989). *A metrical theory of stress and destressing in English and Dutch*. Dordrecht: Foris.
- Kager, René (1995). The metrical theory of word stress. In John A. Goldsmith (ed.) *The handbook of phonological theory*. Cambridge, Mass. & Oxford: Blackwell. 367–402.
- Kaltenbacher, Erika (1994). Typologische Aspekte des Wortakzents: zum Zusammenhang von Akzentposition und Silbengewicht im Arabischen und im Deutschen. *Zeitschrift für Sprachwissenschaft* 13. 20–55.
- Knaus, Johannes, Richard Wiese & Ulrike Janßen [Domahs] (2007). The processing of word stress: EEG studies on task-related processing. *Proceedings of the International Congress of Phonetic Sciences*, Saarbrücken. 709–712.
- Kutas, Marta & Kara D. Federmeier (2000). Electrophysiology reveals semantic memory use in language comprehension. *Trends in Cognitive Sciences* 4. 463–470.
- Kutas, Marta, Cyma K. van Petten & Robert Kluender (2006). Psycholinguistics electrified II (1994–2005). In Matthew Traxler & Morton Ann Gernsbacher (eds.) *Handbook of psycholinguistics*. 2nd edn. London: Elsevier. 659–724.
- Lattner, Sonja, Burkhard Maess, Yunhua Wang, Michael Schauer, Kai Alter & Angela D. Friederici (2003). Dissociation of human and computer voices in the brain: evidence for a preattentive gestalt-like perception. *Human Brain Mapping* 20. 13–21.
- Levelt, Willem J. M. (1999). Models of word production. *Trends in Cognitive Sciences* 3. 223–232.
- Levelt, Willem J. M., Ardi Roelofs & Antje S. Meyer (1999). A theory of lexical access in speech production. *Behavioral and Brain Sciences* 22. 1–38.
- Liberman, Mark (1975). *The intonational system of English*. PhD dissertation, MIT.
- Liberman, Mark & Alan Prince (1977). On stress and linguistic rhythm. *LI* 8. 249–336.
- McCarthy, John J. & Alan Prince (1993). Generalized alignment. *Yearbook of Morphology 1993*. 79–153.
- McCarthy, John J. & Alan Prince (1998). Prosodic Morphology. In Andrew Spencer & Arnold M. Zwicky (eds.) *The handbook of morphology*. Oxford & Malden, Mass.: Blackwell. 283–305.
- Mattys, Sven L. (2000). The perception of primary and secondary stress in English. *Perception and Psychophysics* 62. 253–265.
- Mehler, Jacques, Peter Jusczyk, Ghislaine Lambertz, Nilofar Halsted, Josiane Bertoncini & Claudine Amiel-Tison (1988). A precursor of language acquisition in young infants. *Cognition* 29. 143–178.
- Nazzi, Thierry, Josiane Bertoncini & Jacques Mehler (1998). Language discrimination by newborns: toward an understanding of the role of rhythm. *Journal of Experimental Psychology: Human Perception and Performance* 24. 756–766.
- Nespor, Marina & Irene Vogel (1986). *Prosodic phonology*. Dordrecht: Foris.
- Norris, Dennis, James M. McQueen & Anne Cutler (1995). Competition and segmentation in spoken-word recognition. *Journal of Experimental Psychology: Learning, Memory, and Cognition* 21. 1209–1228.

- 36 U. Domahs, R. Wiese, I. Bornkessel-Schlesewsky and M. Schlesewsky
- Penke, Martina, Helga Weyerts, Matthias Gross, Elke Zander, Thomas F. Münte & Harald Clahsen (1997). How the brain processes complex words: an event-related potential study of German verb inflections. *Cognitive Brain Research* **6**. 37–52.
- Picton, Terence W. (1992). The P300 wave of the human event-related brain potential. *Journal of Clinical Neurophysiology* **9**. 456–479.
- Prince, Alan & Paul Smolensky (1993). *Optimality Theory: constraint interaction in generative grammar*. Ms, Rutgers University & University of Colorado, Boulder. Published 2004, Malden, Mass. & Oxford: Blackwell.
- Rugg, Michael D. (1984). Event-related potentials in phonological matching tasks. *Brain and Language* **23**. 225–240.
- Selkirk, Elisabeth (1980). The role of prosodic categories in English word stress. *LJ* **11**. 563–605.
- Steinhauer, Karsten, Kai Alter & Angela D. Friederici (1999). Brain potentials indicate immediate use of prosodic cues in natural speech processing. *Nature Neuroscience* **2**. 191–196.
- Steinhauer, Karsten & Angela D. Friederici (2001). Prosodic boundaries, comma rules, and brain responses: the closure positive shift in ERPs as a universal marker for prosodic phrasing in listeners and readers. *Journal of Psycholinguistic Research* **30**. 267–295.
- Stolterfoht, Britta, Angela D. Friederici, Kai Alter & Anita Steube (2007). Processing focus structure and implicit prosody during reading: differential ERP effects. *Cognition* **104**. 565–590.
- Trommelen, Mieke & Wim Zonneveld (1999). Dutch. In van der Hulst (1999). 492–515.
- Vennemann, Theo (1990). Syllable structure and simplex accent in modern standard German. *CLS* **26:2**. 399–412.
- Vennemann, Theo (1991). Syllable structure and syllable cut prosodies in Modern Standard German. In Pier Marco Bertinetto, Michael Kenstowicz & Michele Loporcaro (eds.) *Certamen Phonologicum II: papers from the 1990 Cortona Phonology Meeting*. Turin: Rosenberg & Sellier. 211–243.
- Verleger, Rolf (1988). Event-related potentials and cognition: a critique of the context updating hypothesis and an alternative interpretation of P3. *Behavioral and Brain Sciences* **11**. 343–356.
- Walter, W. Grey, R. Cooper, V. J. Aldridge, W. C. McCallum & A. L. Winter (1964). Contingent negative variation: an electric sign of sensorimotor association and expectancy in the human brain. *Nature* **203**. 380–384.
- Wiese, Richard (1996). *The phonology of German*. Oxford: Clarendon.