

Artificial Intelligence-based Internet of Things for Industry 5.0

Bhanu Chander¹, Souvik Pal², Debashis De³, Rajkumar Buyya⁴

¹ Department of computer science and engineering,
Pondicherry University,
Pondicherry, India
gujurothubhanu@gmail.com

² Department of Computer Science and Engineering
Global Institute of Management and Technology,
Krishnanagar, India
souvikpal22@gmail.com

³ Department of Computer Science and Engineering,
Director of Computational Science,
Maulana Abul Kalam Azad University of Technology,
Kolkata, India
dr.debashis.de@gmail.com
dr.debashis.de@ieee.org

⁴ Director of the Cloud Computing and Distributed Systems
(CLOUDS) Laboratory
School of Computing and Information Systems
The University of Melbourne, Australia
rbuyya@unimelb.edu.au

Corresponding Author Details (With Mail ID):
Souvik Pal
souvikpal22@gmail.com

Abstract:

In Industry 5.0 paradigm, AI-based systems are the essential component for the Internet of Things. In most applications, Industry 5.0 showed a significant connection between intelligent systems and humans through accurate manufacturing automation with critical thinking skills. Also, industry 5.0 brings several competent tools that help organizations work inexpensively and instantly change without any principal investment. In recent years, smart devices, wireless communication, and sensor nodes have made considerable advances, making the Internet of Things (IoT) ecosystems. The Internet of

Things (IoT) is a network of interconnected, internet-connected devices that can capture and transmit data without the need for human interaction over a wireless network. With the introduction of IoT, human beings take some relaxed and unburden feelings. IoT devices enable users to obtain information even in rural surroundings and prepare reports without restrictions. In addition, they accurately guide human beings with intelligent judgments via communication, as mentioned earlier, technologies. Numerous connected devices collect a considerable quantity of raw sensed data, where it needs pre-processing. However, only it turns into something valuable because of IoT devices' adequate resources entail-to Edge computing. Artificial Intelligence-based algorithms are the necessary means for information inference in Edge computing. Besides, the sensed data accumulated from IoT applications are generally unstructured and need further analysis, where AI-based models help extract relevant information. Furthermore, transmitting data from device to device, there is a chance for malicious attacks. Hence, this chapter explores Industry 5.0, IoT architecture, AI-based IoT; we analyze IoT network's technical details; communication enables technologies. Then we discussed various AI-based technologies integrated into IoT, AI-based tools, Edge computing, and trust models for IoT appliances.

Keywords: Internet of Things, Artificial Intelligence, Edge Computing, Dew Computing, Sensor, Machine Learning, Deep Learning, Augmented Reality, Virtual Reality, Mixed Reality, Industry 5.0, Cyber-Physical System

1. Introduction

Nowadays, wireless communications, IoT devices, intelligent sensors, industrial IoT, mobile-edge computing, and communication protocol are the buzz words in Industry-academia. In general, IoT works through implanting short-range moveable transceivers into an eclectic arrangement of devices and everyday objects, enabling novel communication procedures among people and things and things themselves. Therefore, IoT would add a new dimension to information and communication. IoT devices are interconnected devices through a piece of inventive communication machinery such as RFID, Wi-Fi, GSM and Bluetooth, and many more, which can help improve people's living standards [1-4]. The latest survey reports that the number of IoT devices like embedded devices, sensors, game consoles, laptops, smart devices anticipated to reach more than 60 billion in 2025. In general, IoT expertise's evolution is very similar to the current society, where people and devices practically integrated into information systems over wireless sensors technology. IoT integration's main intention is information sharing, enabling smart surroundings to identify objects then retrieve information. Embedded devices play an essential part in IoT, which mainly connect with intelligent sensors for information gathering. In detail, embedded devices interact with the physical environment with these sensor nodes [3-5]. Nowadays, the IoT platform provides advanced control and monitoring services for novel appliances to expand their working efficiency.

The *Internet-Of-Things* (IoT) is defined and used by a well-known researcher Kevin Ashton in the early days of 2000. From Kevin Ashton's explanations, the IoT is a system/structure of material things in the real world to link to the internet through intelligent sensors. Ashton also conceived the *RFID* technology, which heavily applied to transportation tracking services without any human interventions. Now there are different definitions available based on their specific idea in the real-world scenario. For instance, from IEEE, "IoT is a framework of connected devices thru the internet, for new appliances and services enable the interaction in the physical and virtual world in the form of M2M communication"[3]. From Internet Architecture Boards (IAB) definition, "IoT is the networking of smart objects, meaning many devices reasonably communicate in the presence of internet protocol that not directly operated by human beings but exist as components in buildings, vehicles or the environment."[6].

As discussed above, most IoT systems are becoming increasingly dynamic, mixed, and multifaceted; thus, the organization of such an IoT system/model is challenging. Moreover, such IoT systems' services need to be enhanced efficiency and variability to attract more abusers. In recent times, Artificial Intelligence (AI) reaches tremendous success in numerous domains by employing modifications in computing technologies [5]. Machine Learning (ML) is another unique technology and a sub-part in AI applied on IoT for better services. Both AI and ML, recognized as the critical parts for IoT to make intelligent network management and operations. Many kinds of research work produced better results by applying AI and ML in pattern recognition, Natural Language processing, object detection, and Network sharing. Hence, the IoT domain can also benefit from leveraging support from AI and ML. There are huge chances by employing AI, ML-based models to IoT to make profound analytical and in-depth progress of well-organized smart real-world appliances [6-7].

Before knowing the technical research trends of IoT, everyone needs to take a look and understand how an IoT works and impact our everyday life. Every researcher, data scientist tries to import, understand IoT preliminaries according to their visualizations then requirements. After all, there is no universal definition of IoT and its visualization requirements. Internet of Everything (IoE), Internet of Cloud Things (IoT), and Web of Things (WoT) come from the IoT visualizations and have their respective definitions of working protocols. However, IoT is designed based on integrating various standards and enabling technologies with dissimilar sensing, computational capabilities, connectives, and storage capacities. Here in IoT, the integration standards in employed devices present high-rated challenges while authentic connections of everything. The challenges on integration in IoT devices are considered significant IoT issues since those are fundamental to the further development of IoT projects [7-9]. Nowadays, numerous standardization administrations, associations, researchers, and manufacturing industries make an effort on IoT expansions, modernization, and setting things in the right way. However, there is still a lack of a broad context with combined ethics beneath one IoT.

2. Industry 5.0 Paradigm

When it comes to the 21st century, most of the domains turn into digitalization. However, we admit that companies struggle to digitalize their business by incorporating AI, IoT, and industry 4.0 technologies. Apart from the mentioned technologies, the subsequent step of the Industrial Revolution seems in the upcoming days and named industry 5.0 [2-6, 10-14]. The term industry 5.0 familiarize in early 2015; however, it called the fifth industrial revolution, which built tremendous influence in different domains, especially day-to-day business, because of the velocity of added industrial, technical enhancement, and shifting human process integration [15-18].

The first Industrial revolution or Industry 1.0 started at the end of the 18th century; it symbolized industrialized mechanical arrangements consuming coal, human, water, and steam-power. The second industrial revolution or Industry 2.0 commenced in the last quarter of the 19th century, and it represented mass manufacture through the use of electrical energy [19-22]. The Discovery of the telephone, mass production, telegraph, introduction of assembly lines, and mechanization are few features of Industry 2.0. The third industrial revolution or Industry 3.0 started in the early 20th century. It established computerization then microelectronic skills into the industrialized field. A higher level of automation accomplished using robots, information technology, and microprocessors—most of these 20th-century initiatives are closely related to information and communication technology (ICT). Computer integrated manufacturing, computer-aided processing planning, computer-aided design, and flexible manufacturing systems are some of the fields taking advantage of the third revolution. In recent times at the start of the 21st-century fourth industrial revolution or Industry 4.0 started with the inclusion of Cyber-physical-systems (CPS), which makes revolutionary changes in manufacturing. Industry 4.0 was predominantly characterized by CPS, cloud computing, Big-data analytics, augmented reality, IoT, simulation, and intelligent devices. This means it entirely focuses on end-to-end digitalization and incorporating digital industrial ecosystems by seeking completely integrated solutions [20-24]. Besides, it highly focused on IoT objects that connect with the industrial plant.

Industry 5.0 emphasizes collaboration among humans and machinery types, which means the fifth industrial revolution is more captivated by forward-thinking human-machine interfaces through human-machine interaction. Industry 5.0 main intention is to progress industry 4.0 to an advanced level. For this, it brings the concept of collaborative robots which also known as cobots. With the successful integration, cobots will fulfil today's need for enterprises that produce personalized products [20-24]. Hence, with improved manufacturing, software tools, the internet of everything, and robotics using technical progressions, Industry 5.0 is familiarized in manufacturing, medicine than other allied areas.

It provides chances for a customer to experience mass customization in different groups' collaboration across the world. Technology innovations do not consider the foundation of revolution for the organization, and there is a need for customer goals. To fulfil the customer goals, Industry 5.0 follows

some set of principles: Mass customization – suggest actual price and comfortability of various product or service customization to customers. Customer-centric - concentrate on customer goals and try to resolve hurdles in business expansion through reengineering—green computing – also an emphasis on environmental conditions. Cyber-Physical Systems – prepares an intelligent system from the human serving the customers by gaining maximum benefits from the human with machine intelligence [16-18, 20-24].

Table 1: From industry 1.0 to Industry 5.0

Phase	Period	Description	Identification by	Key point
Industry 1.0	1780	Industrial manufacture based on stream and water machines	Mechanization Water and stream	First mechanical Loom
Industry 2.0	1870	Mass production with electrical energy	Electrification Division of labor Mass production	First assembly line
Industry 3.0	1970	Automation with electronic and IT system	Automation Electronics IT systems	The first programmable logic controller
Industry 4.0	2011	The connected device, data analytics, computerized machinery programs to automate the industry production	Globalization Digitalization IoT, Robotics, Big data, Cloud computing	Cyber-physical-systems
Industry 5.0	Future	Cooperation among human intelligence with a machine to improve products and services	Personalization Robotics and AI Sustainability	Human-robot co-working Bio-economy

Top enable technologies for Industry 5.0

Additive manufacturing, Multi-agent systems, Smart manufacturing, Digital Eco-system, Collaborative Robotics, Internet of Everything, Mixed reality, Industrial Blockchain, Drones, 5G and Beyond

Reasons for adopting Industry 5.0 in manufacturing

Industry 5.0 will advise or solve the issues associated with removing human workers from dissimilar manufacturer procedures from the discussions mentioned above. However, there is a need for advanced technologies to boost the industry 5.0 manufacturer [16-18, 20-24]. *Multiscale modeling and simulation* – advances of digital twin with intelligent autonomous schemes arise difficulties in valuation monitoring of manufacturing sites. In this context,

visualization tools play a crucial role in constructing the policies for managing and personalizing genuine products then product outlines. *Miniature sensor data interoperability* – usage of sensor nodes highly increased from smart homes to autonomous manufacture cobots and distributed intelligent systems. These intelligent sensor nodes sense and collect real-world raw data, which is an unavoidable asset to the next industrial revolution. However, energy optimization, fast and effective customization process, selection of a local agent for pre-processing data, and creating high modeled distributed Intelligence in IoT, Industry 4.0 is still an open research issue. *Virtual reality with Digital Twin* – with the result of continuous growth in Big data and AI-based cobots, it is even more feasible to create more realistic digital twins. It properly allows industry experts to allow reduced wastage in the process flow and system design. Hence, the digital twin with advanced visualization techniques will tremendously increase the throughput of all the sectors. *Real-time trackers* will boost real-time production tracking, facilitating the customers' sales orders with manufacture orders and supplementary material. Virtual training will assist when trainee or trainer on different locations but learns a specific job in a virtual/simulated atmosphere. This type of training pointedly decreases the costs than time for both parties. *Intelligent autonomous systems* – artificial intelligence models have great deals in autonomously controlling production lines in the manufacturing industry. Up-to-date AI-related ML and DL models effectively make changes in intelligent systems and solutions that assist in decision-making scenarios. *Transfer learning* – transfer learning policies guide the schemes mentioned earlier, securely, and progressively in industry 5.0.

Computer vision with DL and RL and GPU-based computation has shown great potential in reproducing primitive vision besides sensory abilities. However, for advanced performances of industry 5.0, cobots proficiencies must be improved suggestively.

Problems and limitations in Industry 5.0

Industry 5.0 resolves most of the manufacturing issues associated with removing human workers from different procedures. However, it must incorporate additional forward-thinking skills since humans may add innovative manufacturing skills in the coming days. There are numerous skills in the developing stage, some of them pointed in this section.

1. Before incorporating advanced skills into industrial management, there is a need for how an autonomous system can incorporate ethical principles.
2. There is a need for proper verification and validation of ethical behaviour inside the autonomous system model.
3. Implementation operation transparencies, fast and competent manufacturing might have significance in an overproduction phenomenon.
4. The outcome results must be understandable ethical behaviour solutions in an autonomous scheme. In particular, industrial experts are facing adapting and implementation issues.

5. Tuning and validation will avert somewhat serious problems among technology, experts, stockholders, society, and businesses.

3. Elements of IoT

As we mentioned in the introduction, understanding IoT building blocks will give some visualization and a better perception of the IoT's actual meaning than functionality [23]. We listed six fundamental elements of IoT, which are noted in Figure 1.

Identification

In any communication or data transmission network, the term identification plays a considerable role. The precise identification is key to the IoT structure to name and match services with their claim. However, it is tricky to addressing object ID and its corresponding IP address in the IoT system. An ID indicates a particular object or device's name, and an address indicates its present address inside the network territory. Differentiation among object identification then addresses authoritative since identification models are not inimitable; moreover, objects might practice with public IP addresses inside the network. Hence the designed models must overcome the hurdles mentioned above and identify every object inside the network correctly.

Sensing

IoT set-up intends to gather information from a particular region/area, organized through sensing devices. Sensing devices/objects collect real-world data from the surrounding atmosphere and send it back to the database or Cloud for additional processing: sensors, wearable devices/sensors, and actuators utilized mainly for sensing purposes. For example, single-board computers (SBCs) like Arduino Yun and Raspberry PI combined with sensors and integral TCP/IP and safety functionalities naturally use to grasp IoT products. Such devices characteristically attach to a central managing portal to deliver the essential data by clients.

Communication

In general, most IoT objects contain adequate resources; with these limited resources, objects connect with heterogeneous devices/objects in the company of lossy, noisy connotations. Wi-Fi, Bluetooth, NFC, RFID, and IEEE standards some IoT communications; in the next section, a brief description provided a better understanding.

Computing

The computing power of hardware devices is also an essential concern in IoT. The computation components like microprocessors, micro-controllers, and software-oriented appliances represent the brain to a particular appliance. Arduino, Raspberry PI, UDOO, MULLE, and Gadgeteer are hardware platforms designed for IoT appliances. Some other platforms like Real-Time-Software-Operating-Systems (RTSOS) – for real-time IoT functions, Tiny-OS – for

light-eight operations, Cloud platforms –too big data processing in real-time. Still, some of the computing components have drawbacks research community working on them to perform well.

Services

IoT offers a wide variety of services. Most of them divided into identity-based services – most of the real-time appliances come in this category, Information-aggregate-services –accumulates real-world raw sensor data connect with appropriate IoT applications. Collaborative-aware-services – in this service uses the collected data to data analytics for decision making, ubiquitous-based-services – aimed to represent collaborative systems to work anytime, anywhere when they required by clients. Still, mentioned services not reached or achievable to a comfortable stage; many complications besides challenges have to answer.

Semantics

Semantic operation in IoT performs to useful abstract information smartly from different objects. It is similar to knowledge extraction, like finding resources that improve the model performances. Resource Description Framework (RDF), Wide Web Consortium (W3C), Efficient XML Interchange (EXI), and Web Ontology Language (OWL) are some of the well-known semantic technologies adopted in IoT systems.




Figure 1 Internet of Things Elements

4. IoT Architecture

IoT and its variants inclusion into various domains, organizations will enhance the product or working performances. However, these proposals are severe and complicated to implement when it comes to real-life since the number of devices, protocols, and working conditions is entirely dissimilar from one device to another. In other words, the problem of creating a consistent architecture of IoT unavoidably arrives in this phase. Before designing IoT architecture, it is better to understand the factors that affect IoT behaviour, making it easier to find reliable IoT solutions. Moreover, it will reduce the various resources spent on IoT design. Before revealing the enigmas and providing an explicit construction of this creativity, it is vital to recognize what this idea means [23-28]. In essence, IoT architecture is the combination of great fundamentals network tools. It measured as a global network set-up collected of several allied devices that rely on communication, networking, sensory then information processing types of machinery See Figure 2.

4.1 Perception layer

IoT is a kind of worldwide physical interrelated system in which things can couple then measured remotely. The perception layer is considered an initial stage for IoT schemes, and it is like a bridge between real and digital worlds. In some cases acknowledged as a sensing layer. Most of the perception layer deals with intelligent wireless devices like intelligent sensors, tags, actuators. These wireless schemes with tags or sensors now talented to inevitably sense then exchange info amongst different devices. Devices may diverge in procedure and size from miniature to ad-hoc vehicles. Sensors - accumulate environmental conditions, transform them into electrical signals and then forward them to IoT schemes. Actuator – transform electrical signals collected from IoT scheme toward physical activities. It must note that IoT architecture does not make any limitations on elements and their deployed locations. Means objects/devices can lace in a small place to corners of the world.

4.2 Connectivity layer

The connectivity layer is considered the second phase of the IoT scheme since it take-cares of complete communications across devices, systems, and then cloud centers that made the perfect IoT scheme. The communication connectivity among physical layers to cloud centers can achieve thru TCP/UDP or software/hardware modules. Ethernet - connects fixed IoT devices, Wi-Fi – widespread wireless connectivity applied on home IoT set-ups, NFC – data transmission among two devices, Bluetooth – used to transfer small size data, not applicable for large data files. In some unique scenarios, IoT uses message-oriented protocols depend on the application requirement for data connectivity. Advanced-message-queuing protocol (AMQP), Constrained Application Protocol (CoAP), Data distribution service (DDS), and Message Queue Telemetry Transport (MQTT) are some of them.

4.3 Edge or fog computing layer

Edge/Fog computing is vital for IoT systems to satisfy the increasing volume of connected devices and real-world services. The intention of designing edge/fog computing is to store and pre-process the sensed data as fast as it sensed and adjacent to its sources as possible. So it can save time and resources for IoT devices; also, it will decrease the scheme latency time, which can improve performance accuracy. Usually, edge/fog computing takes place on gateways, local servers distributed over the network.

4.4 Processing layer

The processing layer collects all the data across the IoT schemes. It applies pre-processing models to use abstract information for decision-making or make data available for any further operations. Real-time data is observed with API and used for non-real purposes, its stands like a hub among event-based and query-based data ingesting. After collecting multi-dimensional data from various devices and applying data abstraction methods, at that moment, only other connected devices can understand the data.

4.5 Application layer

Data analysis did through software applications to bound with appropriate answers for main business questions/ requirements in the application layer. In IoT, hundreds of IoT requests diverge in intricacy and function, using different expertise stacks than functioning schemes. In present days, various applications are constructed right on top of IoT stages that can suggest software-related advance set-ups through ready-to-use utensils for data mining, pattern, and forward-thinking analytical skills.

Business layer

The information collected and pre-processed in IoT schemes can only help problem-solving/decision-making systems achieve excellent results. The business layer is well-defined as a distinct stage, advanced and challenging to describe in a single application layer for this motive.

4.6 Security Layer

In any network-related application, the word security has its place. In IoT, the security layer plays a crucial part, covering all the services mentioned above/layers. It is tough to discuss the security topics of IoT in one single paragraph or a section. There are different security levels in IoT schemes: *Device security* – IoT-related devices need low-resourced authentication services, physical metal shields, chips that can boot procedures to avoid unauthorized code. Connection security is mostly data transfer in IoT done through wireless channels, which is easy for attackers to steal or alter the data. Hence, when the data sent over a device or network, it must be in an encrypted format. *Cloud security* – sensed information kept in the Cloud must be encoded to mitigate hazards of revealing delicate info to trespassers. Hence, always pay attention to security protocols to certify that security is high at all stages, from the smallest devices to multifaceted analytical schemes.




Figure 2 Internet of Things Architecture

5. Enabling Technologies

5.1 Radiofrequency identification (RFID):

RFID communication technology specially designed for transportation tracking made of tags, readers. RFID is considered an automatic identification mechanism that involuntarily identifies the target tag signal with suitable data. Hence, it was employed extensively in various hazardous and impassive atmospheres. As we mentioned above, the RFID structure completes with tags and readers. The tag consists of address bars attached to objects as a small micro-chip handled by the antenna. The electro-magnetic pitch is applied to send and collect data records from an entity over a tag. The data records stored on a tag can only read or abstract by readers only when both tags, readers placed at a specific angle or range. The reader forwards a signal to read the tag's information, and the antenna on the patch receives it, acknowledging the signal by sending appropriate data. In record three tags available in RFID communication: Passive Tag – obtains signals from tags working on batteries, Active tag – tags abstract energy from readers signals, which means those do not have batteries. Finally, active reader active tag – works on both low as well as high frequencies. RFID tags are professionally applied on real-world appliances since they automatically monitor payments, goods or baggage tracking, inventory management, tracking of products, and product lifecycle supervision, then update the information without any third-party or human interference. RFID technologies can fit into different domains to design and enhance model/systems accessibility then efficiency. However, there are some drawbacks to RFID implementation because most IoT WSNs appliances build in harsh environments, where the signals are disturbed, intercepted, and a chance for the entire device to collapse.

5.2 Power-Line-Communication (PLC)

In PLC communication, data records forwards through the attached cables. It means a sender modulates the data records into the transfer medium; when it reaches, receivers demodulate the data records then read them. By doing this, data transfer with power cables, where one can both power it up then at a similar time control/retrieve data from it in a half-duplex style. Hence, PLC attracts a communications model in intelligent meters (AMI), HEMS, BEMS, and solar panel intensive care schemes that understand Smart-society. There are low-speed then high-speed kinds of PLC, each of which uses a different communication procedure.

5.3 Electronic product code (EPC)

EPC was utilized to recognize RFID tags; it is in string type 96-bit long and placed on tag/patch. Out of these 96 bits – 8-bits represent header which aimed to identify the version of the protocol, 28-bits refer to the unique address of the system that manages the data on tags, 24-bits holds the type of product to be recognized, 36-bits mentions the serial number of the tag; finally, the last 2-bits holds the by the organization that created the tag.

5.4 Wireless sensor network

Wireless Sensor Networks collects small tiny sensor nodes employed to gather sensed data from surrounding atmospheres. Computer networks, Micro-electro-devices, and wireless technology combinations made the formation of WSNs. In the past, wired sensor networks/nodes used for communication, which places very local amenities, overcome WSN technology developed and produce possible results with various appliances. It is a known fact that WSNs drive IoT systems and enhance performance precision. Due to the node's resource constraints, deployment topology, connection, detection of neighbors, and transmission paths are the essential tasks in WSN formation. WSN is a vital element of IoT as it combines mixed sensor data, systems, and appliances. Researchers designed various inclusion techniques for IoT, the internet, and WSNs, but still face many challenges that need optimal solutions and research under study.

5.5 Near Field Communication

NFC technology is applied for data transmission and small communication set-up when two objects near to each other. It is similar to radio communication but works by touching or two objects closer to the exact location. The communication range of the NFC depends on the scale of the object's antenna. Hence, NFC technology is mostly not recommended to isolated locations, and it also not safer due to its limitations easily vulnerable to attackers.

5.6 Actuator

Actuators apply to specialized appliances, and they work significantly when the objects are in motion. It creates various motions like rotary, spherical, linear, and oscillator; then, it creates power from using them into kinetic

energy. Actuators consider three types: electrical-based – employed on motors, hydraulic-based – hydraulic-fluids, pneumatically based – use compressed air.

5.7 Machine-to-Machine (M2M)

M2M communication is similar to LAN and WAN networks; devices gather data from various sources and sent it back to other devices within the network. In M2M, stored data records are monitored and automatically take some assigned tasks depending on the applications. Moreover, the performance of M2M depends on software-controlled communications among machines and devices.

5.8 ZigBee

The main intention of Zigbee's innovation is to expand the application regions of WSN and IoT. It is a special kind of flexible wireless networking technology, better performance for short communicated appliances like intelligent home automation, healthcare, and industrial appliances. ZigBee design with MAC and IEEE protocols; besides, it has four-layer architecture, namely physical, MAC, network, and application layer.

5.9 Wireless Fidelity (Wi-Fi)

Wi-Fi is a famous wireless network ability and an excellent fit for data-intensive IoT-based solutions. It has high wireless access for a small area with an intelligent transportation system. It has collective versions some of them: IEEE 802.11a delivers a data rate of 54 Mbps, and IEEE 802.11a data rates up to 2.4 GHz

5.10 IEEE 802.15.4

IEEE 802.15.4 or (Low-Rate Wireless Personal Area Networks - LRWPANs) act as a sublayer for the MAC layer. It provides effectual communication for low-power consumption data-rate, high-security, low-cost, and supports a vast number of sensor nodes at a time. Based on these specifications, IEEE 802.15.4 is considered a basis for various communication technologies like ZigBee, Z-Wave, Bluetooth, Etc. However, it does not provide QoS; also, this is a fascinating topic to research.

5.11 Z-Wave

Z-Wave communication technology initially designed smart-home automation appliances like door switches to a central controller. The working procedure of Z-wave quite similar to ZigBee, both employed with mesh topology and low wireless standards to improve the low resource devices. Z-Wave functions in the 868 MHz frequency band, while ZigBee functions in 2.4 GHz. Besides, Z-Wave left the software-side encoding, but ZigBee practices the 128bit AES on the hardware side.

5.12 Bluetooth LE

Bluetooth or IEEE 802.15.1 stands for the information exchange among fixed and mobile devices over a short distance using Industrial, Scientific, and

Medical (ISM) bands. It heavily applied to smart-home, smart-city, healthcare, security, military appliances, fitness, and industries. Bluetooth SIG, Bluetooth BLE, Bluetooth 4.0, 5.0 are the latest versions of collecting and aggregating sensed data from IoT-based sensor nodes. Bluetooth technology was very much suitable for short-range monitoring appliances.

6. Artificial Intelligence (AI) in the Internet of Things (IoT)

The operative functions of the internet are insistently from the "Internet of Computers (IoC)" to the "Internet of Things (IoT)." There is a need to deliberate the importance of AI techniques to allow intelligent internet communications. In present days, wireless sensor networks are becoming hot research topics because of their reality applications, incredible remote monitoring of events in fields like healthcare, weather report, seawater levels, event predictions, Etc. Besides, intelligent sensors were employed heavily in electronic-based home appliances, smart cities, and gadgets to mobiles [22-25, 29-36].

The idea of IoT is "the pervasive presence around us of a variety of things or objects – such as Radio-Frequency Identification (RFID) tags, sensors, actuators, mobile phones, Etc. Through unique addressing schemes, they can interact with each other and cooperate with their neighbors" [36]. Hence the outline for IoT changes and will continually alter and the lives of people around the world. AI approaches also help IoT build robots whose situatedness evolves roles that avoid persistent human command [37-40].




Figure [3]: IoT Data-workflow diagram

Figure [3] deals with the IoT data-flow diagram. Data initially comes from the IoT-enabled devices and IoT appliances, and then through IoT-Gateway, it goes to a cloud-based server. Here data has been analyzed via different Analytic tools and learning and training methods. Then recommendation systems come into the picture for optimal actions; actuators are there for transferring the flow towards IoT Appliances for further processing. However, we can say that innovative IoT standards are vital for shuffling from today's sensor networks into systems of intelligent sensors permitted with actuation types of machinery. These kinds of upcoming schemes will involve the "Internet of Intelligent Things (IIoT)." These are the successive evolutions of networking to create the experienced ubiquitous, living, intelligent internet connections. It seems necessary to give familiar objects the capability to understand their backgrounds and make conclusions freely [36-45]. At present, decisions or conclusions no need to forward to central decision-making nodes. Through great intellect of sensors and giving them the skill to turn by affording to the incentive professed by sensors, empowering the IIoT to reply improved time-critical conditions, since the conclusions complete in a non-centralized manner.




Figure. [4]: Artificial Intelligence Classification

The Internet of Things helps us collect data, which is one of the most valuable resources today due to its role as a catalyst. When paired with another catalyst, artificial intelligence, as shown in Figure [4], vast volumes of unstructured data can be easily sifted through, resulting in industry insights and well-informed decisions.

6.1. Artificial Intelligence for Intelligent Sensing

AI for intelligent sensing talks about the ML models to recognize valuable patterns or forecasts from the information collected by the intelligent sensors. For example, active sensor learning dynamically increases class volumes identified by the model. As the data is composed in a real-time environment, a predefined approach for data acquisition must follow episodic retraining or careful querying [32-36]. Unsupervised models are best suited for active learning schemes, aiming to categorize events with no prior knowledge with numerous dissimilar ambient sounds.

6.2. Decision tree in IoT

DT solves classification problems by applying sorting techniques based on respective features. In DT, numerous procedures use to find the most attractive feature that best splits the training examples; some are information gain and Gini index. The complete process of a DT follows as, first - pre and post-pruning applied to reduce the tree size. Second – searched space among the objects adjusted. Third – optimized search model employed to eliminate the

redundant features. Fourth – a structure of resultant tree transformed into an appropriate data structure like set-of-rules. DT effectively applied IoT-based real-time applications such as pattern recognition, decision making, environment monitoring, detection of security parameters, healthcare management Etc.

6.3. Random forest in IoT

Random Forest (RFs) comes under the category of supervised learning models. RF consists of numerous trees built randomly then skilled to make a vote for a good class. At last, the most voted class elect as the final classification result. In general, RF utilizes decision trees to build subset rules for voting, so the result classification is the average of the DT results. Besides, RF computational accuracy overcomes the feature selection where it requires the fewest input parameters, but it cannot be applicable in real-world applications. RF models were highly applicable to IoT devices in various domains. For instance, RF models skilled with features obtained from the network traffic correctly recognize IoT device categories because RF precisely holds real-world implications for correctly categorizing unauthorized IoT devices.

6.4. Clustering

K-means - the main goal of k-means is to cluster the unlabelled data features into K number of clusters or sets; here, data points fitting to the identical cluster must have some likenesses. Typically, k-means is a fast and highly scalable ML technique. In some cases, employed MapReduce to analyse the several minor datasets then offers a cluster approach for a high dimensional of small data based on the K-means procedure [39-41]. Researchers designed the K-Means cluster then categorize travel pattern consistencies.

Density-Based approach to Spatial Clustering of Applications with Noise (DBSCAN) clusters the unlabelled datasets based on the datapoint density (datapoint with the highest count of close neighbours) values. It is a widely used clustering system with several real-world requests like anomaly exposure in temperature data, traffic control, emotions recognition, and X-ray crystallography.

6.5. One class Support vector machine (OCSVM)

OC-SVM comes under a semi-supervised technique, and it is an extension for SVMs. It generates a boundary line among the trained data when the new data after some operations lie outside the boundary line commented as an outlier or anomaly. Because of its nature of work, OC-SVMs useful in anomaly detection in WSN, network intrusion detection, and IoT-based machine performance evaluations.

6.6. Ensemble learning models in IoT

Ensemble Learning (EL) combines various basic classification practices and produces a collective, effectual output. Research work on EL experiments shows that learning models vary by precise application. So, the research community starts combining various dissimilar classifiers to expand precision.

Moreover, EL models use numerous learning techniques which lessen the variance, robust in contradiction of over-fitting. EL has been effectively used for online intrusion and anomaly detection in IoT-based environmental datasets and evaluating real-time datasets for accurate IoT devices' decision-making.

6.7. Neural Networks

Neural networks (NN) with the condensed representations are the quickest models to process the new data instances. From the innovations, NN has diverse NNs with a distinct structure and appliances. The feed-forward Neural network (FFNN), also called multilayer perceptron, is considered the most common type of neural network in functional appliances. In FFNN, every layer's activity determines through the nonlinear function or active function. An FFNN with a minimum of two hidden layers can estimate a random mapping from a finite input space to a finite output space with sufficient hidden units. Nevertheless, the issue is detecting the optimal weights for an FFNN is comes under the NP-complete problem. The model has various learning approaches, like adaptive moment estimation, stochastic gradient descent, adaptive slope, Nesterov's accelerated gradient, adaptive delta, and RMSprob. FFNN in IoT applies as a solution for energy efficiency, decision making, feature selection, energy management, reducing computation complexities Etc.

6.8. Support vector machine (SVM) in UIoT

SVMs perform classification by forming the splitting hyperplane among two distinct classes by calculating the distance's data attributes. SVMs are chosen for large datasets with many feature attributes but contain tiny sample points. The main advantage of SVMs can perform in real-time intrusion exposure then inform the training patterns energetically. SVM variants like QS-SVM, CE-SVM, SVDD are widely using in numerous security applications like an outlier and intrusion detection; moreover, they are effective in-memory storage with less time complexity.

6.9. Internet of Intelligent Things (IoIT) for Social Networks

Social media plays a crucial role in a current digital world, where millions of people regularly participate, connect, express their ideas, views, and suggestions. With this connection and sharing of ideas, many people can answer complex issues more efficiently than single individuals. Nowadays, intelligent sensors are automatically categorizing the actions of crowded people in real-time. IoT turns out to be an enabled model for other networking forms than computation like IoIT and Robotics as a Service in another side of the networking world. These novel models efficiently add cleverness to the things linked to the internet or consider things as robots, cobots, services, and users. By employing principles studied in social networking to the IoT might bring tremendous changes as well as advantages.

Usually, humans and robots, or a mixture of them, forms web communities—however, such groups are shaped by intelligent avatars in the virtual world of the IoT. Continuous research links other biological creatures, automated to be

proficient in intelligent processing, into social networks. Co-location objects relationship, social object relationship, and ownership object relationship are examples of SIoT.

6.10. Principal component analysis

Principle Component Analysis (PCA) orthogonally plans data facts onto an L dimensional linear subspace, termed the principal subspace. PCA deals with high dimensional datasets based on reiterative expectation expansion practice and data compression; data visualization comes under PCA applications. Hence, PCA is considered the most crucial pre-processing procedure in ML.

Canonical Correlation Analysis (CCA) variant of PCA deals with two or more variables. Here the main goal is to recognize a consistent pair of extremely cross-correlated linear subspaces. Hence, inside one of the subspaces, there is a relationship among each factor along with a solitary component from the other subspace.

6.11. Bagging

The bagging objective is to enhance the precision and stability of ML-based techniques then diminish the overfitting. In this method, training datasets are engendered by arbitrarily selecting data points from the unique training set with substitutes. So, on each originally produced training set, an ML practice is trained. In ML, there are numerous approaches like DT, RF, and neural networks, for which the bagging method advances the outcomes.

6.12 Artificial intelligence in Analytical skills (IoT)

Various business organizations have hired analytical skills for quite a few decades; nowadays, numerous organizations attract to planning their AI abilities. From the past few decades' organizations/companies synthesize their skills for efficient utilization of data and their statistical analytics, quantitative procedures to progress decision-making. However, currently, those companies are mainly engrossed in discovering and operating AI to strengthen each other. AI is not statistical, like ML and DL, which quickly increases supremacy besides demand [29-34]. Analytics-oriented clusters inside the administrations may want to concentrate their care mainly on these machineries or obtain novel skills in non-statistical portions. The innovation analytics has transformed into various versions, some of them mentioned below.

Analytics 1.0 – it is an age of artisanal expressive talent and the initiation of scrutiny and writing utensils. In this stage, it conquered the commercial analytics for years, and the price stayed mainly determined by the objective of interior decision provision rather than progressive analytical abilities. Analytics 2.0 – this stage big data analytics stands like Hadoop, then information-based innovations such as Google, fakebook led to data experts' advent. The main intention is to shift from “internally designed decision support” to “data products” designed for the data then analytics for use by clients. Analytics 3.0 – large-scale corporations make data, then analytics-based productions, then analytical events with numerous ML models. Analytics 4.0 – AI and cognitive-based models heavily applied in analytical sophistication by various

organizations. It adopts various model accuracy levels and applies with AI models and superior use of self-rule in the performance of approaches as automated ML. Some reasons for adopting AI into analytics are a mixture of skills and internal partnerships needs AI [34-42]. For instance, computer knowledge requires understanding the embedded learning data models. Another reason is that accurate data analytics with immense data processing, and cutting-edge statistical models are required. ML is the central part of many approaches to AI and analytical techniques. The usage of ML in analytical procedures is started several years back, and maybe more aware of predictive analytics. ML uses supervised learning where both the creation and results from values are known.

AI is steadfast on the rise and will play a considerable role in analytics 4.0 because of its potential in transforming business models; hence, the influence of analytics 4.0 will possibly greater also higher unsettling than preceding automation evolutions. Moreover, organizations that shift to analytics 4.0 more fast-track than those that do not apply any AI model. The procedure toward understanding AI achievement starts with the primitive consideration of AI, how AI will influence creativity, the new abilities, and what a workable act policy should be applied. Businesses that control their present analytical abilities can have a much quicker and more active start with AI.

6.13. Deep Learning for analytics (IoT)

Due to the development of various networks and miniature technologies, IoT-based devices collect massive sensed data from surrounding environments where they deploy. Moreover, depending on the applications, these IoT devices/objects will result in fast and real-time data streams. Here, deploying analytical models on such substantial data streams for finding original information, forecasting forthcoming structures, and then taking control of results is vital. It makes IoT applications a well-intentioned standard for business and a quality-of-life enlightening skill.

From the past few years, most of the IoT appliances designed with dissimilar research fields such as military, smart city, healthcare, and agriculture. The success of these applications is because of intelligent learning mechanisms for prediction or data analytical outlines. DL has been aggressively employed in many IoT appliances in present times with consideration of various ML tactics. The combination of DL-IoT is considered a top strategic technology in future applications. The main reason for implementing DL in traditional ML is that it quickly addresses the emergent analytical services needed in real-time IoT appliances [40-44]. Besides its variant's derivatives big-data, the expansion of IoT needs stakeholders to identify their meaning, building blocks, abilities, and challenges. There is a strong collaborative relationship between IoT and Bigdata: IoT is a significant information producer for bigdata. Similarly, it is a significant mark for extensive data analytical skills to expand the methods then services of IoT applications.

To better understand IoT-based data analytics requirements, it needed to determine the features of IoT data and how they dissimilar from those of big standard data [40-44]. Some of them mentioned below:

1. Large-Scale Streaming Data: IoT deployed with vast numbers of devices placed in distributed manner collects enormous data from IoT applications, leading to a high volume of continual streaming data.
2. Heterogeneity: IoT is a heterogeneous connected network, so numerous IoT data acquisition device assembles dissimilar result in data heterogeneousness.
3. Time and space relationship: At present, a maximum of IoT appliances real-world based, here sensor devices involved to a definite position, then have a position and time-stamp for every single data substance.
4. High noise data: Due to dynamic environment changes, miniature error bits, and noisy data produced in IoT requests, before applying them to any decision-making systems, it needs to eliminate them; otherwise, it will affect the outcome results.

While obtaining confidential information from big data is a talented technique to improve our lives' excellence, it is not a simple, straightforward job. There is a need to go outside the outdated inference learning models' abilities, innovative skills, practices, and infrastructures to deal with such composite and thought-provoking tasks. Fortunately, due to the contemporary developments in ML and DL variants, it is easy for big data analytics and information abstraction appropriate for IoT appliances. IoT appliances like fire detection, vehicular identification need fast and continuous streaming data for quick movements to accomplish their targets.

Numerous researchers have projected methods and outlines for fast real-time streaming data analytics that influence cloud set-ups' abilities than its services. As mentioned earlier, appliances need fast analytics in slighter scale platforms such as fog/edge computing for the IoT. For example, healthcare-related applications must make quick decisions on a particular time instance; otherwise, it may cause a patient's loss. These kinds of decisions should maintain thru quick analytics with multivariate datasets. Hence, accurate identification must be performed in IoT quickly and in real-time to prevent fatal mistakes.

6.14. Edge computing in IoT

In general, the connected objects in IoT generate vast amounts of data, collecting and processing that much of data at one of the appropriate/suitable objects to turn data into useful information. Hence, nowadays, the entire IoT setups apply significant data operations; big data support IoT applications since the tribunals of gigantic sensing then stimulate information maintained in IoT. Also, IoT collects unstructured, multivariate data that needs additional analysis to be abstract the valuable information [38-44] because of the heterogeneous connections. With the rapid development of various technologies, IoT becomes the next technology revolution; however, it will confuse ample data storage, processing, and systematic analytical skills. IoT employs real-time applications to work with continuous streaming, disturbing the data storage dimensions in numerous establishments. Hence there is a need for additional data centers for handling collected data from IoT appliances. One probable answer is to transfer

the information to the cloud via leveraging the application platform as a service. Nowadays, cloud computing is one of the well-established technologies, and it offers computing facilities or data storing on the Internet.

IT companies like Google Cloud, Amazon web services, and IBM cloud analytics presenting cloud services. Cloud computing offers various advantages like proficiency, capability, and flexibility to store then use sensed data information. However, data from vast quantities of objects spanning a vast geographical region must be stored, managed, and analyzed proficiently in IoT-related appliances. However, when cloud computing employs in IoT, new encounters will come into action. Fog or edge computing is talented enough to outspread cloud computing faster than it assists in overcoming mentioned issues. In brief, as a replacement for performing entire computational processes at the center of the cloud, fog/edge computing offers computing then storage facilities to devices at the edge of the system. The node/object with fog computing capability of any network can efficiently perform the data storage, computation, and heterogeneous network connectivity. These devices/objects are employed at any place of the network and assemble the IoT things with connected applications [38-45]. Usually, different kind of data collected from IoT objects and transfer it to suitable object/place for additional analysis based on the application necessities. Here, the high-priority info that desires to be forwarded instantly can manage on fog/edge computing nodes, which nearer to the IoT campaigns that create significant evidence. The low-priority data records can then be forwarded to some collective nodes/objects for additional processing then scrutiny. Besides the advantages of fog/edge computing, it has limitations and tribulations while integrating IoT with fog/edge computing. Establishing fog/edge computation and assigning adequate resources to IoT things is the most significant task. In IoT, every time, a minor number of services are demanded by IoT devices; hence each fog/edge service node contains inadequate communication, computation, and storage capabilities. In this context, every fog/edge computing node should be optimally accomplished and composed for IoT devices to deliver demanded service resourcefully. How to adjust the allocated resources of a fog/edge node is also a tricky task. It means focusing on the resource managing between the fog/edge nodes is the hot research topic in IoT fog/edge computing. Hence, when applying fog/edge computing nodes to a particular service, there is a need to verify the different requirements like energy consumption, node cost, and service availability. Also, safety and confidentiality problems in fog/edge computing structure also vital problems.

6.15. Federated Learning

Federated Learning (FL) [46-48] is a machine learning methodology in which an algorithm train across numerous decentralized edge devices or servers that keep local data samples without exchanging them.




Figure. [5]: Fundamental FL Architecture

As shown in Figure [5], users use local data to train local models to update the global model at the base station. The global model aggregate and send to the local models for training. These processes carry out again and again until the global model converges.

Federated learning allows devices to learn from a shared model collectively. With proxy data, the shared model first train on a server. The model is then downloaded and improved by each device utilizing data – federated data. The device uses locally available data to train the model. The model's modifications compile into an update, which delivers to the cloud. The device retains the training data and individual updates [48-49]. The model compresses via random rotations and quantization to ensure faster downloads of these updates. When the devices communicate their models to the server, the models integrate to form a single model. It repeated for multiple cycles until the model is of good quality.




Figure [6]: Process of FL

The following is the technique for federated learning as shown in Figure [6]:

1. A training model will send to the devices.
2. The devices are programmed to learn from local data.
3. The devices give the server encrypted updates on the parameters.
4. The devices are grouped by the server. The server aggregates the updates it receives from each set of devices to conduct a single update to the current model for each group.
5. The new updated model is delivered to the devices for on-device testing (again, the notion of decentralization is at play here), and a fresh round of training follows.

Advantages of Federated Learning

Here we are discussing some of the FL benefits [47]. Firstly, FL allows smartphones to learn a shared prediction model cooperatively while keeping the training data on the device rather than uploading and storing it on a central server. Secondly, it brings model training to the edge, to devices like smartphones, tablets, IoT, and even “organizations” like hospitals that must adhere to tight privacy regulations. It is a significant security benefit to keep personal data local. Thirdly, it allows for real-time prediction because prediction takes place device itself. FL eliminates the time lag caused by sending raw data to a central server and then shipping the findings back to the device. Fourthly, because the model's stores on the device, the prediction process can continue even if there is no internet connection.



7. AI-based Trustworthiness in IoT Systems

From the inclusion of IoT, many of us thought IoT turns human living more comfortable and stress-free. However, some researchers stated that IoT means to "Internet of Garbage" because it consists of malware, copyrights, spam, Etc. However, it builds with improved communications, better address, strict moderation, and effective community administrations. After collecting the information from the garbage liked network, finding appropriate value is the most significant task. It is a known fact that IoT is rapidly growing and makes novel demands. From the above discussion, big data analytics, real-time monitoring with streamed data, and another critical discussion is efficient communication capabilities and ensuring security requirements in such a large-scale network. The deployed software applications with appropriate network connections should also be secure.

Clients, operative workers of smart IoT objects will be highly susceptible since their data is accessible on a network. IoT devices and services have three key issues - data confidentiality, privacy, and trust. The IoT object/device must authorize with an entity or person before starting data sharing and access to service. The model of securing IoT systems and their related components is called cybersecurity. Cybersecurity protocols have the most important in dealing with miniature devices, where IoT-based cybersecurity systems mostly avoid attackers stealing sensitive data. There are countless cybersecurity approaches like cryptographic protocols, firewalls, antivirus, intrusion detection systems, and scanners, secure socket layers. ML, DL, Blockchain, and quantum-resistant crypto techniques profoundly apply to IoT schemes for better security. Also, some issues have happened recently, like small IoT wearable devices collect user's data, which transformed to device providers since it connects with their respective databases [43-45]. Then these device providers sell the collected user data to other business companies without the user's permission. Business companies make continuous notifications based on the information, advertisements via social networks to that particular user. How to avert these kinds of data ethics in IoT-based schemes is also the most significant challenge apart from security requirements.

8. AI Tools for IoT

Sl. No.	AI Tools	Features
---------	----------	----------

1	 SensiML Analysis Toolkit [50]	<ol style="list-style-type: none"> 1. Build small algorithms that run on IoT endpoints rather than in the cloud. 2. Acquire Datasets that are reliable, traceable and version-managed systems. 3. To quickly generate autonomous working computer code, this tool can use for advanced AutoML code generation. 4. Option to select our desired interface and AI knowledge level, keep complete control over our algorithm, and design edge tuning models.
2	 Vertica Analytics Platform [51]	<ol style="list-style-type: none"> 1. Analysis of Communication and Network. 2. Analysis of Embedded Systems and Customer behavior. 3. Analysis of IoT systems and Scalable, SQL compliant Time series analysis.
3	DewSim [52]	<ol style="list-style-type: none"> 1. SCE resource management - Computing capabilities of intelligent devices fluctuate due to owner contact computing capabilities 2. Computing and networking practices use many resources on intelligent devices. 3. Data is uploaded/downloaded from/to nodes via WLAN.
4	iFogSim [53]	<ol style="list-style-type: none"> 1. Network Communication can be done. 2. Mobility and edge-processing can be simulated. 3. Some parameters like energy efficiency, network protocols, and heterogeneity cannot be exhibit.
5	IoTSim [53]	<ol style="list-style-type: none"> 1. In IoTSim, IoT Devices are modeled, and performance analysis realized. 2. But, Edge devices, energy efficiency, mobility, communication protocols cannot be model.
6	IoTSim-Edge [54]	<ol style="list-style-type: none"> 1. It allows researchers to model mobile IoT devices. 2. It allows researchers to model a variety of IoT protocols. 3. It is in favor of a high-energy-consumption profile. 4. It allows for the abstraction of graph modeling.

9. Applications of the Internet of Things

From the introduction, Internet of Things (IoT) applications convey incredible value into our daily life. With the new-fangled innovations in wireless networks, intelligent sensors, and revolutionary computing capabilities every

day, a new IoT-enabled product proclaims. IoT applications project to train billions of everyday things/objects with connectivity as well as intelligence. This section attempts to overview and discuss numerous domains like intelligent homes, structural health monitoring, environment, logistics, agriculture, health, lifestyle, and industry domains with IoT applications.

9.1. Agriculture

As the world's population increases, the demand for a food source tremendously raised. Developed governments and research institutions are helping agriculturalists to use cutting-edge methods to raise food production. Smart farming is one of the fastest-growing fields in IoT. Here farmers are using expressive visions from the data to yield a healthier return on investment. Smart irrigation – with IoT-based sensors determining the quantity of moisture in the soil, release the water with irrigation pipes to easily control water usage and regulate traditional peats. Greenhouse control – the inside weather-related information of a greenhouse could monitor and control to harvest the most delicate situations for growing plants. The stored sensible facts from various sensors in a centralized server where they analyze then improve different control strategies.

9.2. Augmented Reality

Augmented reality (AR) enhances how persons require, realize and display information without disturbing the real world. Mobile Augmented mobile Reality (MAR) with superimposing virtual elements over fundamental substances on the screen gives added value and enhances the interface with reality. It can increase efficiency and manufacture services by allowing staff to see the most relevant sensor data in the control panel like the view option. US-based DAQRI designed a helmet that can protect workers from falling objects and assist them in avoiding mistakes. Besides, The DAQRI device is also proficient in diagnostics besides sensing risks with thermal vision. Caterpillar, the heavy machinery company, uses AR technology to look at the machine also instantly see a visual overlay that states when several mechanisms need to replace filter operations and how much fuel is needed. User booklets and technical papers are infamously tedious, so Bosch company incorporated AR to create overlay text, videos, and augmented 3-D simulations over a piece of equipment.

9.3. Virtual Reality

With the continuous growth of virtualization, the number of connected devices with the Internet is increasing significantly. Since virtual reality (VR) shows great potential to revolutionize the market, compared with traditional video systems, VR has ultra-high-definition with apparent, dynamic changes that possess significant challenges for realizing such potential. Smart cities are highly involved with virtual reality technologies, and china has previously established VR-based smart cities with virtual and real-world guidelines for emergency department fire monitoring. Simultaneously, japan implemented the Tokyo virtual lab, which simulates traffic situations by integrating street and

traffic information; moreover, it also assists the vehicle driver in critical situations.

9.4. Mixed Reality

Mixed reality (MR) combines VR and AR services to build physical, virtual objects that exist and intermingle in real-time. Recent surveys concluded that companies' investment in MR would reach more than 4.4 billion dollars by the end of 2020. MR-based Microsoft HoloLens and wearable holographic computers used in the education and training phases. With 3D modeling with MR, professionals can effortlessly shape their projects up in a shared virtual atmosphere. In healthcare, MR has numerous training and education applications like surgeries taught remotely by professionals as they do them in real-time.

9.5. Smart Locks

IoT in smart home security has empowered operators to do away with traditional locks and make interest in smart locks. Since smart locks do not require any physical key to open, an alternative operator can open the doors with biometric info like iris scans, fingerprints, and face mappings.

9.6 Smart Factories

Smart factories involve enterprise asset management – IoT-based power-driven assets management increases operational efficiency optimizes resources, and better controls the sales lifecycle, compliance procedures, and receptive bright atmospheres. WebNMS is an example of an IoT smart factory platform that affords energy managing to improve businesses' energy ingesting.

9.7. Intelligent Road Toll and Traffic Monitoring

With the accumulated data from the implanted sensors, cameras, traffic regulators, and IoT devices, we can effortlessly automate the timings of road traffic lights on busy roads and highways. IoT devices enable collecting road toll when a car enters into its zone and automatically lift the barrier after successful toll collection like fasting.

9.8. Smart Intelligent Grid

In electric power generation, IoT uses resourcefully to monitor the power generation of various power plants. Moreover, IoT-based schemes are effectively applied to observe substations, towers, electricity consumption, and dispatch lines. IoT devices also assist clients with intelligent meters by measuring different parameters and networks. High processing capable IoT devices can enhance the intelligent grid performance in processing, disaster recovery, reliability, and warnings.

9.9. Intelligent Robotics

The Internet of Robotic Things (IoRT) has numerous applications and can analyze and optimize machine performances in real-time from the data facts collected from intelligent sensors. Service and humanoid robots use logistics

delivery, rescue, agriculture, security, health and defense, and entertainment. However, the recent pandemic crisis has shown that much more advances need in IoRT technologies.

9.10 Waste Management

Most metropolitan cities face waste management issues, one of the most inefficient actions in a city. The techniques used in waste management are not identical; IoT strategies can support municipal waste hoarders in monitoring their trucks' schedules, the volume of waste dumps, and the course's overall proficiency.

9.11 Near Field Communication (NFC) Payment

Nowadays, every retail payment is made over NFC, since in NFC-based payments, the client/customer can use his/her NFC-enabled intelligent devices to make contactless payments. It reduces the time required to make the payment and increases the security and indemnity of payment.

9.12. AI-enabled Internet of Underwater Things

IoUT with intelligent sensors, autonomous underwater vehicles relevant to detect underwater treasure and enemy submarines. IoUT also assists in the detection of minerals, corals, reefs, and metals. In general, finding underwater resources requires sensors with video capturing devices that fulfill by IoT schemes.

9.13 Intelligent UAV

Because of the UAVs' high range agilities and autonomy, they can offer a wide range of amenities to IoTs. UAV-based IoT schemes efficiently apply for crowded surveillances with face recognition and mobile edge computing with inadequate energy power and dimensions. Moreover, in auto spacing, UAVs with theory-based game platforms are highly applied for locating terrestrial stations. UAVs with AR/VR/MR technologies allow isolated operators to navigate in explicit scenes of interest. UAVs also helpful in optimal clustering of IoT devices and reduces transmission power.

9.14 IoT based Forensic Applications

There are countless models implanted for IoT security and privacy with available resources; however, it is still an open research issue. Nowadays, a little focus shifted towards digital forensics in IoT. Since IoT security is still developing, there are high probabilities of breaches in IoT. Active digital forensics procedures must be established in equivalent with security explanations to track attacks and find reliable digital evidence to expose perpetrators. Inspecting the VitalPatch will disclose associated forensics objects of individuals like ECG trends, heart rate, activity monitoring, port scans, timeline logs, Etc.

9.15. Intelligent Healthcare Systems using IoT Systems

Wearable IoT devices allow constant monitoring of physiological constraints, which assist in ongoing health than fitness monitoring. Moodables – it is a mood-enhancing device to monitor and improve our mood in a day. In detail, moddable is head-mounted wearables that send low-intensity current to the brain, elevating our mood. Ingestible sensors – miniature-sized sensors monitor the medicine inside our body and advise us if it notices any anomalies, which helps diagnostic patients with early warnings. Moreover, it is applicable in reducing emergency room wait time, enhancing drug management, tracking patients, and ensuring critical hardware staff availability.

9.16. Intelligent Disaster Management

Intelligent disaster management helps in minimizing potential damage from upcoming disasters. Besides, confirm instant and suitable recommendations to the victims for fast regaining. Nowadays, the IoT skill has reached its advanced level and has probable to be very beneficial in disaster conditions. IoT system with satellite communication and geographic information arrangements helps in risk minimization. It suggests prevention, makes early warning, utilizes social media to avoid awareness creation, relief and response measures, and missing person search.

9.17. Music

Up to date, most of the IoT applications are design for environmental monitoring, industrial manufacturing, energy optimization, intelligent home automation, intelligent healthcare, and transportation. But present-day, it gradually valuable for the music technology industry also. Google's universal Orchestra and MIT's patchwork are some notable examples of IoT-based Music innovations. SoundWIRE, JackTrip are some of the remote performances designed by well-known multinational companies, enabling instrumentalists in different locations to accomplish as if they were in a similar room. Rhythmic vibration – actuators collect data then start to tremble with a rhythm then intensity relative to that of the music playing, this aids wearer to sense the rhythm of the music. Auto-tune instruments - Instrumentalists can play tools over the allied device. The device implant with sensors that sense the traces on the screen of the devices. It then auto-initiates the similar movement on essential musical tools, letting instrumentalists play tools remotely over the device.

Different Applications have described in Figure [7]




















Figure 7: Internet of Things Application Domain






10. Consumer electronics Products for IoT

Product Name	Product Picture	Features	Applications	Limitations
Bit defender Box	 <p>Source: http://iotlineup.com/</p>	Provides high-security solutions for scan and efficiently blocks incoming threats. It protects all our IoT devices, even when we go out!. Acts as an intelligent wireless router.	Smart home safety, Smart automation network safety.	Battery optimization Bugs, over-reliance on technology
SmartMat intelligent yoga Mat	 <p>Source: http://iotlineup.com/category/iot_health_and_fitness</p>	SmartMat notices when we are out of position then gives us immediate advice on precisely our position.	Health and Fitness, Exercise Equipment, Smart healthcare	Compatibility and complexity, cost, security




<p>Lockitron Bolt - Smart Lock</p>	 <p>Source: http://iotlineup.com/category/iot_consumer_security_cameras</p>	<p>Provides home security with intelligent lock options when far away from our home environment</p>	<p>Home Security and Safety, Home Smart healthcare, Consumer Smart Locks</p>	<p>Cost, integration, lack of connectivity standards</p>
<p>Philips Hue Hue Go</p>	 <p>Source: http://iotlineup.com/</p>	<p>It comes under an intelligent lighting scheme. It continuously changes the way we experience light with intelligent controls.</p>	<p>Home Energy Management, Home Computerization, Indoor Lighting</p>	<p>Data breach, over-reliance on technology, security</p>
<p>Airfy iBeacon for home automation</p>	 <p>Source: http://iotlineup.com/</p>	<p>It permits us to make our home smart using one or more wifi routers with optimal WLAN connections.</p>	<p>Home Automation, Home Appliances, Robotics</p>	<p>Battery optimization Bugs, cost</p>
<p>Smart Door Locks</p>	 <p>Source: http://iotlineup.com/category/iot_smart_locks</p>	<p>It allows a console to open the door, wireless-based custom access codes for explicit members</p>	<p>Home Automation, security, smart city</p>	<p>Compatibility and longevity</p>
<p>Smart Bluetooth Trackers</p>	 <p>Source: http://iotlineup.com/category/iot_smart_locks</p>	<p>Smart Bluetooth-based devices, with the help of short-range indications, digitally tie necessary items to our smartphones. We will get an immediate alert (chirp, beep, bleat, or make noise) if you start to leave somewhat behind, and a moveable app will direct you back to the unstable object.</p>	<p>Health and Fitness, Smart city, Consumer Smart Locks,</p>	<p>Lack of standards for authentication, Data breach, Connectivity issues.</p>

<p>Smart bike tracker</p>	 <p>Source: http://iotlineup.com/category/iot_smart_locks</p>	<p>These devices track a bike's place then send alarms if the bike leaves a nominated zone. In addition, smart locks also allow multiple riders to share a single bike.</p>	<p>Home Security and Safety, Home Computerization, Consumer Smart Locks</p>	<p>Need efficient results on ride analytics and crash alerts.</p>
<p>Amazon Dash Button</p>	 <p>Source: http://iotlineup.com/IoT_home_appliances</p>	<p>It is one of the finest inventions of IoT, which makes life simple, relaxed. It helps us make our orders quickly and correctly without missing and reorder from a high brand.</p>	<p>Home Security and Safety, health and fitness</p>	<p>over-reliance on technology, security, cost</p>
<p>Ring Alarm Smoke and CO Listener</p>	 <p>Source: http://iotlineup.com/</p>	<p>It is a device that allows manufacturing companies to accomplish their carbon monoxide indicators with more comfort. It offers a warning when our smoke indicator alarms.</p>	<p>Home Security and Safety, Consumer Appliances, Home Automation, Consumer Smart Locks</p>	<p>over-reliance on technology, connectivity</p>
<p>WeMo Insight Smart Plug</p>	 <p>Source: http://iotlineup.com/IoT_home_appliances</p>	<p>It is an IoT-based invention that aids us in regulating our lights and applications by revolving them on or off. It also creates guidelines, timetables, energy consumed by our devices and helps us protect our home through offers notices.</p>	<p>Home Security and Safety, Home Automation</p>	<p>Data breach, Compatibility, and complexity, cost, security</p>
<p>YI Security Home Camera Baby Monitor</p>	 <p>Source: http://iotlineup.com/category/</p>	<p>This device allows us to access our camera with a PC and alerts based on gesture or sensitivity. Moreover, increase the night vision and provides the storage option on the cloud.</p>	<p>Home Security and Safety, Home Automation</p>	<p>Battery optimization, cost, connectivity</p>

	iot_home_security_and_safety			
Footbot Air Quality Monitor	 <p>Source: http://iotlineup.com/ IoT home appliances</p>	<p>It is an IoT-based air quality monitor device designed primarily for pollution sensitivity and calculates the humidity and temperatures.</p> <p>It continuously monitors make changes to improve the air quality and is easily implanted into homes or workplaces.</p>	Home Security and Safety, Home Automation, Home Automation	over-reliance on technology, unstructured data,
Google Home Voice Controller	 <p>Source: http://iotlineup.com/ IoT home appliances</p>	<p>It is a voice-based intelligent IoT device that allows us to control alarms, media (TV and speaker) volumes, and light.</p>	Home Security and Safety, Garden Equipment, Home Automation,	Cost, complexity
Kuri Mobile Robot	 <p>Source: http://iotlineup.com/ IoT home appliances</p>	<p>Kuri is known as the first home robot explicitly programmed for entertaining purposes. In addition, it intermingles with specific abusers to capture daily movements.</p>	Home Security and Safety, Garden Equipment, Home Automation,	over-reliance on technology
Logitech Harmony Universal Remote	 <p>Source: http://iotlineup.com/</p>	<p>This IoT-based smart device allows us to remotely control every media device, lighting device, and other intelligent devices. It contains nearly eight innovative remotes capabilities, which efficiently reduce complexities inside the house.</p>	Home Automation, Consumer Smart Locks	over-reliance on technology, Cost

	<u>IoT home appliances</u>			
Particle Photon Wi-Fi with Headers	 <p>Source: http://iotlineup.com/</p> <u>IoT home safety</u>	It provides resources for an abuser to design accessible and build connection projects like easy plugins.	Home Security and Safety, Home Automation	over-reliance on technology, cost, complexity
Logitech Pop - Smart button controller	 <p>Source: http://iotlineup.com/</p> <u>IoT home appliances</u>	POP allows users to control bright lighting, music, and speakers inside the house with push buttons.	Home Automation, Home Appliances, Home Energy Management, Remote Controls, Indoor Light	Dara breach, security, and privacy
Ninja Sphere	 <p>Source: http://iotlineup.com/</p> <u>IoT home appliances</u>	It is a miniature type IoT device that produces intelligent home connections without any wired arrangements.	Home Automation, Home Appliances Other Smart Household Appliances	over-reliance on technology, security
Hydrawise	 <p>Source: http://iotlineup.com/</p>	It allows users to arrange schedulers for irrigation control and water-saving with a connected mobile device.	Home Appliances, Home Automation Garden Equipment	Connectivity, security, and privacy
Singlecue Gesture Controller	 <p>Source: http://iotlineup.com/</p>	It uses to manage TV, media, and smart home devices via touch-free motions.	Home Automation, Home Appliances Remote Controls	over-reliance on technology

<p>Skydrop</p>	 <p>Source: http://iotlineup.com/ IoT home appliances</p>	<p>Skydrop is a fascinating, intelligent IoT device that automatically adjusts to local weather and controls sprinkler watering with perfect lawn season.</p>	<p>Home Automation, Home Appliances Garden Equipment</p>	<p>over-reliance on technology, data breach</p>
<p>Mr. Coffee smart coffeemaker</p>	 <p>Source: http://iotlineup.com/ IoT home appliances</p>	<p>It is an intelligent kitchen appliance who takes control from anywhere, makes schedules, monitors, and modifies the coffee-making procedure.</p>	<p>Home Appliances, Home Automation Kitchen Appliances</p>	<p>over-reliance on technology, connectivity, complexity</p>
<p>Edyn Garden sensor</p>	 <p>Source: http://iotlineup.com/ IoT home appliances</p>	<p>Edyn virtually connects peoples with the garden with intelligent sensors, and it tracks humidity, temperature, moisture, and lighting, then sends notices to our mobile.</p>	<p>Home Automation, Home Appliances Indoor Plants, Garden Equipment</p>	<p>Connectivity, cost</p>
<p>Prodigio Connected espresso machine</p>	 <p>Source: http://iotlineup.com/ IoT kitchen appliances</p>	<p>It takes guidelines from the mobile phone to brew rapidly, list brews, receive preservation warnings then track the capsule stock.</p>	<p>Home Appliances, Home Automation Kitchen Appliances</p>	<p>Cost, complex connections</p>

<p>Anova Precision cooker</p>	 <p>Source: http://ioutlineup.com/ IoT home appliances</p>	<p>It cooks our food based on a schedule timer and stops; no overcooking entertained.</p>	<p>Home Appliances, Home Automation Kitchen Appliances</p>	<p>, over-reliance on technology, cost</p>
<p>Withings Blood Pressure Monitor</p>	 <p>Source: http://ioutlineup.com/</p>	<p>It is an IoT-based wireless blood and heart rate checker anytime from anywhere.</p>	<p>Health and Fitness Healthcare</p>	<p>Data breach, security, and privacy, cost</p>
<p>Mimo - Smart baby monitoring</p>	 <p>Source: http://ioutlineup.com/</p>	<p>Mimo is an IoT-based baby monitor that uses a wise washable crib sheet, and parents can follow baby activity and movements from their connected, intelligent mobiles and tabs.</p>	<p>Health and Fitness Baby Monitors</p>	<p>Cost</p>

9. Open Research Challenges for AI-based IoT Systems

Challenge 1: How computing power handled in AI-based Industry 5.0?

Technical as well as industrial companies are suffering from computing power challenges. IoT devices collect a vast volume of data to build AI models to examine these massive data with ML, DL; there is a need for consistent power consumption. It is big trouble for product manufacturing and start-up companies. In most cases, the quantity of power need for a learning algorithm makes the developer away. However, ML and DL are outstanding AI components with high precision but efficient but require increasing cores than GPUs. The researcher has implemented numerous ideas, schemes to progress ML, DL models in a wide variety of appliances. Besides, cloud computing with AI and parallel system processing with AI is also used for efficient power ingesting.

Challenge 2: How AI overcomes the technical challenges in IoT

Up-to-date many research-oriented models planned for IoT. However, it still has many practical tasks like a heterogeneous network – IoT consists of numerous connections to contact/communicate with different networks. Presently, there are proficient, recognized platforms to hide the network arrays but suffer from complexity and power consumption. Service-oriented design – IoT faces enormous challenges in service-oriented from both performances then cost restrictions. Depending on the applications, the number of connected devices increases, scalability, data pre-processing, service provisioning, and networking is complex. In particular, the transmission of sensed data across heterogeneous networks also causes recurrent delays and communication problems. There is a need for high automated standards that easily allow data collected from different devices and transform proficiently inside IoT systems. More importantly, connected device collaboration among different entities needs proper addressing; identification and optimization are still an open research issue. An IoT is slightly affected by newly implanted objects; hence it needs suitable integrated mechanisms like unified data structure. AI-based approaches employ meaningful IoT data features, but they suffered from complexity and power ingesting's.

Challenge 3: How will Industry 5.0 handles dissimilar Implementation strategies

Based on the recent progression in various network technologies, AI can transform any industry and business field to digitalization. However, one main issue of AI is the lack of ideas for implementation. A strategic approach is needed to succeed in a business environment like detecting progressive areas, objects with benefits, continuous failures, Etc. To get the knowledge of over mentioned issues, company managers, supervisors, and technical teams must have a broad knowledge of AI skills, advances, limitations and keep an eye on present issues faced by AI. If companies follow these updates of AI-related information working styles, organizations effortlessly know the zones that AI can enhance.

Challenge 4: What are the challenges IoT data analytics faced in implementation, and how they overcome?

In the above section, we discussed IoT analytics with ML and DL approaches. In some cases, the implementation of IoT analytics faces difficulties while handling time series-based data structures. IoT-based intelligent sensor nodes continuously gather massive static data samples for a long time, making it tough to find reasons for extrapolative analysis. Moreover, sighting proper storage space then rapidly analyzing the stored data is difficult. It is a known fact that data is sensitive, with proper and exact approaches, can provide helpful information of any company's product. Hence, data scientists, developers, data processing specialists, and database specialists with in-demand skillsets need data scientists.

Challenge 5: How AI solves the system complexity and security challenges of wireless networks and IoT

In any network, complexity plays a huge role, with the implementation of AI in communication architectures drive more upsurgues the intricacy of schemes. In industrial network case-specific ML, DL approaches employed to achieve the solitary goal ignore the remained objectivities. Moreover, adequate resources IoT devices transmit the data to higher levels without computing pre-processing operations. So, the implanted AI approaches in WSNs and IoTs must optimize solitary objectives while superintending other limits like storage, link, processing, and latency. The employed AI approach in one layer could also benefit or help in optimization in another layer.

The main intention of utilizing AI for IoT is to examine network flow, finding security breaches like intrusion and anomaly detection before decision-making. AI helps to generate high-quality data sets which contain information of attack categories then outlines. So, AI approaches based on first-rate datasets to secure IoT are highly infeasible. It should be renowned that obtaining a dataset for IoT safety training is more complicated, tough other domains.

Privacy deals with the legal, moral, and ethical, which expected to expose in the era of AI-capable systems. There are numerous ways for information leakage; in some cases, AI itself leaks data samples while performing different tasks at a time. So, maintaining privacy in AI is a risky task from both algorithmic and human perspectives. Encoding, decoding, blockchain, quantum models, and shuffling algorithms will undoubtedly handle privacy issues in IoT and WSNs.

Challenge 6: How will AI produce high-speed intelligent communication in UIoT?

UIoT is a complex heterogeneous network that includes dynamic AUVs, underwater magnetic inductions, and acoustic networks. The volatile atmosphere of the ocean is an unforeseen issue for the UIoT system: the topology and localization accuracy underwater affected by the actions of tides, wind power, and temperature. By employing AI-based approaches in UIoT, every network element of the UIoT is optimized and coordinated for communication, then makes the best use deployed network.

Challenge 7: How AI-based Industry 5.0 change in product management?

Radio Frequency Identification (RFID) tags employ many industrial sectors for supply-chain, product tracking, and delivery management. RFID tags implant on delivery products, and readers place on the entire way to monitor. IoT pieces of machinery can afford improved flexibility in reader's locations while permitting continuous interoperability among RFID-based appliances used by dissimilar performers. These IoT appliances are primarily applied to retail companies to display product availability then accurate stock records. More importantly, an amalgamation of sensors and bio-sensor with RFID technology may permit control production methods and final product value in the food industry.

Challenge 8: Man Power

No matter how big a company it is, it matters how well a particular company employs AI in its zones where development is needed. AI is developing technology, so there is a need for specialists capable of handling and implementing the AI models. Hence, the companies make an additional budget for the training and hiring of a specialist in AI.

Challenge 9: Training AI

If the installed AI system collects sufficient information, it is ready for the training phase. It is dissimilar for every AI-based approach like model type, data structure, outcomes, and decision-making. In AI, there is no perfect model that is suitable in all cases, and we must try every model; based on the outcome result, we determine which works better among all. Hence, if we push machines to learn more, we must first analyze more from the natural environment by implanting intelligent sensors with new features. Also, make reruns on proposed models repeatedly with every new choice, so AI models will learn automatically to improve performance.

Challenge 10: Connected Devices

All most every field in the world transformed into digitalization with connected devices. However, simple IoT devices like intelligent sensors communicate with other sources with Bluetooth/Zigbee, and it still stands as a challenge to connect them with the internet. Since connecting every device to the internet is not an easy task, which needs reinstallation, replacement with new equipment, and advanced hardware machines. AI-based MQTT is a simple example for connecting devices with the internet, not a simple procedure.

Challenge 11: Efficient sensing

The urban environment consists of numerous factor combinations; for efficient monitoring of those factors, there is a need for heterogeneous multiple sensing models. In detail, they need a generalized framework for sensed data collection and display them in spatial and temporal characteristics from fixed and mobile sensing infrastructure and constant, arbitrary sampling. For instance, urban noise and air pollution zone detection need constant noise and air quality data samples from fixed intelligent sensor nodes. Compressive wireless sensing (CWS) exploits synchronic messages to diminish the broadcast power of each and convey noisily. Quality of air measurement forecasted data samples to a central node for data aggregation.

8. Conclusions

This chapter introduced a journey that started with understanding the vision pattern of AI-enabled IoT skills then how it can be helpful in many parts. It also supports researchers and experts that recognize the design construction and AI algorithms through IoT and state-of-the-art IoT countermeasures. It offers a complete discussion on a functional framework, then knowledge

hierarchy for IoT, object identification, intelligent sensors, Learning, and analytics in Intelligent IoT-enabled Systems. This chapter explores AI-enabled IoT paradigms that will utilize to better humankind in the future era. Specifically, the far-reaching references of numerous works then implementations will be observed to be essential accumulations for engineers and administrations.

References

1. Suk Kyu Lee, Mungyu Bae and Hwangnam Kim (2017). Future of IoT Networks: A Survey, Appl. Sci. 2017, 7, 1072; doi:10.3390/app7101072.
2. Cristian Gonzalez Garcia, Edward Rolando Nunez-Valdez, Vicente Garcia-Diaz, B. Cristina PelayoGBustelo, Juan Manuel Cueva Lovelle (2018). A Review of Artificial Intelligence in the Internet of Things, International Journal of Interactive Multimedia and Artificial Intelligence, Vol. 5, N° 4.
3. Ala Al-Fuqaha, Mohsen Guizani, Mehdi Mohammadi, Mohammed Aledhari, and Moussa Ayyash (2015). Internet of Things: A Survey on Enabling Technologies, Protocols, and Applications, Ieee Communication Surveys & Tutorials, Vol. 17, No. 4.
4. Jie Lin, Wei Yu, Nan Zhang, Xinyu Yang, Hanlin Zhang, and Wei Zhao (2017). A Survey on Internet of Things: Architecture, Enabling Technologies, Security and Privacy, and Applications, Ieee Internet Of Things Journal, Vol. 4, No. 5.
5. Farzad Samie, Lars Bauer, and Jörg Henkel (2019). From Cloud Down to Things: An Overview of Machine Learning in Internet of Things, Ieee Internet Of Things Journal, Vol. 6, No. 3, June
6. Altexsoft, 2020, IoT Architecture: the Pathway from Physical Signals to Business Decisions, <https://www.altexsoft.com/blog/iot-architecture-layers-components/>
7. Chander, G. B., &Kumaravelan, G. (2018). Introduction to Wireless Sensor Networks. Soft Computing in Wireless Sensor Networks, 1.
8. Chander, B., &Kumaravelan, G. (2020). Internet of things: foundation. In Principles of Internet of Things (IoT) Ecosystem: Insight Paradigm (pp. 3-33). Springer, Cham.
9. Gopalakrishnan, K. (2020). Security vulnerabilities and issues of traditional wireless sensor networks in IoT. In Principles of Internet of Things (IoT) Ecosystem: Insight Paradigm (pp. 519-549). Springer, Cham.
10. Lin, Yu Chuan. (2017). Development of Advanced Manufacturing Cloud of Things (AMCoT) - A Intelligence Manufacturing Platform, IEEE Robotics and Automation Letters, vol. 2, no. 1, pp.1809-1816.
11. Chen, Chao Chun. (2018). A Novel Automated Construction Scheme for Efficiently Developing Cloud Manufacturing Services, IEEE Robotics & Automation Letters, vol. 3, no. 3, pp.1378-1385.DOI 10.1109/LRA.2018.2799420.

12. Harshit Gupta, Amir Vahid Dastjerdi, Soumya K Ghosh, Rajkumar Buyya. (2015). iFogSim: A toolkit for modeling and simulation of resource management techniques in the Internet of Things, Edge and Fog computing environments, *Journal Software: Practice and Experience*, Volume 47, Issue 9, Pages: 1275-1296.
13. B Zhou, R Buyya. (2018). Augmentation techniques for mobile cloud computing: A taxonomy, survey, and future directions, *ACM Computing Surveys (CSUR)*. [Volume 51, Issue 1](#), pp. 1-38.
14. R Ranjan, O Rana, S Nepal, M Yousif, P James, Z Wen. (2018). The next grand challenges: Integrating the Internet of Things and data science, *IEEE Cloud Computing*.
15. J Gubbi, R Buyya, S Marusic, M Palaniswami. (2013). Internet of Things (IoT): A vision, architectural elements, and future directions- Future generation computer systems, [29\(7\)](#), pp. 1645-1660
16. Ungureanu, A.V. (2020). The Transition from Industry 4.0 to Industry 5.0. The 4Cs of the Global Economic Change. In C. Nastase (vol. ed.), *Lumen Proceedings: Vol. 13. 16th Economic International Conference NCOE 4.0 2020*, pp. 70-81.
17. Erwin Adi, Adnan Anwar, Zubair Baig, Sherali Zeadally, (2020). Machine learning and data analytics for the IoT, *Neural Computing and Applications (2020)* 32, pp.16205–16233
18. Itisha Sharma, Illa Garg, Deepti Kiran. (2020). Industry 5.0 And Smart Cities: A Futuristic Approach, *European Journal of Molecular & Clinical Medicine*, Volume 07, Issue 08, pp. 2515-8260.
19. Farhan Aslam, Wang Aimin, Mingze Li and Khaliq Ur Rehman. (2020). Innovation in the Era of IoT and Industry 5.0: Absolute Innovation Management (AIM) Framework, *Information*, 11, 124; doi:10.3390/info11020124.
20. Saeid Nahavandi. (2020). Industry 5.0—A Human-Centric Solution, *Sustainability* 2019, 11, 4371; doi:10.3390/su11164371.
21. Tie Qiu, Zhao Zhao, Tong Zhang, Chen Chen, and C. L. Philip Chen. (2019). Underwater Internet of Things in Smart Ocean: System Architecture and Open Issues, *IEEE Transactions On Industrial Informatics*, 1551-3203 (c) IEEE.
22. Vural Ozdemir and Nezih Hekim. (2018). Birth of Industry 5.0: Making Sense of Big Data with Artificial Intelligence, 'The Internet of Things' and Next-Generation Technology Policy, *OMICS A Journal of Integrative Biology* Volume 22, Number 1, 2018 ^a Mary Ann Liebert, Inc. DOI: 10.1089/omi.2017.0194
23. Chander, B., & Kumaravelan, G. (2021). Cyber Security with AI— Part I. In *The "Essence" of Network Security: An End-to-End Panorama* (pp. 147-171). Springer, Singapore.
24. Skobelev PO, Borovik SY. (2017). On the way from Industry 4.0 to Industry 5.0: from digital manufacturing to digital society. *Int Sci J*. 2017;2(6):307e311.
25. T. Pflanzner, A. Kertesz (2018). A Taxonomy and Survey of IoT Cloud Applications, *EAI Endorsed Transactions on Internet of Things*. Volume 3. Issue 12

26. In Lee a, Kyoochun Lee (2015). The Internet of Things (IoT): Applications, investments, and challenges for enterprises, Elsevier, Business Horizons 58, p 431—440
27. Onoriode Uviase Gerald Kotonya (2018). IoT Architectural Framework: Connection and Integration Framework for IoT Systems, D. Pianini and G. Salvaneschi (Eds.): First workshop on Architectures, Languages, and Paradigms for IoT EPTCS 264, doi:10.4204/EPTCS.264.1. p 1-17
28. Aditya Tiwary, Manish Mahato, Abhitesh Chidar (2018). Internet of Things (IoT): Research, Architectures and Applications, International Journal on Future Revolution in Computer Science & Communication Engineering, ISSN: 2454-4248 Volume: 4 Issue: 3, p 23 – 27.
29. Keyur K Patel 1, Sunil M Patel (2016). Internet of Things-IOT: Definition, Characteristics, Architecture, Enabling Technologies, Application & Future Challenges, International Journal of Engineering Science and Computing, May 2016.
30. Mirza Golam Kibria, Kien Nguyen, Gabriel Porto Villardi, Ou Zhao, KentaroIshizu and Fumihide Kojima (2018). Big Data Analytics, Machine Learning and Artificial Intelligence in Next-Generation Wireless Networks, DOI 10.1109/ACCESS.2018.2837692, IEEE Access.
31. Mehdi Mohammadi, Ala AI-Fu9aha, SamehSorour, Mohsen Guizani, (2018). Deep Learning for IoT Big Data and Streaming Analytics: A Survey, IEEE Communications Surveys & Tutorials, Vol. X, No. X, Xxxxx 2018.
32. Manuel Meruje, Musa GwaniSamaila, Virginia N. L. Franqueira, Mario Marques Freire, and Pedro Ricardo MoraisInácio, (2018). A Tutorial Introduction to IoT Design and Prototyping with Examples, Internet of Things A to Z: Technologies and Applications, First Edition. Edited by Qusay F. Hassan. (2018). by The Institute of Electrical and Electronics Engineers, Inc. Published 2018 by John Wiley & Sons, Inc.
33. George Siemens, (2013). Learning Analytics: The Emergence of a Discipline, American Behavioral Scientist 57(10) 1380—1400 c 2013 PAGE Publications
34. Thomas H. Davenport (2018), From analytics to artificial Intelligence, Journal of Business Analytics, 1:2,73-80, DOI: 10.1080/2573234X.2018.1543535.
35. Ashish Ghosh, Debasrita Chakraborty, Anwesha Law (2018). Artificial Intelligence in Internet of Things, ET Research Journals, pp. 1—11
36. ZhihanLv, Yang HAN, Amit Kumar Singh, Gunasekaran Manogaran and Haibin, (2020). Trustworthiness in Industrial IoT Systems Based on Artificial Intelligence, 1551-3203, IEEE.
37. Davenport, T. H. (2018a). The AI advantage. Cambridge, MA: MIT Press.
38. Davenport, T. H., & Harris, J. G. (2017). Competing on analytics. Boston: Harvard Business Review Press (revised and updated).

39. Davenport, T. H., & Kirby, J. (2016). *Only humans need to apply: Winners and losers in the age of smart machines*. New York: Harper Business.
40. Davenport, T. H., & Mahidhar, V. (2018). What's your cognitive strategy? MIT Sloan Management Review, (Summer). Retrieved from <https://sloanreview.mit.edu/article/whats-your-cognitive-strategy/>
41. S. Jha and S. A. Seshia. (2017). A Theory of Formal Synthesis via Inductive Learning, *Acta Informatica*, vol. 54, no. 7, pp. 693—726.
42. Q. F. Hassan, A. R. Khan, and S. A. Madani .(2017). *Internet of Things: Challenges, Advances, and Applications*. Chapman & Hall/CRC Computer and Information Science Series, CRC Press.
43. G. Fortino and P. Trunfio. (2014). *Internet of Things based on Smart Objects: Technology, Middleware, and Applications*. Springer.
44. L. T. Yang, B. Di Martino, and Q. Zhang. (2017). Internet of Everything, *Mobile Information Systems*, vol.8, 201
45. Chander, B. (2020). Clustering and Bayesian Networks. In *Handbook of Research on Big Data Clustering and Machine Learning* (pp. 50-73). IGI Global.
46. Qiang Yang, Yang Liu, Tianjian Chen, and Yongxin Tong. 2019. Federated Machine Learning: Concept and Applications. *ACM Trans. Intell. Syst. Technol.* 10, 2, Article 12 (February 2019), 19 pages. DOI:<https://doi.org/10.1145/3298981>
47. T. Li, A. K. Sahu, A. Talwalkar and V. Smith, "Federated Learning: Challenges, Methods, and Future Directions," in *IEEE Signal Processing Magazine*, vol. 37, no. 3, pp. 50-60, May 2020, doi: 10.1109/MSP.2020.2975749.
48. Q. Wu, K. He and X. Chen, "Personalized Federated Learning for Intelligent IoT Applications: A Cloud-Edge Based Framework," in *IEEE Open Journal of the Computer Society*, vol. 1, pp. 35-44, 2020, doi: 10.1109/OJCS.2020.2993259.
49. J. Pang, Y. Huang, Z. Xie, Q. Han and Z. Cai, "Realizing the Heterogeneity: A Self-Organized Federated Learning Framework for IoT," in *IEEE Internet of Things Journal*, vol. 8, no. 5, pp. 3088-3098, 1 March1, 2021, doi: 10.1109/JIOT.2020.3007662.
50. <https://sensiml.com/>
51. <https://www.vertica.com/>
52. Hirsch, M, Mateos, C, Rodriguez, JM, Zunino, A. DewSim: A trace-driven toolkit for simulating mobile device clusters in Dew computing environments. *Softw: Pract Exper.* 2020; 50: 688– 718. <https://doi.org/10.1002/spe.2696>
53. X. Zeng, S. K. Garg, P. Strazdins, P. P. Jayaraman, D. Georgakopoulos, and R. Ranjan, "Iotsim: A simulator for analysing iot applications," *Journal of Systems Architecture*, vol. 72, pp. 93–107, 2017.
54. D. N. Jha, K. Alwasel, A. Alshoshan, X. Huang, R. K. Naha, S. K. Battula, S. Garg, D. Puthal, P. James, A. Y. Zomaya, S. Dustdar, and R. Ranjan, "IoTSim-Edge: A Simulation Framework for Modeling the

Behaviour of IoT and Edge Computing Environments“, Software:
Practice and Experience, 2019.